ADATA



Pricelist as of August 6, 2026 (Prices are subject to change without prior notice)

Durable Hard Drive



3 YRS Limited Warranty

MODEL NAME	SPECIFICATION	VAT EX	VAT INC	SRP
HD650 Black 1TB	HD650 1TB BLACK	P 5,590.00	P 5,925.00	P 7,200.00
HD650 Black 2TB	HD650 2TB BLACK	P 6,925.00	P 7,340.00	P 7,805.00



3 YRS Limited Warranty

MODEL NAME	SPECIFICATION	VAT EX	VAT INC	SRP
HD330 Black 1TB	HD330 1TB BLACK	P 5,655.00	P 5,995.00	P 7,285.00

EXTERNAL SSD



3 YRS Limited Warranty

MODEL NAME	CAPACITY	VAT EX	VAT INC	SRP
AELI-SE880-500GCGY	SE880 500GB GREY			
AELI-SE880-500GCBU	SE880 500GB BLUE			
AELI-SE880-1TCBU	SE880 1TB BLUE			
AELI-SE880-1TCGY	SE880 1TB GREY			
AELI-SE880-2TCGY	SE880 2TB GREY			
AELI-SE880-2TCBU	SE880 2TB BLUE			
AELI-SE880-4TCGY	SE880 4TB GREY			
AELI-SE880-4TCBU	SE880 4TB BLUE			



3 YRS Limited Warranty

MODEL NAME	CAPACITY	VAT EX	VAT INC	SRP
SC750-500G-CCBK	SC750 500GB BLACK			
SC750-1000G-CCBK	SC750 1TB BLACK			
SC750-2000G-CCBK	SC750 2TB BLACK			

Classic 3.2 USB



5 YRS Limited Warranty

MODEL NAME	CAPACITY	VAT EX	VAT INC	SRP
UV128 Blue	32GB	P 355.00	P 375.00	P 460.00
	64GB	P 460.00	P 490.00	P 595.00
	128GB	P 645.00	P 685.00	P 830.00
	256GB	P 2,075.00	P 2,200.00	P 2,675.00

Micro SD CLASS10 A1



Limited Lifetime

MODEL NAME	SPECIFICATION	VAT EX	VAT INC	SRP
AUSDH32GUICL10A1-RA1 MICROSDHC 32GB	MICROSDHC UHS-I 100/20 MB/s	P 515.00	P 545.00	P 665.00
AUSDX64GUICL10A1-RA1 MICROSDHC 64GB	MICROSDHC UHS-I 100/25 MB/s	P 580.00	P 615.00	P 750.00
AUSDX128GUICL10A1-RA1 MICROSDHC 128GB		P 975.00	P 1,035.00	P 1,225.00
AUSDX256GUICL10A1-RA1 MICROSDHC 256GB		P 1,960.00	P 2,080.00	P 2,525.00

U-DIMM DDR4



Limited Lifetime

MODEL NAME	CAPACITY	VAT EX	VAT INC	SRP
AD4U32008G22-SGN	8GB	P 4,745.00	P 5,030.00	P 6,110.00
AD4U320016G22-SGN	16GB	P 9,445.00	P 10,010.00	P 12,165.00
AD4U320032G22-SGN	32GB			

GBT 21st/Flr 144 N. Domingo St., corner Mayor Ignacio Santos Diaz St., Brgy. Kaunlaran,
Quezon City, Metro Manila, Philippines 1111
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com | fb page: ADATA - Global Galaxy Distribution Inc.

Official Philippine Distributor

global galaxy DISTRIBUTION, INC.

ADATA



Pricelist as of September 1, 2026 (Prices are subject to change without prior notice)

SO-DIMM DDR4



Limited Lifetime

MODEL NAME	CAPACITY	VAT EX	VAT INC	SRP
AD4S32008G22-SGN	8GB	P 4,745.00	P 5,030.00	P 5,910.00
AD4S320016G22-SGN	16GB	P 9,445.00	P 10,010.00	P 12,165.00

U-DIMM DDR5

Limited Lifetime



MODEL NAME	CAPACITY	VAT EX	VAT INC	SRP
AD5U48008G-S	8GB	P 6,495.00	P 6,885.00	P 8,365.00
AD5U480016G-S	16GB	P 11,605.00	P 12,230.00	P14,950.00
AD5U560016G-S NEW	16GB	P 12,665.00	P 13,425.00	P 16,315.00

SO-DIMM DDR5



Limited Lifetime

MODEL NAME	CAPACITY	VAT EX	VAT INC	SRP
AD5S48008G-S	8GB	P 7,040.00	P 7,465.00	P 9,070.00
AD5S480016G-S	16GB	P 11,330.00	P 12,010.00	P14,595.00
AD5S56008G-S	8GB	P 7,330.00	P 7,740.00	P 9,405.00
AD5S560016G-S	16GB	P12,665.00	P 13,425.00	P 16,315.00

SATA SSD

3 YRS Limited Warranty



MODEL NAME	CAPACITY	VAT EX	VAT INC	SRP
ASU650SS-240GT-R	240GB	P 1,575.00	P 1,670.00	P 2,030.00
ASU650SS-256GT-R	256GB	P 2,300.00	P 2,440.00	P 2,965.00
ASU650SS-480GT-R	480GB	P 4,745.00	P 5,030.00	P 6,110.00
ASU650SS-512GT-R	512GB	P 4,820.00	P 5,110.00	P 6,210.00
ASU650SS-1TT-R	1TB	P 8,620.00	P 9,140.00	P 11,105.00

NVME M.2 SSD

3 YRS Limited Warranty



MODEL NAME	SPECIFICATION	VAT EX	VAT INC	SRP
LEGEND 710 M.2 SSD 256GB	256GB (Gen 3x4 M.2 2280)	P 3,725.00	P 3,950.00	P 4,800.00
LEGEND 710 M.2 SSD 512GB	512GB (Gen 3x4 M.2 2280)	P 5,875.00	P 6,230.00	P 7,570.00
LEGEND 710 M.2 SSD 1TB	1TB (Gen 3x4 M.2 2280)	P 11,180.00	P 11,850.00	P14,400.00

5 YRS Limited Warranty



MODEL NAME	SPECIFICATION	VAT EX	VAT INC	SRP
ALEG-960M-1TCS	1TB (Gen 4x4 M.2 2280)			
ALEG-960M-2TCS	2TB (Gen 4x4 M.2 2280)			

5 YRS Limited Warranty



MODEL NAME	SPECIFICATION	VAT EX	VAT INC	SRP
LEGEND 860 500GB	500GB (Gen 4x4 M.2 2280)	P 6,370.00	P 6,775.00	P 8,205.00
LEGEND 860 1TB	1TB (Gen 4x4 M.2 2280)	P 11,340.00	P 12,020.00	P14,605.00
LEGEND 860 2TB	2TB (Gen 4x4 M.2 2280)	P18,670.00	P 19,790.90	P24,050.00

Official Philippine Distributor

global galaxy DISTRIBUTION, INC.

For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977



Pricelist as of September 1, 2026 (Prices are subject to change without prior notice)


GAMING RAM

Limited Lifetime



MODEL NAME	SPECIFICATION	VAT EX	VAT INC	SRP
SMAR-980B-1TCS	1TB (Gen 5x4 M.2 2280)			

DRR4



MODEL NAME	SPECIFICATION	VAT EX	VAT INC	SRP
AX4U32008G16A-SBKD35G	SPECTRIX D35G 8GB SINGLE 3200MHz BLACK DIMM	P 5,060.00	P 5,365.00	P 6,520.00
AX4U320016G16A-SBKD35G	SPECTRIX D35G 16GB SINGLE 3200MHz BLACK DIMM	P 9,765.00	P 10,385.00	P 12,615.00
AX4U32008G16A-DTBKD35G	SPECTRIX D35G 8GB x 2 DUAL 3200MHz BLACK DIMM	P 10,020.00	P 10,620.00	P 12,905.00
AX4U32008G16A-DTWHD35G	SPECTRIX D35G 8GB x 2 DUAL 3200MHz WHITE DIMM	P 10,020.00	P 10,620.00	P 12,905.00

Limited Lifetime



Limited Lifetime



MODEL NAME	SPECIFICATION	VAT EX	VAT INC	SRP
AX4U32008G16A-SBKD35	GAMMIX D35 8GB SINGLE 3200MHz BLACK DIMM	P 4,910.00	P 5,205.00	P 6,325.00
AX4U32008G16A-DTBKD35	GAMMIX D35 16GB (8GB x 2) DUAL 3200MHz BLACK DIMM			
AX4U32008G16A-SWHD35	GAMMIX D35 8GB SINGLE 3200MHz WHITE DIMM	P 4,910.00	P 5,205.00	P 6,325.00
AX4U32008G16A-DTWHD35	GAMMIX D35 16GB (8GB x 2) DUAL 3200MHz WHITE DIMM			
AX4U36008G18I-SBKD35	GAMMIX D35 8GB SINGLE 3600MHz BLACK DIMM			
AX4U36008G18I-DTBKD35	GAMMIX D35 16GB (8GB x 2) DUAL 3600MHz BLACK DIMM			
AX4U36008G18I-SWHD35	GAMMIX D35 8GB SINGLE 3600MHz WHITE DIMM	P 10,355.00	P 10,975.00	P 13,340.00
AX4U36008G18I-DTWHD35	GAMMIX D35 16GB (8GB x 2) DUAL 3600MHz WHITE DIMM			

DRR5

Limited Lifetime



MODEL NAME	SPECIFICATION	VAT EX	VAT INC	SRP
AX5U5600C468G-SLABRBK NEW	LANCER BLADE RGB 8GB SINGLE 5600MHz BLACK DIMM	P 7,400.00	P 7,845.00	P 9,530.00
AX5U5600C468G-SLABRWH NEW	LANCER BLADE RGB 8GB SINGLE 5600MHz WHITE DIMM	P 7,400.00	P 7,845.00	P 9,530.00
AX5U6000C3616G-SLABRBK	LANCER BLADE RGB 16GB SINGLE 6000MHz BLACK DIMM	P 14,415.00	P 15,280.00	P 18,565.00
AX5U6000C4816G-DTLABRBK	LANCER BLADE RGB 16GB x 2 DUAL 6000MHz BLACK DIMM	P 21,340.00	P 22,620.00	P 27,485.00
AX5U6000C3616G-DTLABRBK	LANCER BLADE RGB 16GB x 2 DUAL 6000MHz BLACK DIMM	P 28,730.00	P 30,455.00	P 37,005.00
AX5U6000C3616G-DTLABRWH	LANCER BLADE RGB 16GB x 2 DUAL 6000MHz WHITE DIMM	P 28,730.00	P 30,455.00	P 37,005.00


GBT 21st/Flr 144 N. Domingo St., corner Mayor Ignacio Santos Diaz St., Brgy. Kaunlaran,
Quezon City, Metro Manila, Philippines 1111
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: ADATA - Global Galaxy Distribution Inc.

Official Philippine Distributor

global galaxy DISTRIBUTION, INC.

ASRock

Pricelist as of September 1, 2026 (Prices are subject to change without prior notice)

	SPECS	DP	SRP
Z890 Taichi 	**Chipset:** Intel Z890 **Socket:** LGA1851 **CPU Support:** Intel Core Ultra 200 Series (Arrow Lake) **Form Factor:** ATX **Memory:** 4× DDR5 DIMM, up to 256GB, DDR5 9600+ (OC) **Expansion Slots:** 1× PCIe 5.0 x16, 1× PCIe 4.0 x16 (x4 mode) **Storage:** 6× M.2 (1× PCIe 5.0, 5× PCIe 4.0), 4× SATA 6Gb/s **Networking:** 5GbE LAN + Wi-Fi 7 + Bluetooth 5.4 **Rear I/O:** Dual Thunderbolt 4 / USB4 Type-C, USB 3.2 Gen2x2 **Audio:** Realtek ALC4082 7.1 HD Audio **Power Design:** 20+1+2+1+1 Phase, 110A SPS VRM **Features:** BIOS Flashback, Debug LED, Premium VRM Cooling, PCIe Gen5 Ready	Php 31,840.00	Php 36,600.00
Z890 Nova WiFi 	**Chipset:** Intel Z890 **Socket:** LGA1851 **CPU Support:** Intel Core Ultra 200 Series (Arrow Lake) **Form Factor:** ATX **Memory:** 4× DDR5 DIMM, up to 256GB, DDR5 9600+ (OC) **Expansion Slots:** 1× PCIe 5.0 x16, 1× PCIe 4.0 x16 (x4 mode) **Storage:** 6× M.2 (1× PCIe 5.0, 5× PCIe 4.0), 4× SATA 6Gb/s **Networking:** 5GbE LAN + Wi-Fi 7 + Bluetooth 5.4 **Rear I/O:** Dual Thunderbolt 4 / USB4 Type-C, USB 3.2 Gen2x2 **Audio:** Realtek ALC4082 7.1 HD Audio **Power Design:** 20+1+2+1+1 Phase, 110A SPS VRM **Features:** BIOS Flashback, Debug LED, Premium VRM Cooling, PCIe Gen5 Ready	Php 26,325.00	Php 30,260.00
Z890 Steel Legend WiFi 	**Chipset:** Intel Z890 **Socket:** LGA1851 **CPU Support:** Intel Core Ultra 200 Series (Arrow Lake) **Form Factor:** ATX **Memory:** 4× DDR5 DIMM, up to 256GB, DDR5 9466+ (OC) **Power Design:** 18+1+1+1+1 Phase, 80A SPS VRM **Expansion Slots:** 1× PCIe 5.0 x16, 1× PCIe 4.0 x16 (x4), 1× PCIe 4.0 x4 **Storage:** 1× PCIe 5.0 M.2, 3× PCIe 4.0 M.2, 4× SATA 6Gb/s **Networking:** Realtek 2.5GbE LAN **Wireless:** Wi-Fi 7 + Bluetooth **Rear I/O:** 2× Thunderbolt 4 / USB4 Type-C, HDMI 2.1 **Audio:** Realtek ALC1220 7.1 HD Audio with Nahimic Audio **Features:** BIOS Flashback, Memory OC Shield, PCIe Gen5 Ready, 20K Capacitors, Integrated I/O Shield	Php 19,340.00	Php 22,230.00
Z890 Pro RS WiFi White 	**Chipset:** Intel Z890 **Socket:** LGA1851 **CPU Support:** Intel Core Ultra 200 Series (Arrow Lake) **Form Factor:** ATX **Memory:** 4× DDR5 DIMM, up to 256GB, DDR5 9066+ (OC) **Power Design:** 16+1+1+1+1 Phase Dr.MOS VRM **Expansion Slots:** 1× PCIe 5.0 x16, 2× PCIe 4.0 x4, 1× PCIe 4.0 x1 **Storage:** 1× PCIe 5.0 M.2, 3× PCIe 4.0 M.2, 4× SATA 6Gb/s **Networking:** Realtek 2.5GbE LAN **Wireless:** Wi-Fi 6E + Bluetooth 5.3 **Rear I/O:** 2× Thunderbolt 4 / USB4 Type-C, HDMI, DisplayPort **Audio:** Realtek ALC897 7.1 HD Audio **Features:** PCIe Gen5 Ready, DDR5 OC Support, M.2 Heatsinks, Polychrome RGB, Integrated I/O Shield, White Design PCB & Heatsinks	Php 16,620.00	Php 19,105.00
Z890 Pro RS WiFi 	**Chipset:** Intel Z890 **Socket:** LGA1851 **CPU Support:** Intel Core Ultra 200 Series (Arrow Lake) **Form Factor:** ATX **Memory:** 4× DDR5 DIMM, up to 256GB, DDR5 9066+ (OC) **Power Design:** 16+1+1+1+1 Phase Dr.MOS VRM **Expansion Slots:** 1× PCIe 5.0 x16, 2× PCIe 4.0 x4, 1× PCIe 4.0 x1 **Storage:** 1× PCIe 5.0 M.2, 3× PCIe 4.0 M.2, 4× SATA 6Gb/s **Networking:** Realtek 2.5GbE LAN **Wireless:** Wi-Fi 6E + Bluetooth 5.3 **Rear I/O:** 2× Thunderbolt 4 / USB4 Type-C, HDMI, DisplayPort **Audio:** Realtek ALC897 7.1 HD Audio **Features:** PCIe Gen5 Ready, DDR5 OC Support, M.2 Heatsinks, Polychrome RGB, Integrated I/O Shield, EZ Troubleshooter LEDs, BIOS Flashback Button	Php 16,400.00	Php 18,850.00
B860 LiveMixer WiFi 	**Chipset:** Intel B860 **Socket:** LGA1851 **CPU Support:** Intel Core Ultra 200 Series (Arrow Lake) **Form Factor:** ATX **Memory:** 4× DDR5 DIMM, up to 256GB, DDR5 9066+ (OC) **Power Design:** 14+1+1+1+1 Phase Dr.MOS VRM **Expansion Slots:** 1× PCIe 5.0 x16, 1× PCIe 4.0 x4, 2× PCIe 4.0 x1 **Storage:** 1× PCIe 5.0 M.2, 2× PCIe 4.0 M.2, 4× SATA 6Gb/s **Networking:** Realtek 2.5GbE LAN **Wireless:** Wi-Fi 6E + Bluetooth 5.3 **Rear I/O:** USB 3.2 Gen2x2 Type-C, HDMI, DisplayPort **Audio:** Realtek ALC897 7.1 HD Audio **Features:** Creator-Focused Design, 20+ USB Ports, PCIe Gen5 Ready, DDR5 OC Support, Polychrome RGB, M.2 Heatsinks, Integrated I/O Shield, LiveMixer Orange Theme	Php 12,500.00	Php 14,370.00

GBT 21st/Flr 144 N. Domingo St., corner Mayor Ignacio Santos Diaz St., Brgy. Kaunlaran, Quezon City, Metro Manila, Philippines 1111
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI Ph

Official Philippine Distributor

global galaxy DISTRIBUTION, INC.

Pricelist as of September 1, 2026 (Prices are subject to change without prior notice)

B860 Pro RS WiFi




SPECS

Chipset: Intel B860
Socket: LGA1851
CPU Support: Intel Core Ultra 200 Series (Arrow Lake)
Form Factor: ATX
Memory: 4× DDR5 DIMM, up to 256GB, DDR5 8666+ (OC)
Power Design: 14+1+1+1+1 Phase Dr.MOS VRM
Expansion Slots: 1× PCIe 5.0 x16, 1× PCIe 4.0 x4, 1× PCIe 4.0 x1
Storage: 1× PCIe 5.0 M.2, 2× PCIe 4.0 M.2, 4× SATA 6Gb/s
Networking: Realtek 2.5GbE LAN
Wireless: Wi-Fi 6E + Bluetooth 5.3
Rear I/O: USB 3.2 Gen2x2 Type-C, HDMI, DisplayPort
Audio: Realtek ALC897 7.1 HD Audio
Features: PCIe Gen5 Ready, DDR5 OC Support, M.2 Heatsinks, Polychrome RGB, Integrated I/O Shield, BIOS Flashback, EZ Troubleshooter LEDs, Steel Slot Protection

DP	SRP
Php 10,660.00	Php 12,225.00

B860 Challenger WiFi White




SPECS

Chipset: Intel B860
Socket: LGA1851
CPU Support: Intel Core Ultra 200 Series (Arrow Lake)
Form Factor: ATX
Memory: 4× DDR5 DIMM, up to 256GB, DDR5 8666+ (OC)
Power Design: 10+1+1+1+1 Phase Dr.MOS VRM
Expansion Slots: 1× PCIe 5.0 x16, 1× PCIe 4.0 x16 (x4)
Storage: 1× PCIe 5.0 M.2, 2× PCIe 4.0 M.2, 4× SATA 6Gb/s
Networking: Realtek 2.5GbE LAN
Wireless: Wi-Fi 7 + Bluetooth
Rear I/O: USB 3.2 Gen2x2 Type-C, HDMI, DisplayPort
Audio: Realtek ALC897 7.1 HD Audio with Nahimic Audio
Features: PCIe Gen5 Ready, DDR5 OC Support, BIOS Flashback, Pre-Installed I/O Shield, Steel Slot Protection, Lightning Gaming Ports, Polychrome RGB, White Design PCB & Heatsinks

DP	SRP
Php 10,075.00	Php 11,580.00

B860 RocK WiFi



SPECS

Chipset: Intel B860
Socket: LGA1851
CPU Support: Intel Core Ultra 200 Series (Arrow Lake)
Form Factor: ATX
Memory: 4× DDR5 DIMM, up to 256GB, DDR5 8666+ (OC)
Power Design: 8+1+1+1+1 Phase Dr.MOS VRM
Expansion Slots: 1× PCIe 5.0 x16, 1× PCIe 4.0 x16 (x4)
Storage: 1× PCIe 5.0 M.2, 2× PCIe 4.0 M.2, 4× SATA 6Gb/s
Networking: Realtek 2.5GbE LAN
Wireless: Wi-Fi 7 + Bluetooth 5.4
Rear I/O: USB 3.2 Gen1 Type-C, HDMI
Audio: Realtek ALC897 7.1 HD Audio
Features: PCIe Gen5 Ready, DDR5 OC Support, Pre-Installed I/O Shield, M.2 Heatsink, EZ Troubleshooter (Post Status Checker), Auto Driver Installer, 6-Layer PCB

DP	SRP
Php 8,970.00	Php 10,310.00

B860M Steel Legend WiFi




SPECS

Chipset: Intel B860
Socket: LGA1851
CPU Support: Intel Core Ultra 200 Series (Arrow Lake)
Form Factor: Micro-ATX
Memory: 4× DDR5 DIMM, up to 256GB, DDR5 8666+ (OC)
Power Design: 12+1+1+1+1 Phase Dr.MOS VRM, 80A SPS
Expansion Slots: 1× PCIe 5.0 x16, 1× PCIe 4.0 x4, 1× PCIe 4.0 x1
Storage: 1× PCIe 5.0 M.2, 2× PCIe 4.0 M.2, 4× SATA 6Gb/s
Networking: Realtek 2.5GbE LAN
Wireless: Wi-Fi 7 + Bluetooth 5.4
Rear I/O: USB 3.2 Gen2x2 Type-C, HDMI 2.1, DisplayPort 1.4
Audio: Realtek ALC1220 7.1 HD Audio with Nahimic Audio
Features: PCIe Gen5 Ready, DDR5 OC Support, BIOS Flashback, Pre-Installed I/O Shield, Steel Slot Protection, M.2 Heatsinks, Polychrome RGB, White/Silver Steel Legend Design

DP	SRP
Php 11,840.00	Php 13,610.00

B860M Challenger WiFi White



SPECS

Chipset: Intel B860
Socket: LGA1851
CPU Support: Intel Core Ultra 200 Series (Arrow Lake)
Form Factor: Micro-ATX
Memory: 4× DDR5 DIMM, up to 256GB, DDR5 8666+ (OC)
Power Design: 10+1+1+1+1 Phase Dr.MOS VRM
Expansion Slots: 1× PCIe 5.0 x16, 1× PCIe 4.0 x16 (x4)
Storage: 1× PCIe 5.0 M.2, 2× PCIe 4.0 M.2, 4× SATA 6Gb/s
Networking: Realtek 2.5GbE LAN
Wireless: Wi-Fi 7 + Bluetooth 5.4
Rear I/O: USB 3.2 Gen2 Type-C, HDMI, DisplayPort
Audio: Realtek ALC897 7.1 HD Audio with Nahimic Audio
Features: PCIe Gen5 Ready, DDR5 OC Support, BIOS Flashback, Pre-Installed I/O Shield, Steel Slot Protection, M.2 Heatsinks, Polychrome RGB, White Design PCB & Heatsinks

DP	SRP
Php 9,635.00	Php 11,075.00

B860M Challenger WiFi



SPECS

Chipset: Intel B860
Socket: LGA1851
CPU Support: Intel Core Ultra 200 Series (Arrow Lake)
Form Factor: Micro-ATX
Memory: 4× DDR5 DIMM, up to 256GB, DDR5 8666+ (OC)
Power Design: 10+1+1+1+1 Phase Dr.MOS VRM
Expansion Slots: 1× PCIe 5.0 x16, 1× PCIe 4.0 x16 (x4)
Storage: 1× PCIe 5.0 M.2, 2× PCIe 4.0 M.2, 4× SATA 6Gb/s
Networking: Realtek 2.5GbE LAN
Wireless: Wi-Fi 7 + Bluetooth 5.4
Rear I/O: USB 3.2 Gen2 Type-C, HDMI, DisplayPort
Audio: Realtek ALC897 7.1 HD Audio with Nahimic Audio
Features: PCIe Gen5 Ready, DDR5 OC Support, BIOS Flashback, Pre-Installed I/O Shield, Steel Slot Protection, M.2 Heatsinks, Polychrome RGB, Challenger Series Design PCB & Heatsinks

DP	SRP
Php 9,415.00	Php 10,820.00

GBT 21st/Flr 144 N. Domingo St., corner Mayor Ignacio Santos Diaz St., Brgy. Kaunlaran, Quezon City, Metro Manila, Philippines 1111
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI Ph

Official Philippine Distributor
global galaxy DISTRIBUTION, INC.

Pricelist as of September 1, 2026 (Prices are subject to change without prior notice)

B860M-X Gen5 WiFi



SPECS

Chipset: Intel B860
Socket: LGA1851
CPU Support: Intel Core Ultra 200 Series (Arrow Lake)
Form Factor: Micro-ATX
Memory: 2× DDR5 DIMM, up to 128GB, DDR5 8666+ (OC)
Power Design: 8+1+1+1 Phase Dr.MOS VRM
Expansion Slots: 1× PCIe 5.0 x16, 1× PCIe 4.0 x1
Storage: 1× PCIe 5.0 M.2, 1× PCIe 4.0 M.2, 4× SATA 6Gb/s
Networking: Realtek 2.5GbE LAN
Wireless: Wi-Fi 6E + Bluetooth 5.3
Rear I/O: USB 3.2 Gen2 Type-C, HDMI, DisplayPort
Audio: Realtek ALC897 7.1 HD Audio
Features: PCIe Gen5 Ready, DDR5 OC Support, M.2 Heatsink, Steel Slot Protection, Auto Driver Installer, EZ Troubleshooter (Post Status Checker), Compact Micro-ATX Design

DP	SRP
Php 8,750.00	Php 10,060.00

B860M-H2



SPECS

Chipset: Intel B860
Socket: LGA1851
CPU Support: Intel Core Ultra 200 Series (Arrow Lake)
Form Factor: Micro-ATX
Memory: 2× DDR5 DIMM, up to 128GB, DDR5 8666+ (OC)
Power Design: 6+1+1+1 Phase VRM
Expansion Slots: 1× PCIe 4.0 x16, 1× PCIe 4.0 x1
Storage: 2× PCIe 4.0 M.2, 4× SATA 6Gb/s
Networking: Realtek 1GbE LAN
Wireless: None
Rear I/O: USB 3.2 Gen1, HDMI, DisplayPort
Audio: Realtek ALC897 7.1 HD Audio
Features: DDR5 OC Support, M.2 SSD Support, Auto Driver Installer, EZ Troubleshooter (Post Status Checker), Compact Micro-ATX Design, Budget-Friendly Platform

DP	SRP
Php 6,765.00	Php 7,775.00

B860I WiFi



SPECS

Chipset: Intel B860
Socket: LGA1851
CPU Support: Intel Core Ultra 200 Series (Arrow Lake)
Form Factor: Mini-ITX
Memory: 2× DDR5 DIMM, up to 128GB, DDR5 9066+ (OC)
Power Design: 10+1+1+1 Phase Dr.MOS VRM, 80A SPS
Expansion Slots: 1× PCIe 5.0 x16
Storage: 1× PCIe 5.0 M.2, 1× PCIe 4.0 M.2, 4× SATA 6Gb/s
Networking: Realtek 2.5GbE LAN
Wireless: Wi-Fi 7 + Bluetooth 5.4
Rear I/O: USB 3.2 Gen2x2 Type-C, HDMI 2.1, DisplayPort 1.4
Audio: Realtek ALC1220 7.1 HD Audio with Nahimic Audio
Features: PCIe Gen5 Ready, DDR5 OC Support, M.2 Heatsinks, Pre-Installed I/O Shield, Compact Mini-ITX Design, Auto Driver Installer, Polychrome RGB Support

DP	SRP
Php 10,295.00	Php 11,835.00

B760M Pro RS Wifi




SPECS

CChipset: Intel B760
Socket: LGA1700
CPU Support: 12th, 13th & 14th Gen Intel Core Processors
Form Factor: Micro-ATX
Memory: 4× DDR4 DIMM, up to 128GB, DDR4 5333+ (OC)
Power Design: 7+1+1 Phase Dr.MOS VRM
Expansion Slots: 1× PCIe 4.0 x16, 1× PCIe 4.0 x1, 1× PCIe 3.0 x1
Storage: 2× PCIe 4.0 M.2, 4× SATA 6Gb/s
Networking: Realtek 2.5GbE LAN
Wireless: Wi-Fi 6E + Bluetooth 5.3
Rear I/O: USB 3.2 Gen2 Type-C, HDMI, DisplayPort, D-Sub
Audio: Realtek ALC897 7.1 HD Audio
Features: DDR4 OC Support, M.2 Heatsinks, Steel Slot Protection, Auto Driver Installer, Polychrome RGB Support, Budget-Friendly Micro-ATX Design

DP	SRP
Php 9,045.00	Php 10,395.00

B760M Pro-A/D4 WiFi




SPECS

Chipset: Intel B760
Socket: LGA1700
CPU Support: 12th, 13th & 14th Gen Intel Core Processors
Form Factor: Micro-ATX
Memory: 4× DDR4 DIMM, up to 128GB, DDR4 5333+ (OC)
Power Design: 7+1+1 Phase Dr.MOS VRM
Expansion Slots: 1× PCIe 4.0 x16, 1× PCIe 4.0 x1, 1× PCIe 3.0 x1
Storage: 2× PCIe 4.0 M.2, 4× SATA 6Gb/s
Networking: Realtek 2.5GbE LAN
Wireless: Wi-Fi 6E + Bluetooth 5.3
Rear I/O: USB 3.2 Gen2 Type-C, HDMI, DisplayPort, D-Sub
Audio: Realtek ALC897 7.1 HD Audio
Features: DDR4 OC Support, M.2 Heatsinks, Steel Slot Protection, Auto Driver Installer, Polychrome RGB Support, Budget-Friendly Micro-ATX Design

DP	SRP
Php 8,235.00	Php 9,465.00

B760M Pro-A/D4



SPECS

Chipset: Intel B760
Socket: LGA1700
CPU Support: 12th, 13th & 14th Gen Intel Core Processors
Form Factor: Micro-ATX
Memory: 4× DDR4 DIMM, up to 128GB, DDR4 5333+ (OC)
Power Design: 7+1+1 Phase Dr.MOS VRM
Expansion Slots: 1× PCIe 4.0 x16, 1× PCIe 4.0 x1, 1× PCIe 3.0 x1
Storage: 2× PCIe 4.0 M.2, 4× SATA 6Gb/s
Networking: Realtek 2.5GbE LAN
Wireless: None
Rear I/O: USB 3.2 Gen2 Type-C, HDMI, DisplayPort, D-Sub
Audio: Realtek ALC897 7.1 HD Audio
Features: DDR4 OC Support, M.2 Heatsinks, Steel Slot Protection, Auto Driver Installer, Polychrome RGB Support, Budget-Friendly Micro-ATX Design

DP	SRP
Php 7,355.00	Php 8,455.00

GBT 21st/Flr 144 N. Domingo St., corner Mayor Ignacio Santos Diaz St., Brgy. Kaunlaran, Quezon City, Metro Manila, Philippines 1111
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI Ph

Official Philippine Distributor

global galaxy DISTRIBUTION, INC.

ASRock

Pricelist as of September 1, 2026 (Prices are subject to change without prior notice)

B760M-HDV/M.2 D4



SPECS

Chipset: Intel B760
Socket: LGA1700
CPU Support: 12th, 13th & 14th Gen Intel Core Processors
Form Factor: Micro-ATX
Memory: 2× DDR4 DIMM, up to 64GB, DDR4 5333+ (OC)
Power Design: 7+1+1 Phase Power Design
Expansion Slots: 1× PCIe 4.0 x16, 1× PCIe 3.0 x1
Storage: 2× PCIe 4.0 M.2, 4× SATA 6Gb/s
Networking: Realtek 1GbE LAN
Wireless: None
Rear I/O: USB 3.2 Gen1, HDMI, DisplayPort, D-Sub
Audio: Realtek ALC897 7.1 HD Audio
Features: r

DP	SRP
Php 5,515.00	Php 6,340.00

H810M-X Gen5 WiFi




SPECS

Chipset: Intel H810
Socket: LGA1851
CPU Support: Intel Core Ultra 200 Series (Arrow Lake)
Form Factor: Micro-ATX
Memory: 2× DDR5 DIMM, up to 128GB, DDR5 6400+ (OC)
Power Design: 6+1+1+1 Phase VRM
Expansion Slots: 1× PCIe 5.0 x16, 1× PCIe 4.0 x1
Storage: 1× PCIe 5.0 M.2, 1× PCIe 4.0 M.2, 4× SATA 6Gb/s
Networking: Realtek 1GbE LAN
Wireless: Wi-Fi 6E + Bluetooth 5.3
Rear I/O: USB 3.2 Gen1 Type-C, HDMI, DisplayPort
Audio: Realtek ALC897 7.1 HD Audio
Features: PCIe Gen5 Ready, DDR5 Support, M.2 Heatsink, Auto Driver Installer, EZ Troubleshooter (Post Status Checker), Compact Micro-ATX Design, Budget-Friendly Platform

DP	SRP
Php 6,545.00	Php 7,525.00

H610M-X D5 Gen5 WiFi




SPECS

Chipset: Intel H610
Socket: LGA1700
CPU Support: 12th, 13th & 14th Gen Intel Core Processors
Form Factor: Micro-ATX
Memory: 2× DDR5 DIMM, up to 96GB, DDR5 5600 (OC)
Power Design: 6+1+1 Phase Power Design
Expansion Slots: 1× PCIe 5.0 x16, 1× PCIe 3.0 x1
Storage: 1× PCIe 4.0 M.2, 4× SATA 6Gb/s
Networking: Realtek 1GbE LAN
Wireless: Wi-Fi 6E + Bluetooth 5.3
Rear I/O: USB 3.2 Gen1, HDMI, DisplayPort, D-Sub
Audio: Realtek ALC897 7.1 HD Audio
Features: PCIe Gen5 Ready, DDR5 Support, Auto Driver Installer, M.2 SSD Support,
Compact Micro-ATX Design, Budget-Friendly Platform

DP	SRP
Php 5,000.00	Php 5,750.00

H610M Combo II



SPECS

Chipset: Intel H610
Socket: LGA1700
CPU Support: 12th, 13th & 14th Gen Intel Core Processors
Form Factor: Micro-ATX
Memory: 2× DDR5 DIMM (up to 96GB, DDR5 5600) + 1× DDR4 DIMM (up to 32GB, DDR4 3200) (DDR4 and DDR5 cannot be used simultaneously)
Power Design: 6+1+1 Phase Power Design
Expansion Slots: 1× PCIe 5.0 x16, 1× PCIe 3.0 x1
Storage: 1× PCIe 3.0 x4 M.2, 4× SATA 6Gb/s
Networking: Realtek 1GbE LAN
Wireless: None
Rear I/O: HDMI, DisplayPort, D-Sub, USB 3.2 Gen1
Audio: Realtek ALC897 7.1 HD Audio
Features: Hybrid DDR4/DDR5 Memory Support, PCIe Gen5 Ready (Graphics), A uto Driver Installer, Triple Display Outputs, Compact Micro-ATX Design, Budget-Friendly Upgrade Platform

DP	SRP
Php 4,705.00	Php 5,410.00

H610M-HVS/M.2 D5 Gen5



SPECS

Chipset: Intel H610
Socket: LGA1700
CPU Support: 12th, 13th & 14th Gen Intel Core Processors
Form Factor: Micro-ATX
Memory: 2× DDR5 DIMM, up to 96GB, DDR5 5600 (OC)
Power Design: 6+1+1 Phase Power Design
Expansion Slots: 1× PCIe 5.0 x16, 1× PCIe 3.0 x1
Storage: 1× PCIe 4.0 x4 M.2, 4× SATA 6Gb/s
Networking: Realtek 1GbE LAN
Wireless: None
Rear I/O: HDMI, D-Sub, USB 3.2 Gen1
Audio: Realtek ALC897 7.1 HD Audio
Features: PCIe Gen5 Ready (Graphics), DDR5 Support, M.2 NVMe SSD Support, Auto Driver Installer, Nahimic Audio, Compact Micro-ATX Design, Budget-Friendly Platform

DP	SRP
Php 4,485.00	Php 5,155.00

H610M-HVS/M.2 R2.0



SPECS

Chipset: Intel H610
Socket: LGA1700
CPU Support: 12th, 13th & 14th Gen Intel Core Processors
Form Factor: Micro-ATX
Memory: 2× DDR4 DIMM, up to 64GB, DDR4 3200
Power Design: 6+1+1 Phase Power Design
Expansion Slots: 1× PCIe 4.0 x16, 1× PCIe 3.0 x1
Storage: 1× PCIe 3.0 x4 M.2, 4× SATA 6Gb/s
Networking: Realtek 1GbE LAN
Wireless: None
Rear I/O: HDMI, D-Sub, USB 3.2 Gen1
Audio: Realtek ALC897 7.1 HD Audio
Features: M.2 NVMe SSD Support, Auto Driver Installer, Nahimic Audio, Compact Micro-ATX Design, Budget-Friendly Platform, Supports 12th/13th/14th Gen Intel CPUs, PCIe 4.0 Graphics Support

DP	SRP
Php 4,265.00	Php 4,905.00

GBT 21st/Flr 144 N. Domingo St., corner Mayor Ignacio Santos Diaz St., Brgy. Kaunlaran, Quezon City, Metro Manila, Philippines 1111
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI Ph


Official Philippine Distributor

global galaxy DISTRIBUTION, INC.

	SPECS	DP	SRP
ARC B580 Challenger 12G OC (B580 CL 12GO) 	**Chipset:** Intel Arc B580 **Architecture:** Intel Xe2 (Battlemage) **Memory:** 12GB GDDR6, 192-bit **Engine Clock:** Up to 2,740 MHz (Factory Overclocked) **Memory Speed:** 19 Gbps **Interface:** PCIe 4.0 x8 **Outputs:** 3× DisplayPort 2.1, 1× HDMI 2.1 **Maximum Resolution:** Up to 8K HDR **Cooling:** Dual-Fan Challenger Cooling System **Power Connector:** 1× 8-pin PCIe **Recommended PSU:** 600W **DirectX Support:** DirectX 12 Ultimate **Features:** Intel XeSS 2, Ray Tracing, AV1 Encode/Decode, Intel XMX AI Engines, 0dB Silent Cooling, Steel Reinforced Backplate, Factory Overclocked Design, PCIe Gen4 Ready Form Factor: Dual-Slot Graphics Card	Php 21,175.00	Php 24,340.00
DeskMini B860/WiFi (Case+PWR+MB) for channel 	**1.92L Mini PC** **CPU:** Supports Intel® Core™ Ultra Processors (Series 2) (LGA1851), up to 65W **Memory:** Supports 2 x DDR5 SO-DIMM slots, max. 128GB Supports DDR5 non-ECC, un-buffered memory up to 5600MHz Supports DDR5 CSODIMM memory modules up to 7200MHz(OC) **Quad Video Outputs:** 1 x HDMI 2.1 2 x DisplayPort 1 x Thunderbolt™ 4 **Quad Storage Devices:** 1 x M.2 2280 Slot (M2_1) for PCIe Gen5x4 SSD 1 x M.2 2280 Slot (M2_2) for PCIe Gen4x4 SSD 2 x SATA3 6Gb/s **Abundant USB Ports:** 1 x USB 3.2 Gen2x2 Type-C (Front) 1 x USB 3.2 Gen2 Type-A Port (Front) 1 x Thunderbolt™ 4 (Rear) 1 x USB 3.2 Gen2 Type-A Port (Rear) 1 x USB 3.2 Gen1 Type-A Port (Rear)	Php 15,000.00	Php 19,320.00

GBT 21st/Flr 144 N. Domingo St., corner Mayor Ignacio Santos Diaz St., Brgy. Kaunlaran, Quezon City, Metro Manila, Philippines 1111
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI Ph

Official Philippine Distributor
global galaxy DISTRIBUTION, INC.



Pricelist as of August 17, 2026 (Prices are subject to change without prior notice)

NEW ARRIVALS

NEW

WHITE CONTOUR



BLACK CONTOUR



GLACIER BLUE
(Light Blue + White +Black Purple)



GRADIENT GREY



BLACK+GREY



DP: ₱2,650
VAT INC: ₱2,810

SRP: ₱ 3,700

F75 HE


GAMING MAGNETIC SWITCH KEYBOARD

- Tri-mode connectivity
- 8Khz Polling Rate
- 160K Scan Rate
- Aluminum Multi-functional Knob
- Suitable for office, gaming and esports
- Supports AULA HUB

GBT 21st/Flr 144 N. Domingo St., corner Mayor Ignacio Santos Diaz St., Brgy. Kaunlaran, Quezon City, Metro Manila, Philippines 1111
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: Aula Philippines

Official Philippine Distributor

global galaxy DISTRIBUTION, INC.



Pricelist as of September 1, 2026 (Prices are subject to change without prior notice)

NEW ARRIVALS

NEW

VINTAGE PEARL



DP: ₱3,620
VAT INC: ₱3,837

SRP: ₱ 5,070

PINK-DUAL TONE



DP: ₱3,500
VAT INC: ₱3,710

SRP: ₱ 4,900

GRAY WITH DYE-SUBLIMATION KEYCAPS



DP: ₱3,980
VAT INC: ₱4,219

SRP: ₱ 5,570

GRADIENT GRAY



DP: ₱3,500
VAT INC: ₱3,710

SRP: ₱ 4,900

F108 PRO V2

MECHANICAL KEYBOARD

- Wireless tri-mode: BT / 2.4G / Wired
- Custom Mechanical Keyboard
- Gasket Mount Structure
- 100 % Layout
- RGB Light
- Suitable for office, gaming and esports



S12 PRO

WIRED MOUSE

NEW

- WireD Connection
- 100 Million Click Lifespan
- Classic & Ergonomic Design
- Suitable for home, office, gaming and esports

DP: ₱415
VAT INC: ₱440

SRP: ₱ 580

GBT 21st/Flr 144 N. Domingo St., corner Mayor Ignacio Santos Diaz St., Brgy. Kaunlaran, Quezon City, Metro Manila, Philippines 1111
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: Aula Philippines

Official Philippine Distributor

global galaxy DISTRIBUTION, INC.



Pricelist as of September 1, 2026 (Prices are subject to change without prior notice)

OFFICE



AM103
USB WIRED MOUSE
- Ergonomic Design
- 3 Keys
- 1200 DPI
- Keylife: 1 Million
- Key Force: 65±5g
- Rated Voltage: DC 5V<100mA
- Size: 116.5 x 61.5 x 37.9mm
- USB Cable 1.5M
- Optical Engine, Accurate Positioning

DP: ₱105 **SRP: ₱148**
VAT INC: ₱111



AM201
2.4GHz WIRELESS MOUSE
- Ergonomic Design
- 3 Keys
- 1200 DPI
- Wireless Distance: 10M
- Keylife: 1 Million
- Rated Voltage: DC 1.5V 13mA
- Key Force: 65±5g
- Size: 110.3 x 59.5 x 32.7mm

DP: ₱160 **SRP: ₱225**
VAT INC: ₱172



AM206
WIRELESS MOUSE
- Wireless Connection
- 100 Million Click Lifespan
- Classic & Ergonomic Design
- Suitable for home, office, gaming and esports

DP: ₱280 **SRP: ₱390**
VAT INC: ₱295

KEYBOARD



AC101
USB WIRED KEYBOARD & MOUSE COMBO

Keyboard:
- Keylife: 10 Million
- Rated Voltage: DC 5V <50mA
- Key Force: 60±10g
- USB Cable 1.5M

Mouse:
- 1200 DPI
- Keylife: 3 Million
- Rated Voltage: DC 5V <100mA
- Key Force: 60±5g

DP: ₱295
VAT INC: ₱313 **SRP: ₱415**



AK205
USB WIRED KEYBOARD
- Keylife: 10 Million
- Key Force: 60±10g
- Rated Voltage: DC 5V <50mA
- USB Cable 1.5M

DP: ₱239 **SRP: ₱335**
VAT INC: ₱253



AC260
WIRELESS KEYBOARD & MOUSE COMBO

KEYBOARD
- Wireless Distance
- Keylife: 10 Million
- Rated Voltage: DC 1.5V 9mA
- Key Force: 65±20g
- Size: 443.8 x 115.6 x 23mm

MOUSE
- Connection: 2.4GHz Wireless
- 5 Keys + DPI - 800-1200-1600
- Key Life: 1 Million
- Key Force: 65±5g
- Size: 110 x 67 x 37mm

DP: ₱489 **SRP: ₱685**
VAT INC: ₱518



OFFICE CATEGORY

GBT 21st/Flr 144 N. Domingo St., corner Mayor Ignacio Santos Diaz St., Brgy. Kaunlaran, Quezon City, Metro Manila, Philippines 1111
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: Aula Philippines

Official Philippine Distributor
global galaxy DISTRIBUTION, INC.



Pricelist as of September 1, 2026 (Prices are subject to change without prior notice)

GAMING KEYBOARD

SEASALT BLUE
(BLUE, WHITE, DARK BLUE)



CEDAR GREEN
(PURPLE, BEIGE, GREEN)



GLACIER PURPLE



THUNDER BLACK
(BLUE, DARK BLUE, ORANGE)



GLACIER BLUE
(BLUE, WHITE, PURPLE)



GRADIENT GRAY



DP: ₱2,230 **SRP: ₱3,120**
VAT INC: ₱2,364

DP: ₱2,230 **SRP: ₱3,120**
VAT INC: ₱2,364

DP: ₱2,230 **SRP: ₱3,120**
VAT INC: ₱2,364

F75
3 IN 1 RGB GAMING MECHANICAL HOT SWAPPABLE KEYBOARD

- Telecom Certification
- Optimized 75% Compact Layout
- Gasket Structure & Hot-Swap Functionality
- Vibrant 16.8 Million Color RGB Illumination
- Three-Way Connectivity for Every Scenario
- Extended Use with a 4000mAh Battery

GRADIENT PINK



F75
3 IN 1 RGB GAMING MECHANICAL HOT SWAPPABLE KEYBOARD

- Telecom Certification
- Optimized 75% Compact Layout
- Gasket Structure & Hot-Swap Functionality
- Vibrant 16.8 Million Color RGB Illumination
- Three-Way Connectivity for Every Scenario
- Extended Use with a 4000mAh Battery

DP: ₱2,490 **SRP: ₱3,485**
VAT INC: ₱2,639

GRADIENT GRAY



F75 PRO
3 IN 1 RGB GAMING MECHANICAL HOT SWAPPABLE KEYBOARD


- Telecom Certification
- Optimized 75% Compact Layout
- Gasket Structure & Hot-Swap Functionality
- Vibrant 16.8 Million Color RGB Illumination
- Three-Way Connectivity for Every Scenario
- Extended Use with a 4000mAh Battery

DP: ₱2,490 **SRP: ₱3,430**
VAT INC: ₱2,639

WHITE CONTOUR



BLACK CONTOUR



F75 Countour Series
3 IN 1 RGB GAMING MECHANICAL HOT SWAPPABLE KEYBOARD

- Type-C Wired & 2.4G Wireless & BT
- With Gasket Construction
- 80 Keys
- Pluggable Mechanical Switch
- RGB Switchable Lighting Effects
- Lithium Battery: Rechargeable Lithium Battery

DP: ₱2,490 **SRP: ₱3,485**
VAT INC: ₱2,639

GRADIENT GRAY



F75 MAX
3 IN 1 RGB GAMING MECHANICAL HOT SWAPPABLE KEYBOARD

- 80 keys, compact layout
- Gasket Mounted with 5 Layers of Sound-Dampening Materials
- Bluetooth 5.0 Wireless/Wired Keyboard With 4000mAh Battery
- South-facing RGB Backlight

DP: ₱2,879 **SRP: ₱4,031**
VAT INC: ₱3,052

COMIC KEYCAP



F75 Comic Series
3 IN 1 RGB GAMING MECHANICAL HOT SWAPPABLE KEYBOARD

- Type-C Wired & 2.4G Wireless & BT
- With Gasket Construction
- 80 Keys
- Pluggable Mechanical Switch
- RGB Switchable Lighting Effects
- Lithium Battery: Rechargeable Lithium Battery

DP: ₱2,490 **SRP: ₱3,485**
VAT INC: ₱2,639




GAMING CATEGORY

GBT 21st/Flr 144 N. Domingo St., corner Mayor Ignacio Santos Diaz St., Brgy. Kaunlaran, Quezon City, Metro Manila, Philippines 1111
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: Aula Philippines

Official Philippine Distributor

global galaxy DISTRIBUTION, INC.

AULA



Pricelist as of September 1, 2026 (Prices are subject to change without prior notice)

GAMING KEYBOARD

BEIGE, PURPLE, RED



THUNDER BLACK



GLACIER BLUE



DP: ₱2,290 SRP: ₱3,205
VAT INC: ₱2,427

BEIGE, CREAM, DUSTY PINK



BLACK, GREEN, ORANGE



DP: ₱2,420 SRP: ₱3,390
VAT INC: ₱2,565

AU75

3 IN 1 RGB GAMING MECHANICAL HOT SWAPPABLE KEYBOAD

- Five-layer sound structure
- Multi-function knob
- PC Positioning Plate
- Single Key Slotted PCB
- 81 Keys Layout
- Tri-mode connection
- Single Key Slotted PCB
- RGB Lighting

GRADIENT PINK



DP: ₱2,490 SRP: ₱3,485
VAT INC: ₱2,639

BLUE, WHITE, RED



DP: ₱2,560 SRP: ₱3,585
VAT INC: ₱2,714

GRADIENT GREY



DP: ₱2,490 SRP: ₱3,485
VAT INC: ₱2,639

S75 PRO

CUSTOM MECHANICAL KEYBOARD

- Wireless tri-mode
- Gasket Mount Stucture
- 75% Layout
- RGB Switchable Lighting Effects

GLACIER BLUE
Light Blue White, Black, Purple



DP: ₱2,490 SRP: ₱3,485
VAT INC: ₱2,639

DARK PURPLE
(LIGHT BLUE, WHITE, DARK PURPLE)



DP: ₱2,560 SRP: ₱3,585
VAT INC: ₱2,714

GRAY
(LIGHT GRAY, WHITE, DARK GRAY)



DP: ₱2,560 SRP: ₱3,585
VAT INC: ₱2,714

PURPLE
(WHITE, BLUE, PURPLE)



DP: ₱2,600 SRP: ₱3,640
VAT INC: ₱2,756

F99

3 IN 1 RGB GAMING MECHANICAL HOT SWAPPABLE KEYBOARD

- Connection: Type-C wired & 2.4G wireless & BT
- With Gasket construction
- Number of keys: 99 keys
- Pluggable Mechanical Switch
- RGB Switchable Lighting Effects
- Lithium battery: rechargeable lithium battery

COMIC SERIES



DP: ₱2,860 SRP: ₱4,000
VAT INC: ₱3,032

GRADIENT GRAY



DP: ₱2,960 SRP: ₱4,145
VAT INC: ₱3,138

LIGHT BLUE, WHITE, BLACK PURPLE



DP: ₱2,780 SRP: ₱3,890
VAT INC: ₱2,947

COMIC SERIES



DP: ₱2,990 SRP: ₱4,185
VAT INC: ₱3,169

F99 PRO

3 IN 1 RGB GAMING MECHANICAL HOT SWAPPABLE KEYBOARD

- Connection: T2.4GHz, BT5.0, USB-C
- Gasket construction and PCB Single Key Slotting
- Number of keys: 99 keys
- Pluggable Mechanical Switch
- RGB 6.8 Million Backlit:
- Lithium battery - 8000mAh large-capacity battery

THUNDER BLACK



DP: ₱2,860 SRP: ₱4,004
VAT INC: ₱3,031

GLACIER BLUE



S98 PRO

3 IN 1 RGB GAMING MECHANICAL HOT SWAPPABLE KEYBOARD

- Connection: Three-mode (Bluetooth. 2.4G, Type-c wired)
- True soft bomb Gasket structure
- PCB Single Key Slot
- 98 with 96 keys
- Lithium battery - 4000 mAh
- Side RGB Light
- Two-color PBT Key cap

DP: ₱2,699 SRP: ₱3,779
VAT INC: ₱2,861

WHITE



S98

3 IN 1 RGB GAMING MECHANICAL HOT SWAPPABLE KEYBOARD

- Connection Modes: Wireless, Bluetooth,Wired
- Structure: Gasket structure, hot-swappable Switch
- Light Mode: Rainbow Backlit
- Sound Dampening: Cotton Pad
- Layout: 98 Keys
- Keycap: ABS
- Battery: 4000mAh Rechargeable battery
- Size: 406.6 x 137.9 x 45.1 ± 0.2mm
- Support System: Windows | Mac | iOS | Android


DP: ₱1,450 SRP: ₱2,030
VAT INC: ₱1,537

GBT 21st/Flr 144 N. Domingo St., corner Mayor Ignacio Santos Diaz St., Brgy. Kaunlaran, Quezon City, Metro Manila, Philippines 1111
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: Aula Philippines

Official Philippine Distributor

global galaxy DISTRIBUTION, INC.

AULA



Pricelist as of September 1, 2026 (Prices are subject to change without prior notice)

GAMING KEYBOARD



F87 PRO V2

GASKET MECHANICAL KEYBOARD

- Wireless Tri-mode: BT/2.4G/Wired (USB-C)
- Visual Impact LED Matrix Display
- Tri-mode connectivity
- Fully hot-swappable keys, creamy-type sound
- 80% Layout, 87 Keys
- Suitable for gaming, esport, & office use

DP: ₱3,500 SRP: ₱4,900
VAT INC: ₱3,710

GRADIENT GRAY



DP: ₱2,600 SRP: ₱3,640
VAT INC: ₱2,756

STAR TREK
LIGHT GREY, WHITE, BLUE



WILDERNESS OASIS
BLACK, WHITE, GREEN



F87

3 IN 1 RGB GAMING MECHANICAL HOT SWAPPABLE KEYBOAD

- Type-C Wired & 2.4G Wireless & BT
- With Gasket Construction
- 87 Keys
- Pluggable Mechanical Switch
- RGB Switchable Lighting Effects
- Lithium Battery:
  Rechargeable Lithium Battery

DP: ₱2,190 SRP: ₱3,065
VAT INC: ₱2,321

BLACK LIGHTHOUSE



HERO 68

MAGNETIC SWITCH KEYBOARD

- Wired
- Magnetic Switch Keyboard
- Extreme Response
- 65 % Layout
- Suitable for gaming

DP: ₱2,450 SRP: ₱3,430
VAT INC: ₱2,597



HERO 99

MAGNETIC SWITCH KEYBOARD

- Wired
- Magnetic Switch Keyboard
- Extreme Response
- 65 % Layout
- Suitable for gaming


DP: ₱2,625 SRP: ₱3,675
VAT INC: ₱2,783

BLACK



DP: ₱1,245 SRP: ₱1,745
VAT INC: ₱1,320

BLACK HE MAX



DP: ₱1,775 SRP: ₱2,485
VAT INC: ₱1,882

(WHITE + GRAY + BLUE)



DP: ₱1,775 SRP: ₱2,485
VAT INC: ₱1,882

WIN 60

MAGNETIC SWITCH KEYBOARD

- Backlight effect: RGB
- Plug in type: Full key hot plug
- Connection method: wired
- Type: Customized mechanical keyboard
- Return rate: 8000Hz
- Positioning plate: metal positioning plate
- Weight: approximately 686g+10g (excluding wire)

BLACK + RED



DP: ₱2,200 SRP: ₱3,080
VAT INC: ₱2,332

GRAY + YELLOW + BLACK



DP: ₱1,890 SRP: ₱2,646
VAT INC: ₱2,003

WIN 68

MAGNETIC SWITCH KEYBOARD

- Backlight effect: RGB
- Plug in type: Full key hot plug
- Connection method: wired
- Type: Customized mechanical keyboard
- Return rate: 8000Hz
- Positioning plate: metal positioning plate
- Weight: approximately 686g+10g (excluding wire)

THUNDER BLACK



DP: ₱3,850 SRP: ₱5,390
VAT INC: ₱4,081

RED, BLACK



DP: ₱3,950 SRP: ₱5,530
VAT INC: ₱4,187

MILK COFFEE



DP: ₱4,050 SRP: ₱5,670
VAT INC: ₱4,293

L99

SMART CUSTOM MECHANICAL KEYBOARD

- Wireless Tri-mode: BT/2.4G/Wired (USB-C)
- Custom Mechanical Keyboard
- Gasket Mount Structure
- 5% Layout with Display Function Area
- 8000mAh Battery capacity
- RGB Lighting with Music Sync
- 3.98-inch IPS Display with 320x480 Pixel Resolution



GAMING CATEGORY

GBT 21st/Flr 144 N. Domingo St., corner Mayor Ignacio Santos Diaz St., Brgy. Kaunlaran, Quezon City, Metro Manila, Philippines 1111
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: Aula Philippines

Official Philippine Distributor

global galaxy DISTRIBUTION, INC.



Pricelist as of September 1, 2026 (Prices are subject to change without prior notice)

GAMING KEYBOARD

F108

GRADIENT GRAY



WIRELESS MECHANICAL GAMING KEYBOARD

- Wireless Tri-mode: BT/2.4G/Wired
- Custom mechanical keyboard
- Gasket Mount structure
- 100% Layout
- RGB light

DP: ₱2,920 SRP: ₱ 4,090
VAT INC: ₱3,095

F108 PRO

GRADIENT GRAY



GRAY, ORANGE, DEEP GRAY



WIRELESS MECHANICAL GAMING KEYBOARD

- Wireless Tri-mode: BT/2.4G/Wired
- Smart Display/ Easy Knob
- Library Keys
- 100% Layout
- RGB light

DP: ₱3,070 SRP: ₱ 4,555
VAT INC: ₱3,254

AG60



MAGNETIC SWITCH KEYBOARD

- Wired, Magnetic Switch keyboard
- Full CNC Aluminum Body
- 60% layout
- RT Precision up to 0.001mm
- Web Driver

DP: ₱5,950 SRP: ₱8,330
VAT INC: ₱6,307

S2022



WIRED MECHANICAL GAMING KEYBOARD

- 104-105-106 Keys
- Keylife: 60 Million
- KRGB Blue Switch
- High & Low Key Layout
- 26 Keys Anti-Ghost Design
- Floating Keycap

DP: ₱789 SRP: ₱1,105
VAT INC: ₱836

F2066-II



WIRED MECHANICAL GAMING KEYBOARD

- 104-105-106 Keys
- Keylife: 50 Million
- KRGB Blue Switch
- High & Low Key Layout
- Metal Panel
- Floating Keycap

DP: ₱1,035 SRP: ₱1,450
VAT INC: ₱1,097

F2088 PRO



WIRED MECHANICAL GAMING KEYBOARD

- 108 Keys
- Keylife: 50 Million
- KRGB Blue Switch
- Key Force: 60±10g
- Multimedia & Backlight Control Knob
- Anti-Ghost Design
- Removable Magnetic Wrist Rest

DP: ₱1,470 SRP: ₱2,130
VAT INC: ₱1,611

F2058



WIRED MECHANICAL GAMING KEYBOARD

- 108 Keys
- Keylife: 50 Million
- KRGB Blue Switch
- Key Force: 60±10g
- Multimedia & Backlight Control Knob
- Anti-Ghost Design
- Removable Magnetic Wrist Rest

DP: ₱1,189 SRP: ₱1,665
VAT INC: ₱1,260



GAMING CATEGORY

GBT 21st/Flr 144 N. Domingo St., corner Mayor Ignacio Santos Diaz St., Brgy. Kaunlaran, Quezon City, Metro Manila, Philippines 1111
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: Aula Philippines

Official Philippine Distributor

global galaxy DISTRIBUTION, INC.



Pricelist as of September 1, 2026 (Prices are subject to change without prior notice)

KEYBOARD & MOUSE COMBO



T102

WIRED KEYBOARD & MOUSE COMBO

- Metal Panel, Phone Stand, Support Drive
- 26 Key non-punch design
- Ergonomic Design
- Cool light effects - with non-slip roller
- Floating Keycaps - key strokes 2.0mm
- 1200-2400-4800-7200 DPI Settings
- Mechanical design - adjustable rear feet, natural tilt
- Rainbow backlift keyboard, waterproof
- RGB breathing backlight mouse

DP: ₱549 **SRP: ₱769**
VAT INC: ₱582



T201

MEMBRANE GAMING

- 800-1200-1600-2400-4800 DPI
- 125Hz
- Keylife: 60 Million
- Rainbow Backlight for Keyboard
- Multimedia Function via Fn
- With Palm Rest

DP: ₱679 **SRP: ₱951**
VAT INC: ₱720



T640

MECHANICAL WIRED GAMING KEYBOARD & WIRED GAMING MOUSE COMBO

- 800-1200-1600-2400-4800 DPI
- 125Hz
- Keylife: 60 Million
- KRGB Blue Switch
- 26 Keys Anti-Ghost design
- Gaming Mechanical Shaft
- Ergonomic Design Key Layout

DP: ₱1,290 **SRP: ₱1,805**
VAT INC: ₱1,367



T650

WIRED KEYBOARD, MOUSE, HEADSET & MOUSEPAD COMBO

Keyboard:
- Connection: USB
- 108 Keys
- Rated Voltage: DC 5V
- Rated Current: <150mA
- Size: 440×193×33 ±0.2mm
- Weight: 605g

Mouse:
- Connection: USB
- Cable Length: 1.5m
- 800-1600-2400-3600 DPI
- Colorful Light Effects
- Size: 123×63×42mm
- Weight: 81g

Headset:
- Connection: 3.5mm*2+USB
- Diameter: ∅50mm
- Frequency Range: 20Hz to 20kHz
- Input Impedance: 32±15% Ω
- Speaker Sensitivity: 118±3dB
- Microphone Sensitivity: -40±2dB
- Adjustable Headband
- Color: Black
- Weight: 288g
- Cable Length: 2.0m
- Size: 185×98×216mm

Mousepad:
- Size: 250×210×1.7mm

DP: ₱1,220 **SRP: ₱1,705**
VAT INC: ₱1,293



GAMING CATEGORY

GBT 21st/Flr 144 N. Domingo St., corner Mayor Ignacio Santos Diaz St., Brgy. Kaunlaran, Quezon City, Metro Manila, Philippines 1111
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: Aula Philippines

Official Philippine Distributor

global galaxy DISTRIBUTION, INC.



Pricelist as of September 1, 2026 (Prices are subject to change without prior notice)

GAMING MOUSE



SC380 PRO

WIRELESS GAMING MOUSE

- Wireless three-mode: Wired / 2.4G/ BT
- Battery capacity：500mAh
- 6-level DPI Adjustment 800-1600-4800-7200-12000
- With Charging Dock for Easy Recharging
- Suitable for gaming, esports, and office use

DP: ₱1,100 SRP: ₱1,540
VAT INC: ₱1,166



SC390

WIRELESS GAMING MOUSE

- Wireless three-mode: Wired / 2.4G/ BT
- Battery capacity：400mAh
- ultra-light honeycomb shell for faster & cooler gameplay
- Suitable for gaming, esports, and office use

DP: ₱885 SRP: ₱ 1,240
VAT INC: ₱938





SC580X

GAMING THREE-MODE MOUSE

- Ergonomic Design for Comfort
- High-DPI Sensor for Precision
- Customizable Buttons
- Tri-mode Connectivity
- Wireless Tri-mode: BT/2.4G/Wired
- Battery Capacity: 500mAh
- Suitable for gaming, esports, and office usage

DP: ₱915 SRP: ₱1,280
VAT INC: ₱970



SC620 (Black)

TRI-MODE GAMING MOUSE

- Multi-purpose Flagship Mouse
- Tri-mode Connection - 2.4G/Bluetooth/Wire
- Customizable RGB Lighting Design
- 6-level DPI Adjustment
- 400mah large battery
- Suitable for gaming and office use

DP: ₱830 SRP: ₱1,160
VAT INC: ₱ 880



SC900

WIRELESS GAMING MOUSE

- Wireless three-mode: Wired / 2.4G/ BT
- Battery capacity：400mAh
- Dual 8k Polling rate
- Swap battery
- Suitable for gaming, esports, and office use

DP: ₱2,350
VAT INC: ₱2,491 SRP: ₱3,290




S11

GAMING WIRED MOUSE

- Mode: Wired
- DPI level：1200-1600-2400-3600
- Charging interface: Type-C
- Colorful light effects
- Suitable for gaming, esports, and office use

DP: ₱175 SRP: ₱ 260
VAT INC: ₱186



S11 PRO

GAMING WIRED MOUSE

- Connection method - USB
- Number of keys - 6
- Working mode: Optoelectronics
- DP:1200-1800-2400-3600
- Return rate: 125HZ
- RGB Backlit

DP: ₱185 SRP: ₱ 260
VAT INC: ₱196



DP: ₱99 SRP: ₱140
VAT INC: ₱105

MP-WFFM

MOUSE PAD

- size:700*300*2mm
- 1 Year Warranty



DP: ₱69 SRP: ₱140
VAT INC: ₱73

MP-W

AULA WIND MOUSE PAD

- size:300*250*2mm
- with sewing edge
- PE bag packing
- 1 Year Warranty



F805

WIRED OPTICAL MOUSE WITH 7 KEYS

- 800-1600-2400-3200-4800-6400 DPI
- 125Hz
- 7 Programmable Buttons
- 6-Speed DPI adjustable
- Ergonomic Design
- Braided Wire

DP: ₱330 SRP: ₱ 462
VAT INC: ₱350



F815

WIRED GAMING MOUSE

- DPI:1200-1600-2400-3200-4800-12800DPI
- Colorful light effects
- Product size: 124.9x75.6x41.2mm
- Connection: USB
- Cable length: 1.5m
- Weight:130g

DP: ₱330 SRP: ₱ 462
VAT INC: ₱350



GAMING CATEGORY

GBT /Flr 144 N. Domingo St., corner Mayor Ignacio Santos Diaz St., Brgy. Kaunlaran, Quezon City, Metro Manila, Philippines 1111
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: Aula Philippines

Official Philippine Distributor

global galaxy DISTRIBUTION, INC.



Pricelist as of September 1, 2026 (Prices are subject to change without prior notice)

SPEAKERS

N-69

RGB DESKTOP SPEAKER 2.0

- Size: 85X91X118mm
- Drive Unit: 2inch X 2
- USB-Powered (5V) & 3.5mm Audio
- 3W X 2 Speakers
- 1.3m with Cable Volume Control
- Sleek & Space-Saving
- Lightweight & Compact Size
- Plug & Play, Universal Compatibility Gaming



RGB Light
Audio

DP: ₱290 **SRP: ₱405**
VAT INC: ₱307

N-600

GAMING SPEAKERS

- Immersive Audio
- Multi-colored wire controll
- Working mode: Optoelectronics
- Easy volume adjustment,
- Desktop Speaker
- Gaming Focus



DP: ₱490 **SRP: ₱685**
VAT INC: ₱519

A200

GAMING SPEAKER

- Audio input:AUX
- Speaker size:52mm 4Q3W*2
- Power input:DC5V=--1.2A
- Out power:5.5W(THD=10%)
- Frequency:100Hz-20kHz
- Distortion:<3%
- Signal-to-noise ratio:>90 dB
- Cable length:1.2m
- Product size:70*75*70mm
- Product weight:about 290g



DP: ₱245 **SRP: ₱345**
VAT INC: ₱263



GAMING
CATEGORY

HEADSET

SG05

WIRED GAMING HEADSET

- Diameter: ∅50mm
- Ear Cup with Volume Control
- 1.5m PVC Cable
- Frequency Range: 20Hz - 20kHz
- Sensitivity: 112dB ± 3dB
- Impedance: 32 Ω
- Power Rating: 20m W
- Max. Input Power: 35m W
- Mic Sensitivity: -38dB
- Audio Jack: 3.5mm*2 + USB and with adapter



DP: ₱435 **SRP: ₱610**
VAT INC: ₱461

SG08

WIRED GAMING HEADSET

- Frequency response: 20Hz-20KHz
- Speaker Diameter: 50mm
- Input impedance: 21±15% Ω
- Speaker sensitivity: 115±3dB
- Microphone sensitivity: -38±3dB
- Headband: Adjustable
- Connection: 3.5mm*2±USB
- Color: Black
- Weight: 290g±5g
- Cable length: 2.1M

Product size: 230x200x100mm



DP: ₱390 **SRP: ₱545**
VAT INC: ₱413

G7

WIRELESS GAMING HEADSET

- Tri-mode Connectivity
- Esport-Grade FPS Surround Sound
- Custom EQ with Professional Audio Tuning Software
- RGB Soft Ambiet Lighting
- 10ms Ultra-Low Wireless Latency with HyperLink Technology
- 360⁰ Omnidirectional AI Noise-Cancelling Microphone

BLACK WHITE





PINK

DP: ₱999 **SRP: ₱1,399**
VAT INC: ₱1,059

SG

LIGHTWEIGHT TRI-MODE GAMING HEADSET

- Tri-mode Connection - 2.4Ghz, Bluetooth, connectivity, multi-device, full-scene adaptation
- 175 ± 5 g of lightweight comfortability
- Aula Ultra-low Latency Technology - 20ms latency avarage value for 2.4g mode
- Battery Life: 22 Hours, 260mAh
- Output Charging standard: 5V/500MA
- Frequency Range: 20Hz-20kHz; Speaker Diameter 40mm; Mic Sensitivity -38 ±2dB



BLACK WHITE



MILKTEA

DP: ₱975 **SRP: ₱1,365**
VAT INC: ₱1,034




GAMING
CATEGORY

GBT 21st/Flr 144 N. Domingo St., corner Mayor Ignacio Santos Diaz St., Brgy. Kaunlaran, Quezon City, Metro Manila, Philippines 1111
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: Aula Philippines

Official Philippine Distributor

global galaxy DISTRIBUTION, INC.



Pricelist as of September 1, 2026 (Prices are subject to change without prior notice)

HEADSET



G7 PRO

WIRELESS GAMING HEADSETS

- Detachable, High-sensitivity,
- 360°Detachable AI Smart Active Noise-Cancelling Mic
- 3.5 mm Type-C Wired / 2.4 / Bluetooth
- Compatibiity: PC, Laptop, PS5/PS5, Switch, Phone, Xbox
- Lighting: Soft Gradient Ambient
- Supported - Custom 7.1 SOund, Eq Adjustment

Mic Noise Reduction, Voice Changer

- Breathable Fabric + Custom Acoustic Foam
- Gaming (2.4) / Music (Bluetooth) / Calls (2.4 Bluetooth, Wired)

DP: ₱1,400 **SRP: ₱ 1,930**
VAT INC: ₱1,484



AG00

AMING HEADSET

- True Quad-Mode
- Pro-level Sound Positioning
- 53mm Large Dynamic Drivers
- Ultra Low Latency and Ultra-long Battery Life
- Lightweight Design
- Ergonomic Comfort Design

DP: ₱1,620 **SRP: ₱ 2,270**
VAT INC: ₱1,717

GBT 21st/Flr 144 N. Domingo St., corner Mayor Ignacio Santos Diaz St., Brgy. Kaunlaran, Quezon City, Metro Manila, Philippines 1111
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: Aula Philippines

Official Philippine Distributor

global galaxy DISTRIBUTION, INC.

EDIFIER

Pricelist as of Septemeber 1, 2026 (Prices are subject to change without prior notice)

INCOMING

Comfo Bass

Open-ear True Wireless Earbuds

• Open-ear design combines directional acoustic technology for comfort and minimal sound leakage.
• 12mm dynamic driver delivers rich, detailed, and powerful sound.
• AI algorithm ensures clear phone calls.
• IP56 dust and water resistances ensure durability.
• Multipoint connection enables smooth switching between devices.
• Effortlessly pause/resume music with wearing detection.
• Compatible with the EDIFIER ConneX App for an enhanced experienc

Specification:

Bluetooth® Specification:	V5.4
Bluetooth Protocol	A2DP, AVRCP, HFP
Supported Audio Coding:	SBC
Effective Range:	about 10m
Charging Port:	USB-C
Input:	5V =200mA (earbuds) 5V = 1A (charging case)
Charging Time:	Fast charging: 15mins = 2hrs
Driver Unit:	12mm Dynamic driver
Frequency Response:	20Hz - 20kHz
Output SoundPressure Level:	85 ± 3dB (A)
IP Rating:	IP56



Space Black Lunar Silver

DP: P 1,380.00
VAT INC: P 1,463.00
SRP: P 1,930.00

Comfo Bass Q

Open-ear True Wireless Earbuds

• Open-ear design combines directional acoustic technology for comfort and minimal sound leakage.
• 12mm dynamic driver delivers rich, detailed, and powerful sound.
• AI algorithm ensures clear phone calls.
• IP56 dust and water resistances ensure durability.
• Multipoint connection enables smooth switching between devices.
• Effortlessly pause/resume music with wearing detection.
• Compatible with the EDIFIER ConneX App for an enhanced experienc

Specification:

Bluetooth® Specification:	V5.4
Bluetooth Protocol	A2DP, AVRCP, HFP
Supported Audio Coding:	SBC
Effective Range:	about 10m
Charging Port:	USB-C
Input:	5V =200mA (earbuds) 5V = 1A (charging case)
Charging Time:	Fast charging: 15mins = 2hrs
Driver Unit:	12mm Dynamic driver
Frequency Response:	20Hz - 20kHz
Output SoundPressure Level:	85 ± 3dB (A)
IP Rating:	IP56



Pearl White Space Black

DP: P 1,680.00
VAT INC: P 1,781.00
SRP: P 2,350.00

G2 II

7.1 Surround Sound Gaming Headset

• 7.1 surround sound: 360° surround sound effect
• RGB light effects: varied colors
• 50mm NdFeB unit for clear sound
• High-performance microphone
•Compact design of soft leatherette earmuffs

Specification:

Frequency Response:	20Hz-20kHz
Driver Unit:	Φ50mm dynamic driver
Impedance:	32Ω
Sensitivity:	98dB



DP: P 1,450.00
VAT INC: P 1,537.00
SRP: P 2,030.00

JoyBuds

Smart Touchscreen Earbuds

• Control 10+ personalized features and wit intuitive touch
• 13mm composite dynamic driver for powerful balanced sound
• Build-in high sensitivity microphone with AI algorithms for crystal clear calls and hands-free voice call gaming activities
• Translates 21 language for natural/effortless communication.
• Upto 7 hours and 35 hours total all day listening
• Ergonomic semi-in-ear fit design, lightweighjt, comfy all day wear.
• IP54 rated for reliable protectionv dust/water splashes for everyday use

Specification:

Bluetooth version:	V6.0
Bluetooth Protocol:	A2DP, AVRCP, HFP
Audio codec:	SBC
Playtime:	7H + 28H = 35 Hours
Output level:	94 ± 3dB(A)
Input:	5V =200mA (earbuds) 5V = 1A (charging case)
Bluetooth Range:	10 mm
Driver:	13mm Dynamic
Frequency Response:	20Hz-20KHz
IP Raiting:	IP54
Charging Port:	Type-C



DP: P 1,840.00
VAT INC: P 1,950.00
SRP: P 2,575.00

MF3

Portable Voice Amplifier

• 3 watts (RMS) output power suitable for indoors and outdoors
• Up to 20 hours continuous use
• Precise voice pick-up and effective anti-howling
• Flexible wearing methods and pretty low weigh

Specification:

Total Output Power:	3W
Input Sensitivity:	750 ± 50 mV
Input Type:	AUX×2
Driver Unit:	3" (Mid-Range/Treble)
Frequency Response:	600Hz - 11kHz
Signal-to-Noise Ratio:	≥80 dBA
Dimension:	94.1mm × 97.2mm × 40.5mm
Weight:	0.3kg / 0.67lbs)



DP: P 925.00
VAT INC: P 981.00
SRP: P 1,295.00

GM206

In-Ear Wired Gaming Earbuds

• Certified Hi-Res sound quality to get truly immersed in game and music
• 10mm dynamic driver unit brings rich and delicate music details
• High-sensitivity omnidirectional anti-noise microphone for vocal clarity
• Ergonomic design with skin-friendly silicone ear tips for more
• Convenient in-line control,compatible with IOS/Android system
• Woven mesh cover and metal back shell and matched with high-quality environmentally friendly TPE wire

Specification:

Frequency Response:	20Hz-20kHz
Connection:	USB-C
Cable length:	1.3m
Driver:	Φ10mm dynamic driver
Weight:	17.5 KG



DP: P 765.00
VAT INC: P 811.00
SRP: P 1,070.00

R1280DB / R1280DBs (2026)

Active Bluetooth Bookshelf Speaker

• Qualcomm Bluetooth for stable wireless connection
• Wooden enclosure isolates acoustic resonance
• 42 watts RMS total power for distortion-free listening
• Supports Bluetooth, Optical, Coaxial, and Dual RCA inputs
• Side-mounted panel and remote control for easy adjustment
• Sub-out output works with an external subwoofer
• Front-facing bass reflex port for punchy bass



Specification:

Color:	Brown
Power Output:	21W + 21W
Driver units:	4" (Mid-range and bass) + 0.5" (Treble)
Input types:	Bluetooth, Line In, Optical, Coaxial
Bluetooth:	
Frequency response:	51Hz - 20kHz
Dimension:	196 × 146 × 236mm
Weight:	4.9kg

R1280DB
DP: P 4,450.00
VAT INC: P 4,717.00
SRP: P 6,600.00

R1280DBs
DP: P 4,750.00
VAT INC: P 5,035.00
SRP: P 6,650.00

R1380DB

Professional Bookshelf Speakers

• Wooden enclosure minimizes acoustic resonance
• Class-D amplifier with 42W RMS power output
• Bluetooth V5.1 connection
• Qualcomm aptX technology



Specification:

Signal-to-Noise Rate	≥ 85dB (A)
Noise Level:	≤ 35dB (A)
Total Output Power (RMS):	21W + 21W
Driver:	4" / 116mm (Mid-range and bass)+1" / 25mm (Treble)
Bluetooth:	V5.1
Frequency response:	55Hz - 20kHz
Dimension:	152mm x 241mm x 200mm (per speaker)
Input Sensitivity:	Bluetooth: 700 ± 50mFFS, Line In 1: 450 ± 50mV Line In 2: 550 ± 50mV, OPT: 450 ± 50mFFS COAX: 450±50mFFS
Net Weight:	5.53kg

DP: P 5,050.00
VAT INC: P 5,353.00
SRP: P 7,070.00

R1850DB

Bookshelf Speakers with Subwoofer Output

• 70W RMS power output with great sound quality
• Bi-amplifier system with DSP and electronic crossovers
• Wooden enclosure reduces distortion and acoustic resonance
• 10° incline design for accurate sound direction
• Flared bass reflex port for deeper bass
• Stable Bluetooth connection for seamless streaming
• Multiple connectivity options: Bluetooth, Line In, Coaxial, Optical
• Supports external subwoofer bass output
• Easy control for volume, bass, treble, and source switching



Specification:

Signal-to-Noise Rate	> 85dB (A))
Total Output Power (RMS):	16W x 2 + 19W x 2
Driver:	116mm (Subwoofer) + Φ19mm (Tweeter)
Audio Input:	AUX, RCA, Bluetooth, optical, coaxial
Input Sensitivity:	PC:700 ± 50mV; AUX: 550 ± 50mV

DP: P 8,100.00
VAT INC: P 8,586.00
SRP: P 11,340.00

GBT 21st/Flr 144 N. Domingo St., corner Mayor Ignacio Santos Diaz St., Brgy. Kaunlaran,
Quezon City, Metro Manila, Philippines 1111
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: Edifier - Global Galaxy Distribution Inc.

global galaxy DISTRIBUTION, INC.

EDIFIER

Pricelist as of Septemeber 1, 2026 (Prices are subject to change without prior notice)

USB K800

Wired On-Ear Headphones

- Designed for online education
- Large black dynamic driver
- Independent exeternal sound card
- Shielded wires with magnetic rings, adaptable headband, exclusive stylish earcups

Specification:

Frequency Response:	20Hz-20kHz
Sound Presure Level:	91±3dB
Sensitivity:	-42dB±3dB
Microphone direction:	Single Point
Connector:	USB-A plug
Cable Length:	2.8 m



DP: P 805.00
VAT INC: P 853.00
SRP: P 1,125.00

R12U

USB Powered Speakers with Easy Connections

- USB Powered Speakers for Easy Connection
- 3.5 mm AUX connection type to any devices
- Plugin headphones for your personal use

Specification:

Color:	Black, White
Power Output:	2W × 2 (THD + N = 10%, f0 =1kHz)
Driver units:	2 1/4" (60mm)
Audio types:	AUX : 700mV ± 50mV
Bluetooth:	150 ± 20mV
Frequency response:	180Hz - 20kHz (+/-6db)
Dimension:	80mm x 80mm x 120mm
Weight:	10.38 g



DP: P 785.00
VAT INC: P 832.00
SRP: P 1,100.00

M1250

SB Powered 2.0 Speaker Set

- Compact 2.0 speakers
- USB powered
- 3.5mm auxiliary input and headphone jack
- Flat panel style
- Magnetically shielded speakers
- Built-in power, volume controls

Specification:

- Total power output: RMS 0.6W x 2
- THD + N: 10%
- SNR: ≥85dBA
- Frequency response: 150Hz - 20kHz
- Input sensitivity: 250mV ± 50mV
- Input impedance: 10KΩ
- Speaker unit: 50mm x 90mm, magnetically shielded, 4Ω
- Control panel: Power, Master Volume control
- Speaker dimensions: 68 x 166 x 94 mmV



DP: P610.00
VAT INC: P 647.00
SRP: P 855.00

X1 LITE

True Wireless Earbuds

- Φ13mm dynamic drivers provide good bass performance.
- AI algorithm voice pick-up technology ensures clear and efficient hands-free calls in noisy environments.
- A total of 26 hours of long battery life. gaming activities
- Supports fast charging, a 15-minute charging for 1.5 hours of playback time.
- Bluetooth® V5.4 for seamless audio streaming and a stable connection.
- IP54 certified for daily active use.
- 60ms end-to-end low latency gaming experience

Specification:

Bluetooth version:	V5.4
Bluetooth Protoccol:	A2DP, AVRCP, HFP
Audio coding:	SBC
Battery:	
Playback time:	26 hours
Charging Port:	USB-C
Input:	5V - 1A
Driver Unit:	13 mm
Frequency Response:	20Hz-20KHz
Output SoundPressure Level:	94 ± 3dB(A)
IP Raiting:	IP54



White Black

DP: P 730.00
VAT INC: P 774.00
SRP: P 1,020.00

X5 Pro

True Wireless Earbuds with Active Noise Cancellation

- Active noise cancellation to reduce unwanted background noise in various environments
- Build-in microphone with AI algorithm to ensure high qualitycalls
- Low latency connection with seamless experience on gaming activities
- Around 7 hours music playtime, or up to 31 hours with the charging case
- Unlock all the features through APP: customize control setting and EQ selection(Classic/POP/Classical/Rock
- IP55 certified

Specification:

Bluetooth version:	V5.3
Audio codecs:	SBC, AAC
Driver unit:	10mm Dynamic Driver
Playback time:	ANC on: 5hrs (earbuds) + 17hrs (charging case) ANC off: 7hrs (earbuds) + 24hrs (charging case)
Charging time:	1 hr & 50 min (earbuds) 1 hr & 50 min (charging case)
Battery capacity:	37mAh (Earbuds) 400mAh (Charging Case)
Frequency response:	20Hz-20KHz
IP rating:	IP55
Charging port:	USB Type-C



Ivory Black

DP: P 1,380.00
VAT INC: P 1,463.00
SRP: P 1,930.00

W820NB Plus

Active Noise Cancelling Bluetooth Stereo Headphones

- Hassle-free phone calls with DNN noise cancellation technology
- Experience the upgraded noise cancellation with ANC depth of up to -43dB
- Up to 49 hours continuous playback when ANC off
- Personalize your listening experience with customizable EQ , soothing sounds via Edifier Connect APP
- Latency as low as 0.08s under game mode
- Hi-Res Audio & Hi-Res Audio Wireless certified
- 40mm dynamic driver with Titanium coated composite diaphragm plus LDAC codec
- Both wireless Bluetooth connectivity and wired USB connectivity
- Better sound quality and less pressure for all-day wearing comfort

Specification:

Bluetooth version:	V5.0
Driver:	40mm Dynamic
Playtime:	ANC On: 29 hrs ANC Off: 49 hrs
Charging time:	1.5 hrs
Charging port:	USB Type-C
Weight:	220g



Ivory Gray

DP: P 2,400.00
VAT INC: P 2,544.00
SRP: P 3,360.00

MF3

Portable Voice Amplifier

- 3 watts (RMS) output power suitable for indoors and outdoors
- Up to 20 hours continuous use
- Precise voice pick-up and effective anti-howling
- Flexible wearing methods and pretty low weigh

Specification:

Total Output Power:	3W
Input Sensitivity:	750 ± 50 mV
Input Type:	AUX×2
Driver Unit:	3" (Mid-Range/Treble)
Frequency Response:	600Hz - 11kHz
Signal-to-Noise Ratio:	≥80 dBA
Dimension:	94.1mm × 97.2mm × 40.5mm
Weight:	0.3kg / 0.67lbs)



DP: P 920.00
VAT INC: P 975.00
SRP: P 1,290.00

MR5

Tri-amped Powered Studio Monitor Speakers

- Flat frequency response from 46Hz to 40kHz
- 110W RMS total output power, with SPL up to 101dB (@ 1 meter)
- Fine-tuned 5" woofers, 3.75" mid-range drivers, and 1" silk dome tweeters
- Full digital signal processing, 3-way active crossover, and DRC
- Hi-Res Audio and Hi-Res Audio Wireless certified
- Multiple settings for room acoustic compensation
- Balanced XLR, balanced TRS, RCA, and AUX inputs, with a headphone output socket
- Bluetooth V6.0 audio receiver supporting multipoint connection
- Dual preset sound modes and customizable EQs by the EDIFIER ConneX App



Specification:

Color:	
Power Output:	Black, White 10W + 10W (Treble) 15W + 15W (Mid) 30W + 30W (Bass)
Driver units:	
Input types:	V6.0 Balanced XLR, 1/4 TRS, RCA Unbalanced RCA, 3.5mm AUX
Frequency response:	Bluetooth
Dimension:	46Hz - 40kHz
Weight:	159mm × 264mm × 280mm/257 mm 10.38 kg

DP: P 6,580.00
VAT INC: P 6,975.00
SRP: P 9,210.00

M206BT

Wireless Joy in Classic Design

- Bluetooth 5.0 connection
- DSP Digital Audio Processing
- Wooden box classic design
- USB plug-and-play function
- Integrated side panel for easy adjustments

Specification:

Color:	Black
Power Output:	34W(R/L:8W+8W SW:18W)
Driver units:	2.5 Inch x 2 Tweeter + 5 Inch Woofer
Input types:	AUX / Bluetooth / USB flash disk
Bluetooth:	V5.0
Frequency response:	R/L: 210Hz - 20kHz SW: 63Hz - 206Hz
Dimension:	161 × 200 × 280mm
Weight:	4kg



DP: P 2,745.00
VAT INC: P 2,910.00
SRP: P 3,840.00

GBT 21st/Flr 144 N. Domingo St., corner Mayor Ignacio Santos Diaz St., Brgy. Kaunlaran,
Quezon City, Metro Manila, Philippines 1111
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: Edifier - Global Galaxy Distribution Inc.

global galaxy DISTRIBUTION, INC.

EDIFIER

Pricelist as of Septemeber 1, 2026 (Prices are subject to change without prior notice)

P180 Plus

Earbuds with Remote and Mic

- Integrated acoustic cavity
- 1/2" (14.2mm) magnetic neodymium driver unit
- High-sensitivity and omnidirectional microphones
- Three-button inline control for easy operation of music/calls

Specification:

Connection:	3.5mm plug
Cable length:	1.2m
Frequency response:	20Hz - 20KHz
Sensitivity:	97dB
Impedance:	32Ω



DP: P 255.00
VAT INC: P 270.00
SRP: P 355.00

P230 USB-C

Wired Earbuds with Remote and Mic

- Hi-Res Audio certified with 24-bit/96kHz support and 40kHz frequency response for detailed sound.
- Powered by a 12.4mm dynamic driver for robust audio performance.
- High-sensitivity omnidirectional microphone ensures clear hands-free calls.
- User-friendly in-line remote makes music and call control effortless of music/calls

Specification:

Connection:	USB-C
Cable length:	120 ± 3 cm
Frequency response:	Frequency response:
Sensitivity:	20Hz - 40kHz
Impedance:	I94 ± 3 dB (A)



DP: P 275.00
VAT INC: P 292.00
SRP: P385.00

HEADPHONES

WH700NB

Wireless On-Ear Headphones

- Crystal clear call quality
- Game mode
- Foldable & lightweight design
- Edifier Connect App

Specification:

Bluetooth version:	V5.3
Driver:	Φ40mm
Playtime:	ANC ON: 45hrs ANC OFF: 68hrs
Charging time:	10mins = 8 hrs
Charging port:	USB Type-C
Weight:	271g



Black Ivory

DP: P 1,980.00
VAT INC: P 2,417.00
SRP: P 3,192.00

WH700NB Pro

Wireless Over-Ear Headphones with Active Noise Cancellation

- Hi-Res Audio offers an original, immersive sound experience
- Features a 40mm driver with titanium-coated composite diaphragm.
- Compatible with SBC audio codecs.
- Noise cancellation up to -43dB depth with multiple mode options.
- AI gorithm noise cancelling technology ensures clear calls.
- Total 56 hours playtime with fast charging : 15 minutes for 10 hours of use.
- Bluetooth® V5.4 provides multipoint connection, enabling seamless switching.
- 0.06s ultra-low latency game mode.

Specification:

Bluetooth version:	V5.4
Supported Audio Coding	SBC
Effective Range	10m
Bluetooth Protoccol	A2DP, AVRCP, HFP
Playback Time	ANC OFF: 56 hours, ANC OFF: 56 hours
Charging port:	USB-C
Charging time:	2 Hours/Fast charging: 15
Frequency Response:	20Hz - 20kHz (Bluetooth Mode) 20Hz - 40kHz (Wired Mode
Output Sound Pressure Level:	91 ± 3dB (A))



Black Ivory

DP: P 1,980.00
VAT INC: P 2,099.00
SRP: P 2,770.00

CC100

Wired Mono Headset with Microphone

- 30mm composite diaphragm dynamic drivers for an enhanced listening experience.
- Built-in mics with AI noise canceling ensure professional clarity
- 240° rotatable boom mic allows left or right-side wear and clear voice pickup
- In-line controls enable one-touch mute, volume adjustment, and call management
- Lightweight design, breathable cushions, and an adjustable headband ensure comfort

Specification:

Battery:	Charging Port:USB-C, USB-A
Driver Unit:	30mm dynamic driver
Frequency Response:	20Hz - 20kHz
Output Sound Pressure Level:	94 ± 3dB (A)
Size:	Weight - Approx. 88g



DP: P 829.00
VAT INC: P 879.00
SRP: P 1,160.00

SPEAKERS

ES20

Portable Bluetooth Speaker

- 6W RMS total output power
- Φ43mm full-range driver with neodymium magnets and Φ55mm passive bass radiator
- IP67 dust and water resistance rating
- High-capacity battery offering up to 15 hours of continuous playback
- Bluetooth V5.4 with support for stereo pairing/multi-point connection
- Built-in high-sensitivity microphone for clear calls
- Multiple ambient lighting effects
- Compatible with the EDIFIER ConneX mobile ap

Specification:

Total Output Power (RMS):	6W
Signal-to-Noise Ratio:	≥ 85dB (A)V5.4
Bluetooth Version:	V5.4
Dimensions (W x H x D):	Driver:
Driver:	Full-range: Φ43mm, Passive bass radiator: Φ55mm
Audio Inputs:	Bluetooth
Codecs:	SBC
Frequency Response:	93Hz - 19kHz
Input Sensitivity:	Bluetooth: 400 ± 50mFF
IP rating:	IP67S



Black Ivory

DP: P 1,770.00
VAT INC: P 1,876.00
SRP: P 2,480.00

ES60

Portable Bluetooth Speaker

- 34 W RMS total output power
- Dual 22 mm tweeters and one oval mid-bass driver with neodymium magnets, \ complemented by an oval passive radiator for enhanced sound quality
- Bluetooth V5.4 with support for stereo pairing and multipoint connection
- High-capacity battery offering up to 9 hours of continuous playback
- IP66 dust and water resistance rating
- Built-in high-sensitivity microphone for clear calls
- USB-C input available
- Multiple ambient lighting effects
- Compatible with the EDIFIER ConneX mobile ap

Specification:

Total Output Power (RMS):	8W
Signal-to-Noise Ratio:	≥ 85dB (A)
Bluetooth Version:	V5.4
Dimensions (W x H x D):	190mm × 92mm × 98mm
Driver:	Treble: 0.75-inch, Mid-bass: 53mm × 93mm, Passive bass radiator: 47mm × 109mm
Audio Inputs:	USB-C and Bluetooth
Codecs:	SBC
Frequency Response:	58Hz - 20kHz
Input Sensitivity:	USB-C: 400 ± 50mFFS; Bluetooth: 400 ± 50mFFS
IP rating:	N/A



Black Ivory

DP: P 3,680.00
VAT INC: P 3,901.00
SRP: P 5,150.00

QS20

Portable Bluetooth Speaker

- 6W RMS total output power
- 43mm full-range driver with neodymium magnets and 55mm passive radiator
- Bluetooth V6.0 with support for stereo pairing and multi-point connection
- High-capacity battery offering up to 12 hours of continuous playback
- IP67-rated for dust and water resistance
- Built-in high-sensitivity microphone for clear calls
- Splendid light effects powered by patented TempoAbyss technology
- Compatible with the EDIFIER ConneX mobile app

Specification:

Color:	Black
Total Output Power:	6W
Signal-To-Noise Ratio:	≥ 85dB (A)
Bluetooth Version:	Bluetooth
Driver:	Full-range: Φ43mm,Passive radiator: Φ55mm
Audio Inputs:	Bluetooth
Codecs:	SBC
Frequency Response:	87Hz - 20kHz
Input Sensitivity:	Bluetooth: 400 ± 50mFS



DP: P 2,030.00
VAT INC: P 2,152.00
SRP: P 2,840.00

GBT 21st/Flr 144 N. Domingo St., corner Mayor Ignacio Santos Diaz St., Brgy. Kaunlaran,
Quezon City, Metro Manila, Philippines 1111
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: Edifier - Global Galaxy Distribution Inc.

global galaxy DISTRIBUTION, INC.

EDIFIER

Pricelist as of Septemeber 1, 2026 (Prices are subject to change without prior notice)

SPEAKERS

A3-8S

Mobile Multimedia Speaker

- Up to 9-12 hours on a single charge, built-in 6600mAh Lithium-ion polymer battery
- High frequency microphone designed against howling effect has a transmission distance of 20 meters plus removeable microphone holder
- Plastic cabinet and anti-skid caster with ergonomic metal pull rod
- Enjoy the high-quality, crisp and mesmerizing music with high-quality 8-inches large caliber mid-woofer and 1-inch professional stage-grade compressed horn tweeter
- Bluetooth, Line-IN, USB, TF-Card

Specification:

Color:	Black
Driver unit:	8 inch (Mid-Bass Driver) + Treble Driver: Horn tweeter
Power output:	8W
Input types:	Bluetooth / AUX / USB / TF-Card
Bluetooth:	V5.0
Dimensions:	290 × 415 × 272mm
Weight:	6.6kg



DP: P 6,250.00
VAT INC: P 6,625.00
SRP: P 8,750.00

T5

Powered Active Subwoofer

- 8" Speaker Driver for distortion-free bass
- Low pass filter with 38Hz frequency response
- Reduced acoustic resonance with MDF enclosure
- Automatic standby to conserve power
- Adjustable Bass and Frequency Bandwidth

Specification:

Color:	Black
Power Output:	70W
Driver units:	8"
Input types:	RCA
Bluetooth:	
Frequency response:	38Hz - 200kHz
Dimension:	278 × 300 × 336mm
Weight:	13.6kg



DP: P 5,650.00
VAT INC: P 5,989.00
SRP: P 7,910.00

T5s

Powered Active Subwoofer

- 8" front-firing long-throw woofer
- Reproducing low frequencies down to 35Hz
- 70W RMS total output power
- High-performance front end and closed-loop class-D amplifier
- Volume, low pass filter and phase control
  Signal In input and Signal Out pass-through output for maximum compatibility
  Auto standby feature for energy saving
  Slim vertical MDF cabinet with compact siz

Specification:

Color:	Black
Power Output:	70W
Driver units:	8-inch (220 mm)
Audio types:	RCA
Input Sensitivity:	150 ± 20mV
Frequency response:	35Hz - 115Hz
Dimension:	399 mm × 400 mm × 170 mm
Weight:	10.38 g



DP: P 5,100.00
VAT INC: P 5,406.00
SRP: P 7,140.00

G200

Bluetooth Magnetic Speaker

•Compact size, providing devices with up to 5W large external playback volume.
•Ø 40mm speaker, containing grand and loud sound effects.
•Two modes for music and gaming, catering to different needs and enhancing enjoyment.
•Up to 7 hours playback time and have a better gaming experience.
•With magnetic pads, firmly attached to the devices, and also serve as a support stand.
•Transparent trendy design, colorful ambient lighting effects, making esports more outstanding.

Specification:

Color:	Black
Input types:	5V - 500mA
Bluetooth:	V5.3
IP rating:	
Frequency response:	250Hz - 15kHz
Power Output:	3W
Dimensions:	2.2"D x 2.2"W x 1.4"H
Weight:	62.5 Grams



DP: P 710.00
VAT INC: P 753.00
SRP: P 995.00

G1000 II

Desktop 2.0 Gaming Speakers

- 2.5" Full-Range Driver with 16-Core Magnetic Circuit
- Racetrack-Shaped Bass Reflex Port
- Perfect Fit for Small Desktops
- 9 Dynamic RGB Lighting Effects
- All-in-One Connectivity: Bluetooth 5.4 / AUX / USB-A / USB-C
  Pro-Grade EQ Presets – Triple the Audio Experience

Specification:

Total Output Power:	2W + 2W
Frequency Response	88Hz – 19KHz
Bluetooth Version	V5.4
Cable Length:	1.5 m
Impedence:	4Ω



DP: P 1,640.00
VAT INC: P 1,738.00
SRP: P 2,295.00

G1500 Max

2.1 Desktop Gaming Speakers

- 2.5 inch full range, 4 inch subwoofer for optimum bass
- DSP technology and wooden enclosure
- 10 cool RGB light effects
- Music, gaming and movie sound modes
- Bluetooth 5.3, USB and 3.5mm AUX input

Specification:

Color:	Black
Driver unit:	4 inch subwoofer + 2.5 inch mid-tweeter
Power output:	30W
Input types:	Bluetooth / AUX /
Bluetooth:	V5.3
Frequency response:	93Hz - 20KHz
Noise level:	≤25dB(A)



DP: P 3,120.00
VAT INC: P 3,307.00
SRP: P 4,370.00

G2000

Bluetooth Gaming Stereo Speaker

- Column-shaped cabinet with backward mega bass port
- 12 light effects enhance the gaming experience
- Mechanical shift lever easy to control volume
- Music, Game, and Movie sound modes supported
- Bluetooth/USB sound card/AUX input available

Specification:

Color:	Black
Full-range unit:	2 3/4 inch
Power output:	R/L: 8W + 8W
Input types:	Bluetooth / AUX / USB sound card
Bluetooth:	V4.2
Frequency response:	R/L: 98Hz - 20KHz
Noise level:	≤25dB(A)



DP: P 2,990.00
VAT INC: P 3,169.00
SRP: P 4,185.00

MG250

MG Series 2.0 Multimedia Speakers

- Enjoy cool RGB light effects with a savvy design enclosure that fits and blends well with modern desktop/tabletop setting
- Enjoy the great-quality music with high-quality 52mm drivers and Inverter
- Bluetooth, USB type-A
- Easy operation by FULL control touch pan
- Easy operation with microphones built-in

Specification:

Color:	Black
Driver unit:	2.5W + 2.5W
Power output:	30W
Input types:	Bluetooth / USB-A soundcard
Bluetooth:	V5.3
Frequency response:	93Hz - 20KHz
Noise level:	≤25dB(A)



DP: P 1,050.00
VAT INC: P 1,113.00
SRP: P 1,470.00

GBT 21st/Flr 144 N. Domingo St., corner Mayor Ignacio Santos Diaz St., Brgy. Kaunlaran,
Quezon City, Metro Manila, Philippines 1111
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: Edifier - Global Galaxy Distribution Inc.

global galaxy DISTRIBUTION, INC.

EDIFIER

Pricelist as of Septemeber 1, 2026 (Prices are subject to change without prior notice)

SPEAKERS

MP260

Multifunctional Integrated 2.1 Channel Bluetooth Speaker

- Versatile function: Clock, Alarm; AUX, USB and micro SD inputs
- Strong and Powerful: 8W (Tweeter) + 12W (Subwoofer)
- Bluetooth 5.0V for faster and further signal transmission
- Two large capacity batteries, 2500mah for extended playback time
- LED Screen for audio mode and Time display
- The LED screen can automatically match environment brightness
- Wooden box design delivers high-quality sound
- Multi-function buttons for easier use
- Side panel bass reflex port for great low-frequency bass

Specification:

Color:	Brown, White
Power Output:	SW: 12W, R/L:4W+4W
Driver units:	SW: 2.75 inch, L/R: 1.75 inch
Input types:	AUX / Bluetooth / USB
Bluetooth:	V5.0
Frequency response:	20Hz - 20kHz
Dimension:	192.5 × 113 × 115mm
Weight:	1.5kg



DP: P 2,750.00
VAT INC: P 2,915.00
SRP: P 3,850.00

MP85

Portable Bluetooth Speaker

- Long life music playtime with 480mAh built-in battery
- Weighing around 70g with carrying lanyards
- Enjoy the quality music with 40mm driver
- Bluetooth v5.3
- Easy operation by FULL control panel
  Edifier connect app supported with EQ settings

Specification:

Color:	Black, Grey, White
Input types:	Bluetooth
Bluetooth:	V5.3
IP rating:	
Frequency response:	230Hz - 17kHz
Power Output:	2.2W
Dimensions:	52 × 63 × 28.5mm
Weight:	0.7kg



DP: P 585.00
VAT INC: P 620.00
SRP: P 820.00

MR4

Powered Studio Monitor Speakers

- Smooth frequency response for great audio reference
- 1-inch silk dome tweeter and 4-inch diaphragm woofers deliver pure sound
- MDF wooden cabinets minimize acoustic resonance
- Simple connection to mixers, audio interfaces, computers or media players
- Front-mounted headphone output and AUX input for convenience
- Multi-functional knob for power, volume and sound effects toggle
- Monitor and music modes to fit various scenarios

Specification:

Color:	White, Black
Power Output:	21W + 21W
Driver units:	4 Inch carbon fibre woofer + 1 Inch silk dome tweeter
Input types:	TRS Balanced, RCA, AUX
Frequency response:	60Hz - 20KHz
Dimension:	140 x 228 x 184mm
Weight:	4.5kg



DP: P 3,880.00
VAT INC: P 4,113.00
SRP: P 5,430.00

QD35

Tabletop Bluetooth Speaker with GaN Charger

- Hi-Res AUDIO and Hi-Res AUDIO WIRELESS certified
- 40W (RMS) total audio output power
- Ultra-fast 35W GaN charging via USB-A and USB-C ports
- Splendid light effects
- Rich preset EQs and shareable customized EQs
- Seamless wireless music streaming via Bluetooth V5.3
- Works with Edifier Connect app



Specification:

Color:	Black, White
Audio Inputs:	AUX, USB-A, Bluetooth
Input types:	V5.3
Driver units:	3" (Mid-bass) + 1" (Treble)
Frequency response:	60Hz - 40kHz
Power Output:	25W (Mid-bass) + 15W (Treble)
Dimension:	277.8 × 164.8 × 141.7mm
Weight:	2.64kg

DP: P 4,350.00
VAT INC: P 4,611.00
SRP: P 6,090.00

R1000T4

Powered Bluetooth Speakers

- 24W RMS total output power
- 4" Mid-range and bass drivers + 0.5" treble drivers
- Classic wooden enclosure
- Bluetooth V5.1
- Dual RCA inputs
- Easy control

Specification:

Color:	Black, Brown
Power Output:	24W × 2 + 36 W × 2
Driver units:	4 Inch (Mid-range and bass) + 0.5 Inch (Treble)
Input types:	Bluetooth / 3.5mm to RCA / Optical
Bluetooth:	V4.0
Frequency response:	55Hz-20KHz(±3db)
Dimension:	174 × 289 × 252mm
Weight:	7kg



DP: P 3,180.00
VAT INC: P 3,371.00
SRP: P 4,450.00

R1010BT

Powered Bluetooth Speakers

- 24W RMS total output power
- 4" Mid-range and bass drivers + 0.5" treble drivers
- Classic wooden enclosure
- Bluetooth V5.1
- Dual RCA inputs
- Easy control

Specification:

Color:	Black
Total Output Power:	12W + 12W
Signal-To-Noise Ratio:	≥ 85dB (A)
Bluetooth Version:	Bluetooth
Driver:	106 mm (Bass) + Φ13 mm (Treble)
Audio Inputs:	RCA (x2)
Codecs:	SBC
Frequency Response:	65Hz - 17kHz
Input Sensitivity:	Line in A: 700mV ± 50mV Line in B: 500mV ± 50mV Bluetooth: 400mV ± 50mFFS



DP: P 3,920.00
VAT INC: P 4,155.00
SRP: P 5,490.00

R1080BT

Bluetooth Bookshelf Speaker

- 24W RMS total output power
- 4" Mid-range and bass drivers + 0.75" treble drivers
- Classic wooden enclosure
- Built-in DSP chip
- Bluetooth V5.1
- Line In and AUX Inputs
- Easy control by your fingertip

Specification:

Color:	Black, White
Power Output:	12W + 12W
Driver units:	4" (Mid-range and bass) + 0.75" (Treble)
Input types:	Bluetooth, Line In, AUX
Bluetooth:	V5.1
Frequency response:	67Hz - 20kHz
Dimension:	155 × 115 × 238mm
Weight:	4kg



DP: P 3,790.00
VAT INC: P 4,017.00
SRP: P 5,300.00

R1280DB

Powerful Bookshelf Speakers

- Active bookshelf speaker system with 42W total power output
- Supports Bluetooth, Optical, Coaxial, and Dual RCA inputs
- Bass, treble, and master volume dials located on the side panel
- Wireless remote control for volume adjustment and mute
- Calibrated, flared front-facing bass reflect port
- 100% MDF wooden enclosures to minimize acoustic resonance



Specification:

Color:	Brown, Black
Power Output:	R/L: 21W + 21W
Driver units:	0.5 Inch Tweeter + 4 Inch Woof
Input types:	Optical / Coaxial / Bluetooth / Dual RCA
Bluetooth:	V4.0
Frequency response:	55Hz - 20kHz
Dimension:	146 × 234 × 196mm
Weight:	4.9kg

DP: P 4,450.00
VAT INC: P 4,717.00
SRP: P 6,230.00

R1280DBs

Active Bluetooth Bookshelf Speaker

- Qualcomm Bluetooth for stable wireless connection
- Wooden enclosure isolates acoustic resonance
- 42 watts RMS total power for distortion-free listening
- Supports Bluetooth, Optical, Coaxial, and Dual RCA inputs
- Side-mounted panel and remote control for easy adjustment
- Sub-out output works with an external subwoofer
- Front[illegible]chy ba[illegible]



Specification:

Color:	Brown, Black
Power Output:	21W + 21W
Driver units:	4" (Mid-range and bass) + 0.5" (Treble)
Input types:	Bluetooth, Line In, Optical, Coaxial
Bluetooth:	
Frequency response:	51Hz - 20kHz
Dimension:	196 × 146 × 236mm
Weight:	4.9kg

DP: P 4,750.00
VAT INC: P 5,035.00
SRP: P 6,650.00

GBT 21st/Flr 144 N. Domingo St., corner Mayor Ignacio Santos Diaz St., Brgy. Kaunlaran,
Quezon City, Metro Manila, Philippines 1111
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: Edifier - Global Galaxy Distribution Inc.

global galaxy DISTRIBUTION, INC.

EDIFIER

Pricelist as of Septemeber 1, 2026 (Prices are subject to change without prior notice)

SPEAKERS

R1700BT

All-in-one Bluetooth Bookshelf Speakers

- 66W RMS total power output
- 4" Mid-range and bass drivers + 0.75" treble drivers
- Classic wooden enclosure
- Bluetooth V5.1
- Dual RCA inputs
- Easy control



Specification:

Color:	Black (MDF wooden enclosure)
Power Output:	15W × 2 (tweeter) + 18W × 2 (mid-bass driver)
Driver units:	4 Inch (Mid-range and bass) + 0.75 Inch (Treble)
Input types:	Line In / AUX / Bluetooth
Bluetooth:	V5.1
Frequency response:	60Hz - 20KHz
Dimension:	154 x 254 x 214mm
Weight:	6.6kg

DP: P 5,150.00
VAT INC: P 5,459.00
SRP: P 7,210.00

R1700BTs

Bluetooth Bookshelf Speakers

- 66W RMS total output power
- Class-D amplifier system with DSP and DRC
- Quality wooden enclosure
- Bluetooth V5.0 with Qualcomm® aptX™ HD
- Sub Out port for bass output
- Dual RCA inputs
- Easy control



Specification:

Color:	Brown (MDF wooden enclosure)
Power Output:	15W × 2 (tweeter) + 18W × 2 (mid-bass driver)
Driver units:	4 Inch (Mid-range and bass) + 0.75 Inch (Treble)
Input types:	Dual RCA, Bluetooth
Bluetooth:	V5.0
Frequency response:	60Hz - 20KHz
Dimension:	154 x 254 x 214mm
Weight:	6.6kg

DP: P 5,550.00
VAT INC: P 5,883.00
SRP: P 7,770.00

R1855DB

Active 2.0 Bluetooth Bookshelf Speaker

- 70 watts (RMS) power output
- Multiple inputs as Bluetooth, Line In, Coaxial, and Optical
- A quality wooden enclosure for reducing acoustic resonance
- 10-degree incline design for accurate sound directing
- Sub Out port for bass output to another subwoofer
- Easy control by the remote control and rear knobs



Specification:

Color:	Matte Black
Power Output:	19W × 2 + 16W × 2
Driver units:	116 mm Nomex diaphragm (Mid-Bass) + Φ19 mm silk diaphragm (Tweeter)
Input types:	Bluetooth, Line In, Optical, Coaxial
Bluetooth:	V5.1
Frequency response:	60Hz - 20kHz
Dimension:	155 × 254 × 223mm
Weight:	7kg

DP: P 6,050.00
VAT INC: P 6,413.00
SRP: P 8,470.00

R2000DB

Powered Bluetooth Bookshelf Speakers

- 25mm Eagle Eye tweeters
- 5" bass unit
- Pair devices via Bluetooth
- High-gloss piano finish for a stylish look
- Connect any device with Bluetooth v4.0

Specification:

Color:	Brown, Black
Power Output:	24W × 2 + 36 W × 2
Driver units:	4 Inch (Mid-range and bass) + 0.5 Inch (Treble)
Input types:	Bluetooth / 3.5mm to RCA / Optical
Bluetooth:	V4.0
Frequency response:	55Hz-20KHz(±3db)
Dimension:	174 × 289 × 252mm
Weight:	7kg



DP: P 8,900.00
VAT INC: P 9,434.00
SRP: P 12,460.00

R2850DB

Bluetooth Multimedia Speaker

- Updated classic design
- Powerful 3-way system with 150W RMS power output
- Bluetooth V5.1 with aptX™ support
- High-quality MDF enclosure

Specification:

Color:	Matte Black
Power Output:	R/L (treble): 14W + 14W; R/L (mid-range): 16W + 16W; R/L (bass): 45W + 45W
Driver units:	
Input types:	Line In 1, Line In 2, Optical, Coaxial, Bluetooth
Bluetooth:	V5.1
Frequency response:	42Hz - 20kHz
Dimension:	258 × 461 × 316mm
Weight:	23kg



DP: P 13,150.00
VAT INC: P 13,939.00
SRP: P 18, 410.00

S1000MKII

Bookshelf Speaker

- Great sound quality with 120W RMS output power
- Hi-Res AUDIO certified, supports digital audio signals with a bit depth and sampling rate up to 24bit/192kHz
- Pure sound from 1" advanced titanium dome tweeters
- Surge and wave bass from 5.5" aluminum bass speakers
- High-efficiency digital input Class-D audio amplifier
- Electronic crossovers and dynamic control based on Digital Signal Processing (DSP)
- High-quality Bluetooth transmission with Qualcomm® aptX™ HD
- Rich connectivity through Bluetooth, Optical, Coaxial, and Line In
- Easy control of volume, bass level, treble level, and source switch

Specification:

Color:	Brown
Power Output:	35W×2 (Mid-Range / Bass) + 25W×2 (Treble)
Driver units:	5.5" (Mid-Range / Bass) + 1" (Treble)
Input types:	Line In 1, Line In 2, Optical, Coaxial, Bluetooth
Bluetooth:	V5.0
Frequency response:	45Hz - 40kHz
Dimension:	198 × 343 × 276mm
Weight:	16.7kg



DP: P 12,160.00
VAT INC: P 12,879.00
SRP: P 17,010.00

S2000MKIII

New Classic Hi-Fi Active Speaker

- Planar diaphragm tweeters and aluminum diaphragm drivers
- Black wooden design with PVC side panels
- OLED LCD screen shows different modes
- Dual upgraded DSP chips for crossovers
- Qualcomm aptX™ & Bluetooth V5.0

Specification:

Color:	Brown
Power Output:	L/R (treble): 15W+15W L/R (mid-range bass): 50W + 50W
Driver units:	130W Planar Tweeter, 5.5" (Mid)
Input types:	RCA*2, Optical, Coaxial, Bluetooth
Bluetooth:	V5.0
Frequency response:	45Hz - 40kHz
Dimension:	
Weight:	17.14kg



DP: P 15,850.00
VAT INC: P 16,801.00
SRP: P 22,190.00

GBT 21st/Flr 144 N. Domingo St., corner Mayor Ignacio Santos Diaz St., Brgy. Kaunlaran,
Quezon City, Metro Manila, Philippines 1111
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: Edifier - Global Galaxy Distribution Inc.

global galaxy DISTRIBUTION, INC.

EDIFIER

Pricelist as of Septemeber 1, 2026 (Prices are subject to change without prior notice)

S3000MKII

Premium 2.0 Speaker System

- Using Texas Instruments DSP professional audio processing chip for accurate control of frequency division point, so that the speaker can better reproduce the sound details
- Enjoy the music in the best sound performance with audio signal sample rate up to 24bit/192kHz
- Aluminum mid-bass speakers for surge and wave bass, pure sound with advanced planar tweeters
- Bluetooth, Balanced, OPT, COAX, RCA, USB for connections
- EDIFIER CONNECT APP for customized equalizer setup; Easy operation by FULL control panel; Wireless connection between Left & Right speaker

Specification:

Color:	Brown
Power Output:	L/R (alto): 120W + 120W L/R (treble): 8W + 8W
Driver units:	6.5" midbass
Input types:	Bluetooth, Balanced inputs, Optical, RCA, Coaxial
Bluetooth:	V5.0
Frequency response:	38Hz - 20kHz
Dimension:	222mm × 360mm × 268mm
Weight:	20kg



DP: P 26,150.00
VAT INC: P 27,719.00
SRP: P 36,610.00

B700

Dolby Atmos Soundbar System

- DOLBY ATMOS
- HDMI 4K High Definition Video and Audio
- eARC Enhanced Audio Return
- 5.1.2 Channel
- Powerful Wireless Subwoofer
- Rich Connectivities
- Bluetooth V5.0



Specification:

Color:	Grey
Power Output:	L/R/C: 15W+15W+15W Ls/Rs: 15W+15W Ltm/Rtm: 15W+15W Subwoofer: 70W
Driver units:	3.5"(Mid-range) + 1"(Treble) + 8" (Bass)
Input types:	AUX, Bluetooth, Coaxial, Optical Fiber
Bluetooth:	V5.0
Frequency response:	45Hz - 20kHz
Dimension:	Soundbar: 850mm × 70mm × 120mm Subwoofer: 250mm × 372mm × 300mm
Weight:	11.7kg

DP: P 18,350.00
VAT INC: P 19,451.00
SRP: P 25,690.00

S880DB

New Classic Hi-Fi Active Speaker

- Great sound quality with 88W RMS output power
- Hi-Res AUDIO certified, supports 24bit/192kHz digital audio signals
- ¾" titanium dome tweeters (12W * 2) and 3.75" aluminum diaphragm mid-bass drivers (32W * 2)
- All-digital amplifier system
- Quality wooden enclosure
- High-quality Bluetooth transmission with Qualcomm® aptX™
- Rich connectivity through Bluetooth, Optical, Coaxial, USB, and PC/AUX
- Four preset EQs
- Easy control

Specification:

Color:	White
Power Output:	32W×2 (Mid-bass), 12W×2 (Treble)
Driver units:	3.75" (Mid-bass) + ¾" (Treble)
Input types:	AUX, Bluetooth, COX, OPT, PC, USB
Bluetooth:	V5.0
Frequency response:	55Hz - 40kHz
Dimension:	138 × 168 × 230mm
Weight:	7.5kg



VAT INC: P 10,125.00
DP: P 10,733.00
SRP: P 14,175.00

GBT 21st/Flr 144 N. Domingo St., corner Mayor Ignacio Santos Diaz St., Brgy. Kaunlaran, Quezon City, Metro Manila, Philippines 1111
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: Edifier - Global Galaxy Distribution Inc.

global galaxy DISTRIBUTION, INC.

EZVIZ™
Security Video For Smart Life

MAIN PRICELIST
Pricelist as of September 1,2026 (Prices are subject to change without prior notice)

INDOOR CAMERA

H6 5MP
Pan & Tilt Smart Home Camera

10+1 Plus 5% DISCOUNT






Image Sensor	1/2.7" Progressive Scan CMOS
Shutter Speed	Self-adaptive shutter
Lens	4mm@ F1.6, view angle: 104° (Horizontal), 87° (Vertical), 53°(Diagonal)
PT Angle	Pan: 353°, Tilt: 133°
Minimum Illumination	0.51Lux @(F1.6, AGC ON), 0 Lux with IR
Lens Mount	M12
Day & Night	IR-cut filter with auto switch
DNR	3D DNR
WDR	Digital WDR
BLC	Supports
Night Vision	10 m
Max Resolution	2880 × 1620
Frame Rate	Max: 25fps; Self-Adaptive during network transmission
Video Compression	H.265 / H.264
Video Bit Rate	Ultra-HD; HD; Standard. Adaptive bit rate
Audio Bit Rate	Self-adaptive
Max. Bitrate	4 Mbps
Wi-Fi Standard	IEEE802.11a, 802.11b, 802.11g, 802.11n, 802.11ac
Frequency Range	2.4G: 2400–2483.5MHz 5G:5170–5250MHz,5735 - 5835MHz
Channel Bandwidth	Support 40MHz
Security	64 / 128-bit WEP, WPA/WPA2, WPA-PSK/WPA2-PSK
Transmission Rate	11b 11Mbps, 11g 54Mbps, 11nHT20 MCS7, 11nHT40 MCS7; 11a 54Mbps, 11nHT20MCS7, 11nHT40 MCS7;
Wi-Fi Pairing	AP pairing
Protocol/Interface Protocol	EZVIZ Cloud Proprietary Protocol
Wired Network	RJ45 x 1 (10M/100M Adaptive Ethernet Port)
Smart Alarm	AI Human Detection \ Pet Detection \ Wave-Hand Detection \ Voice Activity Detection
Customized Alert area	Supports
Two-Way Talk	Supports (Two-Mic)
General Function	Anti-flicker, dual-stream, heart beat, mirror image, password protection, watermark
Local Storage	MicroSD card slot (Max. 512GB)
Cloud Storage	EZVIZ Cloud Storage
Power Supply	DC 5V / 2A (Type-C)
Power Consumption	Max. 8W

VAT INC ₱1,749.00 **VAT EX ₱1,650.00** **SRP ₱2,150.00**

TY7 4 + 4MP
Dual-Lens Pan &* Tilt Wi-Fi Camera

10+1 Plus 5% DISCOUNT






Image Sensor	F1.6@1/3" Progressive Scan CMOS
Shutter Speed	Self-adaptive shutter
Lens	4mm, view angle: 90°(Diagonal), 80° (Horizontal), 43°(Vertical)
Lens Mount	M12
Day & Night	IR-cut filter with auto-switching
DNR	3D DNR
WDR	Digital WDR
Video Compression	H.264/H.265
Video Bit Rate	Adaptive bit rate
Max. Resolution	1920 × 1080
Frame Rate	Max:25fps; Self-Adaptive during network transmission
Wi-Fi Pairing	AP Pairing
Protocol/Interface Protocol Storage	EZVIZ Cloud Proprietary Protocol
Power	Micro SD card slot (Max. 512G)
Wired Network	Type-C
Wi-Fi Standard	RJ45 x 1 (10M / 100M Adaptive Ethernet Port)
Frequency Range	IEEE 802.11 b, 802.11 g, 802.11 n
Channel Bandwidth	2.4 ~ 2.4835 GHz
Security	Supports 20 MHz
Transmission Rate	64 / 128-bit WEP, WPA / WPA2, WPA-PSK / WPA2-PSK
Power Supply	11b 11 Mbps, 11g 54 Mbps, 11n: 72 Mbps
Power Consumption	DC 5V / 1A
IR Night Vision Distance	Max. 5 W
	Up to 10 m (33 ft)

VAT INC ₱2,332.00 **VAT EX ₱2,200.00** **SRP ₱2,999.00**

E6 3K
Smart Home Camera

10+1 Plus 5% DISCOUNT






Image Sensor	1/2.7" Progressive Scan CMOS
Shutter Speed	Self-adaptive shutter
Lens	4mm @ F2.0, viewing angle: 87° (Horizontal), 48° (Vertical), 103° (Diagonal)
Lens Mount	M12
Day & Night	IR-cut filter with auto-switching
DNR	3D DNR
WDR	WDR 80dB
Night Vision	Up to 10 m / 32.8 ft
Video Compression	H.265 / H.264
Video Bit Rate	Ultra-HD; HD; Standard. Adaptive bit rate
Audio Bit Rate	Self-Adaptive
Max. Resolution	2880 × 1620
Frame Rate	Max:25fps; Self-Adaptive during network transmission
Wi-Fi Pairing	AP Pairing
Protocol/Interface Protocol Storage	EZVIZ Cloud Proprietary Protocol
Wired Network	Supports microSD card (Up to 512 GB)
Wi-Fi Standard	RJ45 x 1 (10M / 100M Adaptive Ethernet Port)
Frequency Range	IEEE802.11a, 802.11b, 802.11g, 802.11n, 802.11ac
Channel Bandwidth	2.4G: 2400–2483.5 MHz, 5G: 5170–5250 MHz, 5735–5835 MHz
Security	Supports 40 MHz
Transmission Rate	WPA-PSK / WPA2-PSK
	11b 11Mbps, 11g 54Mbps, 11nHT20 MCS7, 11nHT40
Power Supply	MCS7; 11a 54Mbps, 11nHT20 MCS7, 11nHT40 MCS7
Power Consumption	DC 5V/2A Max. 8W

VAT INC ₱2,809.00 **VAT EX ₱2,650.00** **SRP ₱3,499.00**

GBT 21st/Flr 144 N. Domingo St., corner Mayor Ignacio Santos Diaz St., Brgy. Kaunlaran, Quezon City, Metro Manila, Philippines 1111

For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI Ph

Official Philippine Distributor
global galaxy DISTRIBUTION, INC.

EZVIZ™
Security Video For Smart Life

MAIN PRICELIST
Pricelist as of September 1,2026 (Prices are subject to change without prior notice)

OUTDOOR PT CAMERA

H8c 3MP WIFI
Pan & Tilt

10+1 Plus 5% DISCOUNT



Image Sensor	1/3"Progressive Scan CMOS
Shutter Speed	Self-adaptive shutter
Minimum Illumination	0.5 Lux @(F2.2, AGC ON), 0.1 Lux with IR
Lens	2.4mm, view angle:108°(Diagonal), 91° (Horizontal), 50°(Vertical)
Lens Mount	M12
Day and Night	IR-cut filter with auto-switching
DNR	3D DNR
IR Night Vision	Up to 32 ft / 10 m
Video Compression	H.264
Video Bit Rate	HD; Standard. Adaptive bit rate
Audio Bit Rate	Self-Adaptive
Max. Resolution	1920 x 1080
Frame Rate	Max: 25 fps; Self-Adaptive during network transmission
Wi-Fi Pairing	AP Pairing
Protocol/Interface Protocol	EZVIZ Cloud Proprietary Protocol
General Function	Anti-Flicker, Dual-Stream, Heart Beat, Mirror Image, Password Protection, Watermark
Max. Bit Rate	1Mbps
Storage	MicroSD card slot (Max. 512GB)
Standard(Wifi)	IEEE802.11b, 802.11g, 802.11n
Frequency Range	2.4 GHz ~ 2.4835 GHz
Channel Bandwidth	Supports 20MHz
Security	64/128-bit WEP, WPA/WPA2, WPA-PSK/WPA2-PSK
Smart Alert	Motion detection
Two-way Talk	Supports
Transmission Rate	11b: 11 Mbps, 11g: 54 Mbps, 11n: 72 Mbps
Power Supply	DC 5V / 1A
Power Consumption	Max. 3.0W

VAT INC ₱1,885.00
VAT EX ₱1,750.00
SRP ₱2,299.00

C8PF 2MP
Dual-Lens Pan & Til Wi-Fi Camera

20% OFF



Image Sensor	Dual-1/2.7" Progressive Scan CMOS
Shutter Speed	Self-adaptive shutter
Lens	2.8 mm @ F1.6 + 12 mm @ F1.6
PT Angle	Pan: 340°, Tilt: 80°
Minimum Illumination	0.05Lux @ (F1.6 AGC ON), 0 Lux with IR
Lens Mount	M12
Day & Night	IR-cut filter with auto-switching
DNR	3D DNR
WDR	Digital WDR
BLC	Supports
Black & White Night	30 m/ 98 ft
Max Resolution	1920 x 1080
Frame Rate	Max. 15fps, self-adaptive during network transmission
Video Compression	H.265 / H.264
H.265 Type	Main Profile
Video Bit Rate	Ultra-HD; HD; Standard. Adaptive bit rate
Audio Bit Rate	Self-adaptive
Max. Bitrate	2 Mbps
Wi-Fi Standard	IEEE802. 11b, 802. 11g, 802. 11n
Frequency Range	2.4 GHz ~ 2.4835 GHz
Channel Bandwidth	Supports 20MHz
Security	64/128-bit WEP, WPA/WPA2, WPA-PSK/WPA2-PSK
Transmission Rate	11b: 11 Mbps, 11 g: 54 Mbps, 11n: 72 Mbps
Wi-Fi Pairing	AP pairing
Protocol/Interface Protocol	EZVIZ Cloud Proprietary Protocol
Wired Network	RJ45 x 1 (10M/100M Adaptive Ethernet Port)
Smart Alarm	AI-powered human shape detection
Customized Alert area	Supports
Audio	Supports mic
General Function	Anti-flicker, dual-stream, heart beat, password protection, watermark
Local Storage	MicroSD card slot (Max. 512GB)
Cloud Storage	EZVIZ Cloud Storage
IP Grade	Weatherproof design
Power Supply	DC 12V / 1A
Power Consumption	Max. 12W

VAT INC ₱3,975.00
VAT EX ₱3,750.00
SRP ₱5,499.00

H9c 3+3MP 2k & 2k
Dual-Lens Pan & Tilt Wi-Fi Camera

10+1 Plus 5% DISCOUNT



Image Sensor	1/2.7"Progressive Scan CMOS
Shutter Speed	Self-adaptive shutter
Minimum Illumination	0.5 Lux @(F2.2, AGC ON), 0.1 Lux with IR
Lens	Fix Lens: 2.8mm@ F1.6, viewing angle: Diagonal 132°, Horizontal 110°, vertical 58°
	Pan&Tilt Lens: 6mm@F1.6, viewing angle: Diagonal 64°, Horizontal 56°, vertical 29°
Lens Mount	M12
Day and Night	IR-cut filter with auto-switching
DNR	3D DNR
IR Night Vision	Up to 32 ft / 10 m
Video Compression	H.264 / H. 265
Video Bit Rate	HD; Standard. Adaptive bit rate
Audio Bit Rate	Self-Adaptive
Max. Resolution	2880 x 1620
Frame Rate	Max: 15 fps; Self-Adaptive during network transmission
Wi-Fi Pairing	vAP Pairing
Protocol/Interface Protocol	EZVIZ Cloud Proprietary Protocol
General Function	AI-Powered Human Shape Detection / AI-Powered Vehicle
	Password Protection, Watermark
Max. Bit Rate	1Mbps
Storage	MicroSD card slot (Max. 512GB)
Standard(Wifi)	IEEE802.11b, 802.11g, 802.11n
Frequency Range	2.4 GHz ~ 2.4835 GHz
Channel Bandwidth	Supports 20MHz
Security	64/128-bit WEP, WPA/WPA2, WPA-PSK/WPA2-PSK
Smart Alert	Motion detection
Two-way Talk	Supports
Transmission Rate	11b: 11 Mbps, 11g: 54 Mbps, 11n: 150Mbps
Power Supply	DC 12v / 1.5A
Power Consumption	Max. 12W

VAT INC ₱3,180.00
VAT EX ₱3,000.00
SRP ₱3,600.00

H9c 5+5MP 2k & 2k
Dual-Lens Pan & Tilt Wi-Fi Camera

10+1 Plus 5% DISCOUNT



Image Sensor	1/2.7"Progressive Scan CMOS
Shutter Speed	Self-adaptive shutter
Minimum Illumination	0.5 Lux @(F2.2, AGC ON), 0.1 Lux with IR
Lens	Fix Lens: 2.8mm@ F1.6, viewing angle: Diagonal 132°, Horizontal 110°, vertical 58°
	Pan&Tilt Lens: 6mm@F1.6, viewing angle: Diagonal 64°, Horizontal 56°, vertical 29°
Lens Mount	M12
Day and Night	IR-cut filter with auto-switching
DNR	3D DNR
IR Night Vision	Up to 32 ft / 10 m
Video Compression	H.264 / H. 265
Video Bit Rate	HD; Standard. Adaptive bit rate
Audio Bit Rate	Self-Adaptive
Max. Resolution	2880 x 1620
Frame Rate	Max: 15 fps; Self-Adaptive during network transmission
Wi-Fi Pairing	AP Pairing
Protocol/Interface Protocol	EZVIZ Cloud Proprietary Protocol
General Function	AI-Powered Human Shape Detection / AI-Powered Vehicle
	Password Protection, Watermark
Max. Bit Rate	1Mbps
Storage	MicroSD card slot (Max. 512GB)
Standard(Wifi)	IEEE802.11b, 802.11g, 802.11n
Frequency Range	2.4 GHz ~ 2.4835 GHz
Channel Bandwidth	Supports 20MHz
Security	64/128-bit WEP, WPA/WPA2, WPA-PSK/WPA2-PSK
Smart Alert	Motion detection
Two-way Talk	Supports
Transmission Rate	11b: 11 Mbps, 11g: 54 Mbps, 11n: 150Mbps
Power Supply	DC 12v / 1.5A
Power Consumption	Max. 12W

VAT INC ₱3,710.00
VAT EX ₱3,500.00
SRP ₱4,100.00

GBT 21st/Flr 144 N. Domingo St., corner Mayor Ignacio Santos Diaz St., Brgy. Kaunlaran, Quezon City, Metro Manila, Philippines 1111

For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI Ph

Official Philippine Distributor
global galaxy DISTRIBUTION, INC.

EZVIZ™
Security Video For Smart Life

MAIN PRICELIST
Pricelist as of September 1,2026 (Prices are subject to change without prior notice)

CB1 2MP (Type-C)

10+1 Plus 5% DISCOUNT

Wi-Fi Smart Home Batterv Camera






Image Sensor	1/3 " 2-Megapixel Progressive Scan CMOS Sensor
Shutter Speed	Self-adaptive shutter
Lens	2.8mm @ F2.2 viewing angle:
	113° (Diagonal), 90° (Horizontal), 50° (Vertical)
Minimum Illumination	0.1 Lux
Lens Mount	M12
Day & Night	IR-cut filter with auto switch
DNR	3D DNR
Night Vision	Up to 5m / 16ft
Max. Resolution	1920 x 1080
Frame Rate	15fps. Self-Adaptive during Network Transmission
Video Compression	H.265 / H.264
Video Bit Rate	Full HD; Hi-Def; Standard
Audio Bit Rate	Self-adaptive
Max. Bitrate	1 Mbps
Wi-Fi Standard	IEEE802.11b, 802.11g, 802.11n
Frequency Range	2.4 GHz ~ 2.4835 GHz
Channel Bandwidth	Supports 20 MHz
Security	64/128-bit WEP, WPA/WPA2, WPA-PSK/WPA2-PSK
Transmission Rate	11b: 11Mbps, 11g: 54Mbps, 11n: 150Mbps
Wi-Fi Pairing	AP pairing
Protocol/Interface Protocol	EZVIZ Cloud Proprietary Protocol
Wired Network	Not Supports
Minimum Network Requirement	2Mbps
Smart Alarm	Supports
Customized Alert Area	Supports
Two-Way Talk	Supports
Local Storage	Supports microSD card (Up to 512 GB)
Cloud Storage	Supports EZVIZ CloudPlay storage (subscription required)
Power Supply	DC 5V/1A (Purchased Separately)
Battery Capacity	1600 mAh

VAT INC ₱1,728.00
VAT EX ₱1,630.00
SRP ₱2,150.00

CB2 2MP WHITE

10+1 Plus 5% DISCOUNT

Smart Home Wi-Fi Camera





Image Sensor	1/2.8" 2-Megapixel Progressive Scan CMOS Sensor
Shutter Speed	Self-adaptive shutter
Lens	4 mm @ F1. 6, view angle: 100°
	85° (Diagonal), 46° (Horizontal)
Minimum Illumination	Max. 5 m / 16 ft
Lens Mount	0.1 Lux
Day & Night	M12
DNR	IR-cut filter with auto switch
Night Vision	3D DNR
Max. Resolution	1920 x 1080
Frame Rate	15fps. Self-adaptive during network transmission
Video Compression	H.265 / H.264
Video Bit Rate	Full HD; Hi-Def; Standard
Audio Bit Rate	Self-adaptive
Max. Bitrate	1 Mbps
Wi-Fi Standard	IEEE802. 11b, 802. 11 g, 802. 11n
Frequency Range	2.4 GHz ~ 2.4835 GHz
Channel Bandwidth	Supports 20 MHz
Security	64 / 128-bit WEP, WPA/WPA2, WPA-PSK/WPA2-PSK
Transmission Rate	11b: 11Mbps, 11g: 54Mbps, 11n: 150Mbps
Wi-Fi Pairing	AP pairing
Protocol/Interface Protocol	EZVIZ Cloud Proprietary Protocol
Wired Network	Not Supports
Minimum Network Requirement	1Mbps
Smart Alarm	Supports Smart Human Motion Detection
Customized Alert Area	Supports
Two-Way Talk	Supports
Local Storage	Supports MicroSD card (Up to 512GB)
Cloud Storage	EZVIZ Cloud Storage
Power Supply	DC 5V / 1A (Purchased Separately)
Battery Capacity	2000 mAh

VAT INC ₱2,740.00
VAT EX ₱2,585.00
SRP ₱3,499.00


OUTDOOR PT CAMERA

LC1C Black & White

20% OFF

Two-in-One Outdoor Security Solution





Processor	Embedded High-Performance SOC Processor
Operating System	Embedded Linux
Lamp	2
LED	SMD LED
Brightness	2000LM (+/-10%)
CRI	80
Color Temperature	3000K
Life-Span	@B50L70 @Ta 25°C 25000H
Detection Distance	10 meters (33 feet)
Detection Range	270-degree
Resolution	1920 x 1080
Field of View	Horizontal angle: 103°; Vertical angle: 57°; Diagonal angle: 121°
Night Vision	Up to 25m (82 ft.)
Audio Input	Built-in Omni-direction microphone
Audio Output	Built-in loudspeaker
Audio Quality	Noise suppression
Compression Standard	Smart H. 264, H. 265
Max. Resolution	1920 x 1080, Full-HD
Frame Rate	25fps, Adaptive frame rate of network transmission
DNR	3D DNR
WDR	Supports
BLC	Supports
Wireless	802.11 b/g/n @2.4GHz only (2T2R, dual-antenna)
Network Configuration	Soft AP Configuration
Local Storage	Supports Micro SD card (up to 256 GB)
Cloud Storage	EZVIZ Cloud Storage
Power Supply	Hardwired (100v - 240v)
Power Consumption	≤35W

VAT INC ₱5,655.00
VAT EX ₱5,250.00
SRP ₱7,999.00


SMART HOME CAMERA

HP4

10+1 Plus 5% DISCOUNT

Wire-Free Peephole Doorbell





Sensor	1/2.7" Progressive Scan CMOS
Lens	2.0 mm @ F2.0, view angle: 176°(Diagonal)
Day/Night Switch	IR-cut filter with auto-switching
Max. Resolution	2544 x 1888
Video Frame Rate	15Fps
Sensing Angle	100°
Sending Distance	Max. 5m (16.4ft)
Sensitivity	User Adjustable (High, Medium and Low Sensitivity)
Audio Input/Output	Built-in High-sensitivity Microphone/Built-in High power Speaker
Reset Button	Doorbell button, power button, Screen wake up button
Intelligence Alarm	PIR + human shape smart motion detection
Tamper Alarm	Sound and light anti-dismantling alarm
Video Intercom	Long-distance video two way talk
Protocol/Interface Protocol	EZVIZ Cloud Proprietary Protocol
Wi-Fi Standard	IEEE802.11b, 802.11g, 802.11n
Frequency Range	2.4Ghz~2.4835 Ghz
Channel Bandwidth	Supports 20MHz
Security	64/128bit WEP,WPA/WPA2,WPA-PSK/WPA2-PSK
Transmission Rate	11b; 11Mbps, 11g; 54Mbps, 11n: 150Mbps
Power Supply	AC 110~240V
Power Consumption	Max. 2W
Storage	Supports microSD card up to 256 GB

VAT INC ₱3,138.00
VAT EX ₱2,960.00
SRP ₱3,999.00

BATTERY DOORBEL

GBT 21st/Flr 144 N. Domingo St., corner Mayor Ignacio Santos Diaz St., Brgy. Kaunlaran, Quezon City, Metro Manila, Philippines 1111

For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI Ph

Official Philippine Distributor
global galaxy DISTRIBUTION, INC.

EZVIZ™
Security Video For Smart Life

MAIN PRICELIST
Pricelist as of September 1,2026 (Prices are subject to change without prior notice)


BATTERY DOORBELL

DP2C 2MP

Wire-Free Peephole Doorbell

10+1 Plus 5% DISCOUNT





Support Hole Diameter	6.5 to 50 mm (0.65 to 1.97 inch)
Support Door Diameter	35 to 105 mm (1.38 to 4.13 inch)
Sensor	1/3" Progressive Scan CMOS
Lens	2.0 mm @ F2.2, visual angle: 155°(Diagonal)
Day/Night Switch	ICR Infrared filter
IR Distance	Max. 5m
Max. Resolution	1080p/ 2MP
Video Frame Rate	15Fps
Angle	110°
Distance	Max. 6m (20ft)
Sensitivity	Adjustable
Audio Input/Output	Built-in High-sensitivity Microphone/Built-in High power Speaker
Buttons	Doorbell button, power button, Screen wake up button
Intelligence Alarm	PIR motion detection
Protocol	EZVIZ Cloud Proprietary Protocol
Video Intercom	Local and remote video intercom
General Function	Cloud video encryption and image encryption
Wi-Fi Standard	Ieee802.11b, 802.11g, 802.11n
Frequency Range	2.4Ghz~2.4835Ghz
Channel Bandwidth	Supports 20MHz
Security	64/128bit WEP,WPA/WPA2,WPA-PSK/WPA2-PSK,WPS
Transmission Rate	11b; 11Mbps, 11g; 54Mbps, 11n: 150Mbps
Power Supply	DC5V (±%)
Power Consumption	Max. 2.2W

VAT INC ₱3,869.00
VAT EX ₱3,650.00

SRP ₱5,999.00

SMART LOCK

DL05

Smart Fingeprint Lock

10+1 Plus 5% DISCOUNT





Panel size	360 × 67 × 27 mm (14.17 × 2.64 × 1.06 inch)
Panel material	Aluminum alloy
Lock body type	Lift-up lock body
Fingerprint sensor	Semiconductor
Built-in doorbell	Supports
Door handle direction	Supports handle setup to be right-handed or left-handed
Fingerprints	Up to 50 fingerprints
Passwords	Up to 50 sets of passwords; supports anti-peeping virtual passwords; supports creating temporary passcodes via EZVIZ App
Proximity cards	Up to 50 EZVIZ door cards, with a recommended reading distance of 0 to 10 mm
Mechanical keys	Supports mechanical keys for emergency unlocking
Cylinder	C grade lock cylinder
Indoor lock	Supports
Handle safety lock	Supports
Anti-tamper alarm	Supports
Failed attempts auto-lock	Auto-disable for 3 minutes after 5 failed unlocking attempts
Working power	Uses four 1.5V AA alkaline batteries
Low battery alarm	Supports
Emergency power supply	Micro-USB power bank

VAT INC ₱4,664.00
VAT EX ₱4,400.00

SRP ₱10,999.00

CB3 2MP KIT (w/ Solar Panel)

Standalone Smart Home Battery

10+1 Plus 5% DISCOUNT






Image Sensor	1/2.8" 2-Megapixel Progressive Scan CMOS Sensor
Shutter Speed	Self-adaptive shutter
Lens	2.8mm @ F2.0, viewing angle: 128° (Diagonal)
	105° (Horizontal), 56° (Vertical)
Night Vision	IR Distance: 15m, Color Night Vision Distance: 15m
Minimum Illumination	0.1 Lux @(F2.0, AGC ON), 0 Lux with IR
Day & Night	IR-cut filter with auto switch
DNR	3D DNR
Max Resolution	1080p / 2MP, 1920x1080
Frame Rate	Max. 15fps; Self-adaptive during network transmission
Video Compression	H.265 / H.264
Video Bit Rate	Full HD; Hi-Def; Adaptive bit rate
Audio Bit Rate	Self-adaptive
Max. Bitrate	1 Mbps
Wi-Fi Standard	IEEE802. 11b, 802. 11 g, 802. 11n
Frequency Range	2.4 GHz ~ 2.4835 GHz
Channel Bandwidth	Supports 20 MHz
Security	64 / 128-bit WEP, WPA/WPA2, WPA-PSK/WPA2-PSK
Transmission Rate	11b: 11Mbps, 11g: 54Mbps, 11n: 72Mbps
Wi-Fi Pairing	AP pairing
Protocol/Interface Protocol	EZVIZ Cloud Proprietary Protocol
Minimum Network Requirement	2Mbps
Smart Alarm	Smart Humas Motion Detection
Two-Way Talk	Supports
Local Storage	Supports microSD card (Up to 256 G)
Cloud Storage	Supports EZVIZ CloudPlay Storage
Power Supply	DC 5V / 2A (Purchased Separately)
Battery Capacity	5200 mAh

VAT INC ₱3,922.00
VAT EX ₱3,700.00

SRP ₱4,750.00

BATTERY CAMERA WITH SOLAR

EB3 3MP KIT (w/ Solar Panel)

Standalone Smart Home Battery

10+1 Plus 5% DISCOUNT






Image Sensor	1/2.8" 3-Megapixel Progressive Scan CMOS Sensor
Shutter Speed	Self-adaptive shutter
Lens	2.8mm@ F2.0; 131° (Diagonal), 110° (Horizontal),
	58° (Vertical)
Night Vision	IR Distance:15m, Color Night Vision Distance:15m
Minimum Illumination	0.01 Lux @(F2.0, AGC ON), 0 Lux with IR
Day & Night	IR-cut filter with auto switch
DNR	3D DNR
Max Resolution	2304 x 1296
Frame Rate	15 fps. Self-Adaptive during network transmission
Video Compression	H.265 / H.264
Video Bit Rate	Ultra-HD; Full HD, Hi-Def. Adaptive bit rate
Audio Bit Rate	Self-adaptive
Max. Bitrate	1.5 Mbps
Wi-Fi Standard	IEEE802.11b, 802.11g, 802.11n
Frequency Range	2.4 GHz ~ 2.4835 GHz
Channel Bandwidth	Supports 20 MHz
Security	64 / 128 bit WEP, WPA / WPA2, WPA-PSK / WPA2-PSK
Transmission Rate	11b: 11 Mbps, 11g: 54 Mbps, 11n: 72 Mbps
Wi-Fi Pairing	AP pairing
Protocol/Interface Protocol	EZVIZ Cloud Proprietary Protocol
Minimum Network Requirement	4Mbps
Smart Alarm	Smart Humas Motion Detection
Two-Way Talk	Supports
Local Storage	Anti-Flicker, Heart Beat, Password Protection, Watermark
Cloud Storage	Supports microSD card (Up to 256 G)
Power Supply	Supports EZVIZ CloudPlay Storage
Battery Capacity	DC 5V / 2A (Purchased Separately)
	5200 mAh

VAT INC ₱4,240.00
VAT EX ₱4,000.00

SRP ₱5,499.00

GBT 21st/Flr 144 N. Domingo St., corner Mayor Ignacio Santos Diaz St., Brgy. Kaunlaran, Quezon City, Metro Manila, Philippines 1111

For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI Ph

Official Philippine Distributor

global galaxy DISTRIBUTION, INC.

EZVIZ™
Security Video For Smart Life

MAIN PRICELIST
Pricelist as of September 1,2026 (Prices are subject to change without prior notice)

EB8 3MP 4G (w/ Solar Panel)

20% OFF

Pan & Tilt 4G Battery Camera





Image Sensor	1/2.8" 3-Megapixel Progressive Scan SMOS Sensor
Minimum Illumination	0.01 Lux @(F1.6, AGC ON), 0 Lux with IR
Shutter Speed	Self-adaptive shutter
Lens	Viewing angle: 100° (Diagonal), 83° (Horizontal), 44° (Vertical)
PT Angle	Pan: 340°, Tilt: 65°
Day & Night	IR-cut filter with auto switch
DNR	3D DNR
Night Vision	IR 15 m,Color Night Vision 15 m
Max Resolution	2304 × 1296
Frame Rate	Max. 15fps; Self-Adaptive during network transmission
Video Compression	H.265 / H.264
Video Bit Rate	Quad-HD;Full- HD; Hi-Def. Adaptive bit rate
Audio Bit Rate	Self-adaptive
Max. Bitrate	1.5 Mbps
Frequency Bands	LTE FDD: B1/B3/B7/B8/B20/B28 LTE TDD: B38/B40
Smart Alarm	Smart Human Motion Detection
GPS	Supports
Two-way Talk	Supports
General Function	Anti-Flicker, Heart Beat, Password Protection, Watermark
Local Storage	Supports microSD Card (Up to 512G)
Cloud Storage	EZVIZ cloud storage
IP Grade	IP65
Power Supply	DC 5V/2A (Adapter needs to be purchased separately)
Power Consumption	Max. 10W

VAT INC ₱7,420.00
VAT EX ₱7,000.00

SRP ₱9,999.00

BATTERY CAMERA WITH SOLAR

C6 4MP

20% OFF

Indoor Smarty Wi-Fi Pan & Tilt Camera





Image Sensor	F2.2@1/3 Progressive Scan CMOS
Shutter Speed	Self-adaptive shutter
Lens	4mm view angle: 124o, 85o horizontal, 55o vertical
Lens Mount	M12
Day & Night	IR-cut filter with auto-switching
DNR	3D DNR
WDR	Digital WDR
Video Compression	H.264 / H.265
Video Bit Rate	Adaptive bit rate.
Max. Resolution	2560x1440
Frame Rate	Max. 20fps.;Self-adaptive during network transmission
Smart Alarm	Motion detection
Wi-Fi Pairing	AP Pairing
Protocol/Interface Protocol Storage	EZIZ Cloud Proprietary Protocol
Wired Network	MicroSD card slot (Max. 256 GB)
Standard	RJ45 X 1 (10M/100M self-adaptive Ethernet port)
Frequency Range	IEEE802.11b, 802.11g, 802.11n
Channel Bandwidth	2.4 GHz ~ 2.4835 GHz
Security	Supports 20MHz
Transmission Rate	64/128-bit WEP, WPA/WPA2, WPA-PSK/WPA2-PSK
Power Supply	11b: 11 Mbps, 11g: 54 Mbps, 11n: 72 Mbps
Power Consumption	DC 5V/2A
IR Range	5W max MAX. 10m (32.81 fts)

VAT INC ₱3,307.00
VAT EX ₱3,120.00


SRP ₱4,299.00

DB2 3MP

10+1 Plus 5% DISCOUNT

Battery-powered Video Doorbell Kit





Sensor	1/2.7" Progressive Scan CMOS
Lens	2.0 mm @ F2.0, view angle: 176°(Diagonal)
Day/Night Switch	IR-cut filter with auto-switching
Max. Resolution	2544 x 1888
Video Frame Rate	15Fps
Sensing Angle	100°
Sending Distance	Max. 5m (16.4ft)
Sensitivity	User Adjustable (High, Medium and Low Sensitivity)
Audio Input/Output	Built-in High-sensitivity Microphone/Built-in High power Speaker
Reset Button	Doorbell button, power button, Screen wake up button
Intelligence Alarm	PIR + human shape smart motion detection
Tamper Alarm	Sound and light anti-dismantling alarm
Video Intercom	Long-distance video two way talk
Protocol/Interface Protocol	EZVIZ Cloud Proprietary Protocol
Wi-Fi Standard	IEEE802.11b, 802.11g, 802.11n
Frequency Range	2.4Ghz~2.4835 Ghz
Channel Bandwidth	Supports 20MHz
Security	64/128bit WEP,WPA/WPA2,WPA-PSK/WPA2-PSK
Transmission Rate	11b; 11Mbps, 11g; 54Mbps, 11n: 150Mbps
Power Supply	AC 110~240V
Power Consumption	Max. 2W
Storage	Supports microSD card up to 256 GB

VAT INC ₱3,922.00
VAT EX ₱3,700.00

SRP ₱3,400.00

H8 5MP

10+1 Plus 5% DISCOUNT

Pan & Tilt Wi-Fi Camera






Image Sensor	1/2.7"Progressive Scan CMOS
Shutter Speed	Self-adaptive shutter
Minimum Illumination	0.5 Lux @ (F1.6, AGC ON), 0 Lux with IR
Lens	4mm@ F1.6, Viewing angle: 46° (Vertica), 89° (Horizontal), 104° (Diagonal) 6mm@ F1.6, Viewing angle:28° (Vertica), 54° (Horizontal), 62° (Diagonal)
Lens Mount	M12
DNR	3D DNR
WDR	Digital WDR
Day / Night Switch	IR-Cut filter with auto-switching
Video Compression	H.265 / H.264
Video Bit Rate	Quad HD+; Full HD; Hi-Def; Standard. Adaptive bit rate
Max. Resolution	2880 × 1620
Frame Rate	Max:30fps; Self-Adaptive during network transmission
Wi-Fi Pairing	AP Pairing
Protocol/Interface Protocol	EZVIZ Cloud Proprietary Protocol
General Function	Anti-Flicker, Dual-Stream, Heart Beat, Password Protection, Watermark
Max. Bit Rate	4 Mbps
Storage	microSD card (Up to 512 GB) Supports EZVIZ CloudPlay storage
Wired Network	RJ45 × 1(10M / 100M Adaptive Ethernet Port)
Standard(Wifi)	IEEE802.11b, 802.11g, 802.11n
Frequency Range	2.4 GHz ~ 2.4835 GHz
Channel Bandwidth	Supports 20MHz
Security	WPA-PSK / WPA2-PSK
Transmission Rate	11b 11Mbps, 11g 54Mbps, 11n 72Mbps
Power Supply	DC 12V / 1A
Power Consumption	Max. 6W
IP Grade	Weatherproof Design

VAT INC ₱3,138.00
VAT EX ₱2,960.00

SRP ₱3,999.00

GBT 21st/Flr 144 N. Domingo St., corner Mayor Ignacio Santos Diaz St., Brgy. Kaunlaran,
Quezon City, Metro Manila, Philippines 1111

For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI Ph

Official Philippine Distributor
global galaxy DISTRIBUTION, INC.

EZVIZ™
Security Video For Smart Life

MAIN PRICELIST
Pricelist as of September 1,2026 (Prices are subject to change without prior notice)

R5C
Home Storage

20% OFF



Not Compatible for Ezviz Battery Camera



Processor Architecture	ATM Cortex-A7 2core
Processor Frequency	1 GHz
System Memory	512M
System Flash	128M
Numbers Slot	1
HDD Type	3.5" SATA
Local Storage	Up to 8TB
IP Camera Input	Up to 8 channels
IP Camera Max Resolution	8MP
Video Compressison	H.264 & H.265
Video Playback	Support search and playback 24/7 or motion detection video clips
System Setting	Support view device/channel/recording
	Support online update firmware
Connection Type	Wire Network Cable
Video Access Bandwith	Wire: 100Mbps
Network Protocol	EZVIZ Protocols, Hikvision Protocols
Third Party Protocol	SAMBA/AFP/DLNA
Power Supply	DC12V 1.5A, 100 - 240 VAC
Power Consumption	3.4W (sleep mode)
Current Frequency	50/60Hz
Dimensions	186 x 138 x 50mm
Weight	Net Weight: 346g
	With Package: 814g

VAT INC ₱2,862.00
VAT EX ₱2,700.00

SRP ₱3,499.00

H6c Pro
2MP (Type-C)
Pan & Tilt Smart Home Camera






Image Sensor	1.6@1/3" Progressive Scan CMOS
Shutter Speed	Self-adaptive shutter
Lens	4mm, view angle: 90°(Diagonal), 80° (Horizontal), 43°(Vertical)
Lens Mount	M12
Day & Night	IR-cut filter with auto-switching
DNR	3D DNR
WDR	Digital WDR
Video Compression	H.264/H.265
Video Bit Rate	Adaptive bit rate
Max. Resolution	1920 × 1080
Frame Rate	Max:25fps; Self-Adaptive during network transmission
Wi-Fi Pairing	AP Pairing
Protocol/Interface Protocol	EZVIZ Cloud Proprietary Protocol
Storage	Micro SD card slot (Max. 512G)
Power	Type-C
Wired Network	RJ45 × 1 (10M / 100M Adaptive Ethernet Port)
Wi-Fi Standard	IEEE 802.11 b, 802.11 g, 802.11 n
Frequency Range	2.4 – 2.4835 GHz
Channel Bandwidth	Supports 20 MHz
Security	64 / 128-bit WEP, WPA / WPA2, WPA-PSK / WPA2-PSK
Transmission Rate	11b 11 Mbps, 11g 54 Mbps, 11n: 72 Mbps
Power Supply	DC 5V / 1A
Power Consumption	Max. 5 W
IR Night Vision Distance	Up to 10 m (33 ft)

VAT INC ₱1,059.00
VAT EX ₱999.00

SRP ₱1,499.00

GBT 21st/Flr 144 N. Domingo St., corner Mayor Ignacio Santos Diaz St., Brgy. Kaunlaran, Quezon City, Metro Manila, Philippines 1111

For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI Ph

Official Philippine Distributor
global galaxy DISTRIBUTION, INC.

AURA SERIES | CASING

ATHENA M4M WOOD
MINI TOWER GAMING PC CASE



Case Type : Micro Tower
MB Support : Mini-ITX, Micro-ATX
Synchronization : 5V 3-Pin Addressable Header
CASE Color : Black
Expansion Slots : 5
Material : SPCC & ABS & Tempered glass , Wood
Window: Left
Radiator Support
Top: 360 mm
Front: 240mm
Bottom: 360mm

Fan Support : Top: 3 x 120mm
Bottom: 3 x 120 mm
Front : 2 x 120 mm
Rear: 1 x 120mm

Drive Bays: 1 x 3.5" + 1 x 2.5" or 2 x 2.5"
I/O Port: USB 3.0 x2, Type Cx1, HD Audio x1, LED Control x1
Clearance:
CPU cooler height limitation: 175mm
VGA length limitation: 395mm
PSU length limitation: 150mm
Dimension: (L x W x H) 446 x 235 x 347mm

Pre-installed Fans
Front: 2 x 120mm BK PWM Fans
Rear: 1 x 120mm BK PWM Fan

VAT INC: P 3,519 **SRP: P 4,650**
DP: P 3,320

AURA GC1 ELITE ARGB
MESH ARGB MID TOWER CASE



Case Type : MID Tower
MB Support : ATX, Micro-ATX, Mini-ITX
Synchronization : 5V 3-Pin Addressable Header
CASE Color : Black
Expansion Slots : 5
Material : SPCC & ABS & Tempered glass
Window: Left
Radiator Support
Front:360mm / Rear:120mm

Fan Support : Top: 3 x 120mm
Bottom: 3 x 120 mm
Front : 2 x 120 mm
Rear: 1 x 120mm

Drive Bays: 2 x 3.5" or 1 x 2.5"+1 x 3.5"(HDD Cage) / 2 x 2.5"
I/O Port: USB 3.0 x1, USB 2.0 x2, HD Audio x1, Reset x1
Clearance:

Pre-installed Fans
Front: 3 x 120mm ARGB Fan
Rear: 1 x 120mm ARGB Fan

VAT INC: P 2,320 **SRP: P 3,250**
DP: P 2,459

ATHENA M3
MID PC CASE TOWER CASE



Case Type : MID Tower
MB Support : ATX, Micro-ATX, Mini-ITX
Synchronization : 5V 3-Pin Addressable Header
CASE Color : Black
Expansion Slots : 5
Material : SPCC & ABS & Tempered glass
Window: Left
Radiator Support
Top: 360mm / Front: 360mm / Rear: 120mm
Fan Support : Top: 3 x 120mm , 2 x 140mm
Front : 3 x 120 mm
Rear: 1 x 120mm

Drive Bays: 2 x 3.5" or 1 x 2.5"+1 x 3.5"(HDD Cage)
4 x 2.5"
I/O Port: USB 3.0 x1, Type Cx1, HD Audio x1, LED Control x1
Clearance:
CPU cooler height limitation: 170mm
VGA length limitation: 420mm
PSU length limitation: 150mm
Dimension: 475 x 218 x 450 mm
Net Weight: 6.59 kg / 14.53 lb
Pre-installed Box: 8 Ports Hub (4 ports are used)

Pre-installed Fans
Front: 3x 120mm ARGB PWM Fans
Rear: 1 x 120mm ARGB PWM Fan

VAT INC: P 3,477 **SRP: P 4,590**
DP: P 3,280

AURA GC1 ELITE (WHITE) ARGB
MESH ARGB MID TOWER CASE



Case Type : MID Tower
MB Support : ATX, Micro-ATX, Mini-ITX
Synchronization : 5V 3-Pin Addressable Header
CASE Color : White
Expansion Slots : 5
Material : SPCC & ABS & Tempered glass
Window: Left
Radiator Support
Front:360mm / Rear:120mm

Fan Support : Top: 2 x 120mm / Front: 3 x 120mm / Rear: 1 x 120mm

Drive Bays: 2 x 3.5" or 1 x 2.5"+1 x 3.5"(HDD Cage) / 2 x 2.5"
I/O Port: USB 3.0 x1, USB 2.0 x2, HD Audio x1, Reset x1
Clearance:
CPU cooler height limitation: 160mm
VGA length limitation: 340mm
PSU length limitation: 160mm
Dimension: 395 x 195 x 450 mm
15.5 x 7.7 x 17.8 inch
Net Weight: 4.9 G
Pre-installed Box: No

Pre-installed Fans
Front: 3 x 120mm ARGB Fan
Rear: 1 x 120mm ARGB Fan

VAT INC: P 2,502 **SRP: P 3,300**
DP: P 2,360

ATHENA M3 (WHITE)
MID PC CASE TOWER CASE



Case Type : MID Tower
MB Support : ATX, Micro-ATX, Mini-ITX
Synchronization : 5V 3-Pin Addressable Header
CASE Color : White
Expansion Slots : 5
Material : SPCC & ABS & Tempered glass
Window: Left
Radiator Support
Top: 360mm / Front: 360mm / Rear: 120mm
Fan Support : Top: 3 x 120mm , 2 x 140mm
Front : 3 x 120 mm
Rear: 1 x 120mm

Drive Bays: 2 x 3.5" or 1 x 2.5"+1 x 3.5"(HDD Cage)
4 x 2.5"
I/O Port: USB 3.0 x1, Type Cx1, HD Audio x1, LED Control x1
Clearance:
CPU cooler height limitation: 170mm
VGA length limitation: 420mm
PSU length limitation: 150mm
Dimension: 475 x 218 x 450 mm
Net Weight: 6.59 kg / 14.53 lb
Pre-installed Box: 8 Ports Hub (4 ports are used)

Pre-installed Fans
Front: 3 x 120mm ARGB Fans /
Rear: 1 x 120mm ARGB Fan

VAT INC: P 3,625 **SRP: P 4,790**
DP: P 3,420

AURA GC2 (White) ELITE ARGB
PERFORATED ARGB MID-TOWER CASE



Case Type : MID Tower
MB Support : ATX, Micro-ATX, Mini-ITX
Synchronization : 5V 3-Pin Addressable Header
CASE Color : White
Expansion Slots : 5
Material : SPCC & ABS & Tempered glass
Window: Left
Radiator Support
Front:360mm / Rear:120mm

Fan Support : Top: 2 x 120mm / Front: 3 x 120mm / Rear: 1 x 120mm

Drive Bays: 2 x 3.5" or 1 x 2.5"+1 x 3.5"(HDD Cage) / 2 x 2.5"
I/O Port: USB 3.0 x1, USB 2.0 x2, HD Audio x1, Reset x1
Clearance:
CPU cooler height limitation: 160mm
VGA length limitation: 340mm
PSU length limitation: 160mm
Dimension: 395 x 195 x 450 mm
15.5 x 7.7 x 17.8 inch
Net Weight: 4.9 G
Pre-installed Control Box: No

Pre-installed Fans
Front: 3 x 120mm ARGB Fans /
Rear: 1 x 120mm ARGB Fan

VAT INC: P 2,502 **SRP: P 3,300**
DP: P 2,360

GBT 21st Flr 144 N. Domingo St., corner Mayor Ignacio Santos Diaz St., Brgy. Kaunlaran, Quezon City, Metro Manila, Philippines 1111
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com | Fb page: Gamdias Ph - Global Galaxy Distribution Inc.

Official Philippine Distributor
global galaxy DISTRIBUTION, INC.

AURA GC2 (Black) ELITE ARGB
PERFORATED ARGB MID-TOWER CASE



Case Type : MID Tower
MB Support : ATX, Micro-ATX, Mini-ITX
Synchronization : 5V 3-Pin Addressable Header
CASE Color : Black
Expansion Slots : 5
Material : SPCC & ABS & Tempered glass
Window: Left
Radiator Support
Front:360mm / Rear:120mm

Fan Support : Top: 2 x 120mm / Front: 3 x 120mm / Rear: 1 x 120mm

Drive Bays: 2 x 3.5" or 1 x 2.5"+1 x 3.5"(HDD Cage) / 2 x 2.5"
I/O Port: USB 3.0 x1, USB 2.0 x2, HD Audio x1, Reset x1
Clearance:
CPU cooler height limitation: 160mm
VGA length limitation: 340mm
PSU length limitation: 160mm
Dimension: 395 x 195 x 450 mm
15.5 x 7.7 x 17.8 inch
Dimension: 4.9 G
Pre-installed Box: No

Pre-installed Fans
Front: 3 x 120mm ARGB Fans /
Rear: 1 x 120mm ARGB Fan

VAT INC: P 2,459 **SRP: P 3,250**
DP: P 2,320

AURA GC10 (Black) V2 ARGB
SPACIOUS PANORAMIC ARGB MICRO-TOWER CASE



Case Type : MICRO TOWER
MB Support : Micro-ATX, Mini-ITX
Synchronization : 5V 3-Pin Addressable Header
CASE Color : Black
Expansion Slots : 4
Material : SPCC & ABS & Tempered glass
Window: Left, Front
Radiator Support
Top: 360mm, 280 mm
Side: 240 mm
Rear: 120 mm

Fan Support : op: 3 x 120mm, 2 x 140mm
Side: 2 x 120mm, 2 x 140mm
Bottom: 3 x 120mm, 2 x 140mm
Rear: 1 x 120mm, 1 x 140mm

Drive Bays: 1 x 3.5" or 1 x 2.5"(HDD Cage) 3 x 2.5"
I/O Port: 1Type C x1, USB 2.0 x1, HD Audio x1, LED Switch Button x1
Clearance:
CPU cooler height limitation: 165 MM
VGA length limitation: 400mm
PSU length limitation: 160mm
Dimension: 420 x 285 x 365mm
Net Weight: 5.07kg/ 11.18 lb
Pre-installed Box: No

Pre-installed Fans
Front: 3 x 120mm ARGB Fans /
Rear: 1 x 120mm ARGB Fan

VAT INC: P 2,809 **SRP: P 3,710**
DP: P 2,650

AURA GC9M (Black) ELITE ARGB
COMPACT PANORAMIC ARGB MICRO-TOWER CASE



Case Type : MICRO TOWER
MB Support : Micro-ATX, Mini-ITX
Synchronization : 5V 3-Pin Addressable Header
CASE Color : Black
Expansion Slots : 4
Material : SPCC & ABS & Tempered glass
Window: Left, Front
Radiator Support
Top: 2 x 120mm (Radiator length < 278mm)
Rear: 1 x 120mm

Fan Support : Top: 2 x 120mm
Rear: 1 x 120mm
Bottom: 2 x 120mm

Drive Bays: 1 x 3.5" or 1 x 2.5"(HDD Cage)
I/O Port: 1 x 3.5" or 1 x 2.5"(HDD Cage)
Clearance:
CPU cooler height limitation: 155mm
VGA length limitation: 280mm
PSU length limitation: 150mm
Top Liquid Cooler limitation : RAM height <31mm
Dimension: 280 x 195 x 380 mm
Net Weight: 280 x 195 x 380 mm3.07g/6.79 lb
Pre-installed Box: No

Pre-installed Fans
Bottom : 2 x 120mm ARGB Fan
Rear: 1 x 120mm ARGB Fan

VAT INC: P 1,760 **SRP: P 2,325**
DP: P 1,660

AURA GC10 (White) V2 ARGB
SPACIOUS PANORAMIC ARGB MICRO-TOWER CASE



Case Type : MICRO TOWER
MB Support : Micro-ATX, Mini-ITX
Synchronization : 5V 3-Pin Addressable Header
CASE Color : White
Expansion Slots : 4
Material : SPCC & ABS & Tempered glass
Window: Left, Front
Radiator Support
Top: 360mm, 280 mm
Side: 240 mm
Rear: 120 mm

Fan Support : op: 3 x 120mm, 2 x 140mm
Side: 2 x 120mm, 2 x 140mm
Bottom: 3 x 120mm, 2 x 140mm
Rear: 1 x 120mm, 1 x 140mm

Drive Bays: 1 x 3.5" or 1 x 2.5"(HDD Cage) 3 x 2.5"
I/O Port: 1Type C x1, USB 2.0 x1, HD Audio x1, LED Switch Button x1
Clearance:
CPU cooler height limitation: 165 MM
VGA length limitation: 400mm
PSU length limitation: 160mm
Dimension: 420 x 285 x 365mm
Net Weight: 5.07kg/ 11.18 lb
Pre-installed Box: No

Pre-installed Fans
Front: 3 x 120mm ARGB Fans /
Rear: 1 x 120mm ARGB Fan

VAT INC: P 2,989 **SRP: P 3,950**
DP: P 2,820

AURA GC9M (White) ELITE ARGB
COMPACT PANORAMIC ARGB MICRO-TOWER CASE



Case Type : MICRO TOWER
MB Support : Micro-ATX, Mini-ITX
Synchronization : 5V 3-Pin Addressable Header
CASE Color : Black
Expansion Slots : 4
Material : SPCC & ABS & Tempered glass
Window: Left, Front
Radiator Support
Top: 2 x 120mm (Radiator length < 278mm)
Rear: 1 x 120mm

Fan Support : Top: 2 x 120mm
Rear: 1 x 120mm
Bottom: 2 x 120mm

Drive Bays: 1 x 3.5" or 1 x 2.5"(HDD Cage)
I/O Port: 1 x 3.5" or 1 x 2.5"(HDD Cage)
Clearance:
CPU cooler height limitation: 155mm
VGA length limitation: 280mm
PSU length limitation: 150mm
Top Liquid Cooler limitation : RAM height <31mm
Dimension: 280 x 195 x 380 mm
Net Weight: 280 x 195 x 380 mm3.07g/6.79 lb
Pre-installed Box: No

Pre-installed Fans
Bottom : 2 x 120mm ARGB Fan
Rear: 1 x 120mm ARGB Fan

VAT INC: P 1,945
DP: P 1,835 **SRP: P 2,570**

NEW!

AURA GC15 ARGB (BLACK)
FINE MESH ARGB MICRO-TOWER CASE



Case Type : Micro Tower
MB Support : Micro-ATX, Mini-ITX
Synchronization : 5V 3-Pin Addressable Header
CASE Color : Black
Expansion Slots : 4
Material : SPCC & ABS & Tempered glass
Window: Left
Radiator Support
Top: 240 mm
Fan Support :
Front: 2 x 140mm
Rear: 1 x 120mm
Top: 2 x 120mm, 2 x 140mm Bottom: 2 x 120mm
Drive Bays:
1 x 3.5" + 1 x 2.5" or 2 x 2.5"
I/O Port: Type-C x 1, USB x1, HD Audio x1, LED Switch x1
Clearance:
CPU cooler height limitation: 160 mm
VGA length limitation: 300 mm
PSU length limitation: 160mm
Dimension: 355 x 210 x 415mm

Pre-installed Fans
Front: 2 x 140mm ARGB Fans
Rear: 1 x 120mm ARGB Fan

VAT INC: P 2,226 **SRP: P 2,940**
DP: P 2,100

GBT 21st Flr 144 N. Domingo St., corner Mayor Ignacio Santos Diaz St., Brgy. Kaunlaran, Quezon City, Metro Manila, Philippines 1111
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com | Fb page: Gamdias Ph - Global Galaxy Distribution Inc.

Official Philippine Distributor
global galaxy DISTRIBUTION, INC.

GAMDIAS
GAMING ART IN MOTION

Pricelist as of September 1, 2026 (Prices are subject to change without prior notice)

ATLAS SERIES | CASING

AURA GC15 ARGB (WHITE)

FINE MESH ARGB MICRO-TOWER CASE

NEW!



Case Type : Micro Tower
MB Support : Micro-ATX, Mini-ITX
Synchronization : 5V 3-Pin Addressable Header
CASE Color : White
Expansion Slots : 4
Material : SPCC & ABS & Tempered glass
Window: Left
Radiator Support
Top: 240 mm
Fan Support :
Front: 2 x 140mm
Rear: 1 x 120mm
Top: 2 x 120mm, 2 x 140mm Bottom: 2 x 120mm
Drive Bays:
1 x 3.5" + 1 x 2.5" or 2 x 2.5"
I/O Port: Type-C x 1, USB x1, HD Audio x1, LED Switch x1
Clearance:
CPU cooler height limitation: 160 mm
VGA length limitation: 300 mm
PSU length limitation: 160mm
Dimension: 355 x 210 x 415mm

VAT INC: P 2,226 **SRP: P 2,940**
DP: P 2,100

Pre-installed Fans
Front: 2 x 140mm ARGB Fans
Rear: 1 x 120mm ARGB Fan

ATLAS M3M

GAMING CASE



Case Type : MID TOWER
MB Support : ATX, Micro-ATX, Mini-ITX
Synchronization : 5V 3-Pin Addressable Header
CASE Color : Black
Expansion Slots : 7
Material : SPCC & ABS & Tempered glass
Window: Left, Front
Radiator Support
Top: 360mm / Rear: 120mm

Fan Support : Top: 3 x 120mm
Rear: 1 x 120mm / 1 x 140mm
Bottom: 3 x 120mm

Drive Bays:
1 x 3.5 + 1 x 2.5 or 2 x 2.5
I/O Port: Type-C x 1, USB 3.0 x2, HD Audio x1, LED Control x1
Clearance:
CPU cooler height limitation: 175mm
VGA length limitation: 425mm
PSU length limitation: 160mm
Dimension: 430 x 235 x 434mm

VAT INC: P 3,933 **SRP: P 5,195**
DP: P 3,710

Pre-installed Fans
Rear: 1 x 120mm PWM ARGB
Fan Side: 2 x 120mm PWM ARGB Fans

ATLAS M4

GAMING CASE



Case Type : Micro Tower
MB Support : Micro-ATX, Mini-ITX
Synchronization : 5V 3-Pin Addressable Header
CASE Color : Black
Expansion Slots : 5
Material : SPCC & ABS & Tempered glass
Window: Left, Front
Radiator Support
Top: 3 x 120mm
Rear: 1 x 120mm / 1 x 140mm
Bottom: 3 x 120mm

Fan Support : Rear: 1 x 120mm PWM ARGB Fan
Bottom: 3 x 120mm PWM ARGB Fans

Drive Bays:
1 x 3.5 + 1 x 2.5 or 2 x 2.5
I/O Port: Type-C x 1, USB 3.0 x2, HD Audio x1, LED Control x1
Clearance:
CPU cooler height limitation: 175mm
VGA length limitation: 425mm
PSU length limitation: 160mm
Dimension: 430 x 235 x 434mm

VAT INC: P 4,219 **SRP: P 5,570**
DP: P 3,980

Pre-installed Fans
Rear: 1 x 120mm PWM ARGB Fan
Bottom: 3 x 120mm PWM ARGB Fans

2 YEARS CASING WARRANTY PERIOD

GBT 21st Flr 144 N. Domingo St., corner Mayor Ignacio Santos Diaz St., Brgy. Kaunlaran, Quezon City, Metro Manila, Philippines 1111
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com | Fb page: Gamdias Ph - Global Galaxy Distribution Inc.

Official Philippine Distributor
global galaxy DISTRIBUTION, INC.

GAMDIAS
GAMING ART IN MOTION

Pricelist as of September 1, 2026 (Prices are subject to change without prior notice)

POWER SUPPLY

HELIOS P2-750G V2
FULLY-MODULAR POWER SUPPLY



- 750W 80 Plus Gold
- ATX 3.1 & PCIe Gen 5.1 Ready
- High-quality capacitors for stable, reliable performance
- 12cm low-noise hydraulic bearing fan
- Native 12V-2x6 cable
- DC-DC + Semi-Bridge LLC, APFC, 12V synchronous rectification
- Full protection: OVP / UVP / OPP / SCP / OCP / OTP

VAT INC: P 4,759
DP: P 4,490 **SRP: 6,285**

HELIOS P2-850G V2
FULLY-MODULAR POWER SUPPLY



- 850W 80 Plus Gold
- ATX 3.1 & PCIe Gen 5.1 Ready
- High-quality capacitors for stable, reliable performance
- 12cm low-noise hydraulic bearing fan
- Native 12V-2x6 cable
- DC-DC + Semi-Bridge LLC, APFC, 12V synchronous rectification
- Full protection: OVP / UVP / OPP / SCP / OCP / OTP

VAT INC: P 5,406
DP: P 5,100 **SRP: P 7,140**

AURA GP550
NON-MODULAR POWER SUPPLY



- 550W power supply
- 120mm silent fan
  1x 24 pin main connecter
  1x 8 (4+4) pin EPS 12V
  2x 8 (6+2) pin PCI-E
  5x SATA
  2x Molex
  1x FDD
- Compatible with ATX12V v2.4

VAT INC: P 1,373
DP: P 1,295 **SRP: P 1,810**

AURA GP650
NON-MODULAR POWER SUPPLY



- 650W power supply
- 120mm silent fan
  1x 24 pin main connecter
  1x 8 (4+4) pin EPS 12V
  2x 8 (6+2) pin PCI-E
  4x SATA
  2x Molex
- Compatible with ATX12V v2.4

VAT INC: P 1,749
DP: P 1,650 **SRP: P 2,310**

AURA GP750
NON-MODULAR POWER SUPPLY



- 750W power supply
- 120mm silent fan
  1x 24 pin main connecter
  2x 8 (4+4) pin EPS 12V
  2x 8 (6+2) pin PCI-E
  4x SATA
  2x Molex
- Compatible with ATX12V v2.4

VAT INC: P 2,109
DP: P 1,990 **SRP: P 2,785**

7 YEARS Power Supply GOLD SERIES WARRANTY PERIOD

GBT 21st Flr 144 N. Domingo St., corner Mayor Ignacio Santos Diaz St., Brgy. Kaunlaran, Quezon City, Metro Manila, Philippines 1111
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com | Fb page: Gamdias Ph - Global Galaxy Distribution Inc.

Official Philippine Distributor
global galaxy DISTRIBUTION, INC.

GAMDIAS
GAMING ART IN MOTION

Pricelist as of September 1, 2026 (Prices are subject to change without prior notice)

CPU Liquid Cooler

AURA GL240 V2 (WHITE)
PERFORMANCE ARGB LIQUID COOLER



- White edition
- Upgraded copper base & 12-slot 10-pole motor to improve cooling performance
- Hidden cable routing Hydraulic PWM fan
- Built-in lighting effect & Motherboard sync ARGB
- Rotatable pump housing with brushed plating
- Support LGA 1851 / AM5

VAT INC: P 3,138
DP: P 2,960 **SRP: P 4,145**

AURA GL240 V2 (BLACK)
PERFORMANCE ARGB LIQUID COOLER



- Black edition
- Upgraded copper base & 12-slot 10-pole motor to improve cooling performance
- Hidden cable routing Hydraulic PWM fan
- Built-in lighting effect & Motherboard sync ARGB
- Rotatable pump housing with brushed plating
- Support LGA 1851 / AM5

VAT INC: P 2,883
DP: P 2,720 **SRP: P 3,810**

AURA GL360 LCD (WHITE)
LCD ARGB LIQUID COOLER



- White edition
- Cableless Daisy Chain Design Hydraulic PWM fan
- 4" LCD, controlled by ZEUS CAST software
- Real-time system information monitoring
- Customize LCD background (mp4 / png / jpg)
- Patented radiator fin design for heat conduction efficiency
- Motherboard sync ARGB
- Support LGA 1851 / AM5

VAT INC: P 5,459
DP: P 5,150 **SRP: P 7,210**

AURA GL360 LCD (BLACK)
LCD ARGB LIQUID COOLER



- Black edition
- Cableless Daisy Chain Design Hydraulic PWM fan
- 4" LCD, controlled by ZEUS CAST software
- Real-time system information monitoring
- Customize LCD background (mp4 / png / jpg)
- Patented radiator fin design for heat conduction efficiency
- Motherboard sync ARGB
- Support LGA 1851 / AM5

VAT INC: P 5,247
DP: P 4,950 **SRP: P6,930**

AURA GL240 LCD (WHITE)
LCD ARGB LIQUID COOLER



- White edition
- Cableless Daisy Chain Design Hydraulic PWM fan
- 4" LCD, controlled by ZEUS CAST software
- Real-time system information monitoring
- Customize LCD background (mp4 / png / jpg)
- Patented radiator fin design for heat conduction efficiency
- Motherboard sync ARGB
- Support LGA 1851 / AM5

VAT INC: P 4,913
DP: P 4,635 **SRP: P 6,490**

AURA GL240 LCD (BLACK)
LCD ARGB LIQUID COOLER



- Black edition
- Cableless Daisy Chain Design Hydraulic PWM fan
- 4" LCD, controlled by ZEUS CAST software
- Real-time system information monitoring
- Customize LCD background (mp4 / png / jpg)
- Patented radiator fin design for heat conduction efficiency
- Motherboard sync ARGB
- Support LGA 1851 / AM5

VAT INC: P 4,643
DP: P 4,380 **SRP: P 6,130**

AURA GL360 LITE
EFFICIENT ARGB LIQUID COOLER



- Hydraulic PWM fan
- Motherboard sync ARGB
- Support LGA 1851 / AM5

VAT INC: P 2,957
DP: P 2,790 **SRP: P 3,905**

AURA GL240 LITE
EFFICIENT ARGB LIQUID COOLER



- Hydraulic PWM fan
- Motherboard sync ARGB
- Support LGA 1851 / AM5

VAT INC: P 2,332
DP: P 2,200 **SRP: P 3,080**

2 YEARS CPU Liquid Cooler WARRANTY PERIOD

GBT 21st Flr 144 N. Domingo St., corner Mayor Ignacio Santos Diaz St., Brgy. Kaunlaran, Quezon City, Metro Manila, Philippines 1111
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com | Fb page: Gamdias Ph - Global Galaxy Distribution Inc.

Official Philippine Distributor
global galaxy DISTRIBUTION, INC.

GAMDIAS
GAMING ART IN MOTION

Pricelist as of September 1, 2026 (Prices are subject to change without prior notice)

CPU AIR COOLER

BOREAS M2-51D (WHITE) ARGB
GAMING CPU AIR COOLER



- Matte White Finish
- Real-Time Monitoring Screen
- CPU Temperature/Fan Speed Display
- 5 Copper Heat Pipes with DTC
- Thick Base Plate
- 120mm Performance PWM Fans
- High DIMM Compatibility
- Universal Mounting Kits, Support LGA 1851/1700/AM5

VAT INC: P 1,717
DP: P 1,620
SRP: P 2,270

BOREAS M2-51D (BLACK) ARGB
GAMING CPU AIR COOLER



- Matte Black Finish
- Real-Time Monitoring Screen
- CPU Temperature/Fan Speed Display
- 5 Copper Heat Pipes with DTC
- Thick Base Plate
- 120mm Performance PWM Fans
- High DIMM Compatibility
- Universal Mounting Kits, Support LGA 1851/1700/AM5

VAT INC: P 1,632
DP: P 1,540
SRP: P 2,155

BOREAS E2-410 (WHITE)
GAMING CPU AIR COOLER



- 2nd generation cooler with top cover, pure white finish
- 4 copper heat pipes with direct contact technology
- High cooling performance thick base plate
- 120mm fans, Air Flow 72.94 CFM, Air Pressure 2.63mmH2O
- Compatible 158mm height
- Universal mounting kits, support LGA 1851/1700/AM5
- TDP 230W (i9-12900K)

VAT INC: P 1,283
DP: P 1,210
SRP: P 1,695

BOREAS E2-410 (BLACK)
GAMING CPU AIR COOLER



- 2nd generation cooler with top cover, pure white finish
- 4 copper heat pipes with direct contact technology
- High cooling performance thick base plate
- 120mm fans, Air Flow 72.94 CFM, Air Pressure 2.63mmH2O
- Compatible 158mm height
- Universal mounting kits, support LGA 1851/1700/AM5
- TDP 230W (i9-12900K)

VAT INC: P 1,198
DP: P 1,130
SRP: P 1,580

BOREAS E1-410 WH
GAMING CPU AIR COOLER



- Pure white finish
- Built-in rainbow wave light & Motherboard sync ARGB
- High airflow Hydraulic bearing PWM fan
- 4 copper heat pipes with direct contact technology
- High cooling performance thick base plate
- Universal socket mounting kits

VAT INC: P 1,113
DP: P 1,050
SRP: P 1,470

BOREAS E1-410 (BLACK)
GAMING CPU AIR COOLER



- Built-in rainbow wave light & Motherboard sync ARGB
- High airflow Hydraulic bearing PWM fan
- 4 copper heat pipes with direct contact technology
- High cooling performance thick base plate
- Universal socket mounting kits

VAT INC: P 1,018
DP: P 960
SRP: P 1,345

BOREAS E1-210 LITE
GAMING CPU AIR COOLER



- Built-in fixed rainbow light
- High airflow Hydraulic bearing fan
- 2 copper heat pipes with direct contact technology
- Universal mounting kits, support LGA 1700 / AM5

VAT INC: P 419
DP: P 395
SRP: P 555

BOREAS E1-210 MONO
GAMING CPU AIR COOLER



- High airflow Hydraulic bearing fan
- 2 copper heat pipes with direct contact technology
- Universal mounting kits, support LGA 1700 / AM5

VAT INC: P 371
DP: P 350
SRP: P 490

2 YEARS CPU Air Cooler WARRANTY PERIOD

GBT 21st Flr 144 N. Domingo St., corner Mayor Ignacio Santos Diaz St., Brgy. Kaunlaran, Quezon City, Metro Manila, Philippines 1111
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com | Fb page: Gamdias Ph - Global Galaxy Distribution Inc.

Official Philippine Distributor
global galaxy DISTRIBUTION, INC.

FANS

NOTUS M1-1201
CASE & RADIATOR FAN



- Premium All-black Design
- PWM Performance Fan
- Airflow up to 57.56 CFM
- Closed-loop Control System
- Advanced P/Q Curve
- Whisper-quiet Operation
- Optimized Tip Clearance
- High-Quality Hydraulic Bearing

VAT INC: P 228
DP: P 215 **SRP: P 300**

NOTUS M1-1201 ARGB
CASE & RADIATOR FAN



- ARGB PWM Fan
- Airflow up to 57.56 CFM
- Closed-loop Control System
- Advanced P/Q Curve
- Whisper-quiet Operation
- Optimized Tip Clearance
- Swappable Fan Blade (Reverse Fan Blade Included)
- High-Quality Hydraulic Bearing

VAT INC: P 355
DP: P 335 **SRP: P 470**

NOTUS M1-1201 ARGB (WHITE)
CASE & RADIATOR FAN



- ARGB PWM Fan
- Airflow up to 57.56 CFM
- Closed-loop Control System
- Advanced P/Q Curve
- Whisper-quiet Operation
- Optimized Tip Clearance
- Swappable Fan Blade (Reverse Fan Blade Included)
- High-Quality Hydraulic Bearing

VAT INC: P 392
DP: P 370 **SRP: P 520**

NOTUS M1-1203
CASE & RADIATOR FAN



- Premium All-black Design
- PWM Performance Fans
- Airflow up to 57.56 CFM
- Closed-loop Control System
- Advanced P/Q Curve
- Whisper-quiet Operation
- Optimized Tip Clearance
- High-Quality Hydraulic Bearing

VAT INC: P 610
DP: P 575 **SRP: P 805**

NOTUS M1-1203 ARGB
CASE & RADIATOR FAN



- ARGB PWM Fans
- Airflow up to 57.56 CFM
- Closed-loop Control System
- Advanced P/Q Curve
- Whisper-quiet Operation
- Optimized Tip Clearance
- Swappable Fan Blades (Reverse Fan Blades Included)
- High-Quality Hydraulic Bearing

Color:

VAT INC: P 938
DP: P 885 **SRP: P 1,240**

NOTUS M1-1203 ARGB (WHITE)
CASE & RADIATOR FAN



- ARGB PWM Fans
- Airflow up to 57.56 CFM
- Closed-loop Control System
- Advanced P/Q Curve
- Whisper-quiet Operation
- Optimized Tip Clearance
- Swappable Fan Blades (Reverse Fan Blades Included)
- High-Quality Hydraulic Bearing

VAT INC: P 1,044
DP: P 985 **SRP: P 1,380**

2 YEARS FANS WARRANTY PERIOD

GBT 21st Flr 144 N. Domingo St., corner Mayor Ignacio Santos Diaz St., Brgy. Kaunlaran, Quezon City, Metro Manila, Philippines 1111
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com | Fb page: Gamdias Ph - Global Galaxy Distribution Inc.

Official Philippine Distributor
global galaxy DISTRIBUTION, INC.

GAMING CHAIR

ZELUS E2
MULTIFUNCTION PC Gaming Chair



Color: Orange
Max load : <264 lbs / 120 kg
Materials : Leather Style Vinyl
Package Dimension : 80 cm x 60 cm x 32 cm
Adjustable Armrest : Unadjustable
Mechanism Type : Double-functional Tilt
Adjustable Backrest Angle :90- 126
Tilt Lock: Yes

VAT INC: P 7,335 **SRP: P 9,690**
DP: P 6,920

ZELUS E3 Weave
MULTIFUNCTION PC Gaming Chair



Color: Grey
Max load : <264 lbs / 120 kg
Materials : Premium Weave
Package Dimension : 80 cm x 60 cm x 32 cm
Adjustable Armrest : Unadjustable
Mechanism Type : Double-functional Tilt
Adjustable Backrest Angle :90° - 126°
Tilt Lock: Yes

VAT INC: P 7,579 **SRP: P 10,010**
DP: P 7,150

2 YEARS Gaming Chairs WARRANTY PERIOD

GBT 21st Flr 144 N. Domingo St., corner Mayor Ignacio Santos Diaz St., Brgy. Kaunlaran, Quezon City, Metro Manila, Philippines 1111
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com | Fb page: Gamdias Ph - Global Galaxy Distribution Inc.

Official Philippine Distributor
global galaxy DISTRIBUTION, INC.





NEW MODEL

VENTION ENTERPRISE GRADE WIRELESS HDMI TX AND RX

ADTH0





VAT EX	VAT INC	SRP
4420	4950	7399

Transmitter Interface: HDMI/USB-C

Receiver Interface: HDMI/VGA/3.5mm TRS/USB-C

Material: Aluminum Alloy + ABS

Resolution: 1080P@60Hz (HDMI/VGA) FOR DUAL MONITOR

Operating Frequency: 5.8GHz

Transmission Range: 50M (Point-to-Point)

Rated Input: 5V⎓2A (Transmitter/Receiver)

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor
global galaxy DISTRIBUTION, INC.

VENTION®

Price list of AUGIST 2026 (Prices are subject to change without prior notice)

Desk Command Center

With Interactive Display & Smart Storage
to Organize Your Tech.



reddot winner 2026

13 in 1

Aluminum alloy + ABS

TFXH0





VAT EX	VAT INC	SRP
	SOON	

USB C*1: 100W PD
DP:
macOS (SST) **4K@60Hz** (HDMI/DP); **4K@60Hz** (HDMI/HDMI/DP)
Windows OS (SST/MST) **8K@30Hz** (DP); **4K@60Hz** (HDMI/DP); 4K@30Hz (HDMI/HDMI/DP)
HDMI*2:
macOS (SST) **4K@60Hz** (DP); **4K@60Hz** (HDMI); **4K@60Hz** (HDMI/HDMI);
Windows OS (SST/MST) **8K@30Hz** (HDMI); **4K@60Hz** (HDMI/HDMI);
USB 3.2 Gen 2 Type-C: **10Gbps**
USB 3.2 Gen 2 *2: **10Gbps**
USB2.0 Type-C: 480Mbps
USB2.0*1: 480Mbps
RJ45*1: 1000Mbps
SD/TF 2-LUN: 5Gbps
3.5mm TRRS: OMTP & CTIA

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor

global galaxy DISTRIBUTION, INC.

VENTION®

Price list of AUGUST 2026 (Prices are subject to change without prior notice)





NEW MODEL

13 in 1
Aluminum alloy + ABS

TQPHAH





VAT EX	VAT INC	SRP
3514	3936	5859

USB C*1: 100W PD
HDMI*2+DP:
Windows OS (SST/MST)
Single Display: **4K@60Hz** (HDMI); **8K@30Hz** (DP)
Dual Display: HDMI + HDMI: **4K@60Hz**; HDMI + DP: **4K@60Hz**
Triple Display: HDMI + HDMI + DP: 4K@30Hz (HDMI); **4K@60Hz** (DP)
macOS (SST)
Single Display: **4K@60Hz** (HDMI); **4K@60Hz** (DP)
Dual Display: HDMI + HDMI: **4K@60Hz**; HDMI + DP: **4K@60Hz**
Triple Display: HDMI + HDMI + DP: **4K@60Hz**
USB 3.2 Gen 2 Type-C: **10Gbps**
USB 3.2 Gen 2 *2: **10Gbps**
USB2.0*2: 480Mbps
RJ45*1: 1000Mbps
SD/TF: 480Mbps
3.5mm TRRS: OMTP & CTIA

7 in 2
Docking Station

THXH0





VAT EX	VAT INC	SRP
1029	1152	1719

Interface: USB-C*2/HDMI/USB 3.0*2/SD/TF/PD/Full-Featured USB-C
Electroplating Process: Nickel-Plated
Shell: Aluminum Alloy
Resolution: 8K@240Hz Max (Full-Featured USB-C)/4K@60Hz (HDMI)
Data Transfer Rates: 80Gbps Max (Full-Featured USB-C)/5Gbps (USB 3.0)
Card Slot Type: SD/TF 2-LUN
Card Slot Speed: USB 3.0
Power Supply: 140W (Full-Featured USB-C)/100W (PD)
(Actual performance depends on the host device's full-featured USB-C port)

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor
global galaxy DISTRIBUTION, INC.

HDMI Dummy Plug
No Screen? No Problem.

4K@60Hz Ultra-Clear | Seamless Remote Control



Trick Your PC into Thinking a Real Monitor is Connected!

Simply plug this into your controlled host – instantly, it detects a crisp virtual 4K display.







NEW MODEL





VAT EX	VAT INC	SRP
116	129	199

AIXH0

Interface: **HDMI Male**
Electroplating Process: Nickel-Plated
Shell: Aluminum Alloy
Resolution: 4K@60Hz / 2K@60Hz / 1080P@60Hz
Hardware Compatibility: Intel 6th-13th Gen Core i-Series CPUs; NVIDIA GeForce GTX 750 Ti, 10xx, 20xx, 30xx, 40xx, 50xx Series Graphics Cards (Not Compatible with AMD Graphics Cards)
OS Compatibility: Windows7/8/10/11, macOS, Linux





VAT EX	VAT INC	SRP
129	144	209

AIYH0

Interface: **DisplayPort Male**
Electroplating Process: Nickel-Plated
Shell: Aluminum Alloy
Resolution: 4K@17Hz / 2K@30Hz / 1080P@60Hz
Hardware Compatibility: Intel 6th-13th Gen Core i-Series CPUs; NVIDIA GeForce GTX 750 Ti, 10xx, 20xx, 30xx, 40xx, 50xx Series Graphics Cards (Not Compatible with AMD Graphics Cards)
OS Compatibility: Windows7/8/10/11, macOS, Linux

VENTION®

Price list AUGUST 2026 (Prices are subject to change without prior notice)

WIRED KEYBOARD & MOUSE

Reliable. Comfortable. Built for Everyday Use.

Model No. KTCB0-EN

Perfect for work, study, and everyday computing.



KEYBOARD SPECIFICATIONS

- **104 Keys** — Full-size layout with number pad
- **Quiet & Comfortable Typing** — Low-noise keys for a better typing experience
- **Spill-Resistant Design** — Built to handle everyday accidents
- **Adjustable Tilt Legs** — Ergonomic typing angle for comfort
- **Wired USB Connection** — Plug & play, no drivers needed
- **Wide Compatibility** — Windows / Mac OS / Linux Compatible

SPECIAL OFFER!

₱287 ONLY

FREE! VENTION MOUSE PAD



UNTIL SUPPLY LAST ONLY!

Ideal for Office • Home • School • Everyday Use



VAT EX	VAT INC	SRP
419	469	689

KTYBG-EN

Keyboard
Connectivity Tech: USB-A Wired
Interface: USB-A
Shell: ABS
Layout: 104-Key (US English)
Key Lifespan: 10 Million Clicks
Rated Power: 5V⎓35mA
Compatibility: Window 8/10/11 or above
Cable Length: 1.5 m

Mouse
Connectivity Tech: USB-A Wired
Interface: USB-A
Shell: ABS
Type: 3-Button Symmetrical Design
DPI: 1000
Rated Power: 5V⎓35mA
Compatibility: Window 8/10/11 or above
Cable Length: 1.5 m



VAT EX	VAT INC	SRP
554	620	909

KTZBG-EN

Keyboard

Connectivity Tech:

2.4G Wireless

Receiver Interface: USB-A
Shell: ABS
Layout: 104-Key (US English)
Transmission Distance: ≤ 10 m
Key Lifespan: 10 Million Clicks
Battery: AA * 1
Rated Input: 1.5V⎓10mA
Rated Input (Receiver): 5V⎓25mA
Compatibility: Window 8/10/11 or above

Mouse
Connectivity Tech:

2.4G Wireless

Shell: ABS
Key: 3-Button
Type: Symmetrical Design
Transmission Distance: ≤ 8 m
DPI: 1200
Battery: AAA * 2
Rated Input: 3V⎓15mA
Compatibility: Window 8/10/11 or above

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor

global galaxy DISTRIBUTION, INC.

VENTION

Price list AUGUST 2026 (Prices are subject to change without prior notice)





VAT EX	VAT INC	SRP
419	469	689

KTCBG-EN

Keyboard
Connectivity Tech: USB-A Wired
Interface: USB-A
Shell: ABS
Layout: 104-Key (US English)
Key Travel: 6.0mm
Key Lifespan: 10 Million Clicks
Rated Input: 5V⎓20mA
Compatibility: Windows 7/8/10/11, macOS 10.5 or Later
Cable Length: 1.5 m



VAT EX	VAT INC	SRP
280	314	499

KTHB0-ST


Connectivity Tech: **2.4GHz Wireless**
Receiver: USB-A
Shell: ABS + PC
Button Quantity: 6
Hand Orientation: Right
Transmission Distance: ≤ 10 m
DPI: 800/1600/2400/3200/4000
Power Supply: AA Battery * 1
Rated Input: 1.5V⎓12mA Max
Compatibility: Windows 7/8.1/10/11, macOS 10.15 or Later

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor
global galaxy DISTRIBUTION, INC.

VENTION®

Price list of AUGUST 2026 (Prices are subject to change without prior notice)







Pure Copper conductor for high performance
Durable PVC materials Waterproof Net tail design
Cat 5E Ultra High Speed design
1Gpbs Transmission speed
Gold plated network Cable connector
Compatible only for **Starlink Model GEN 3**

Item No.	Length	VAT EX	VAT INC	SRP
IACHL	10M	642	719	1079
IACHN	15M	868	972	1449
IACHQ	20M	1131	1267	1889
IACHT	30M	1676	1877	2799
IACHV	40M	2265	2537	3779
IACHX	50M	2814	3152	4699



Pure Copper conductor for high performance
Durable PVC materials Waterproof Net tail design
Cat 7 Ultra High Speed design
10 Gpbs Transmission speed / Banwidth 600Mhz
Gold plated network Cable connector / Oxygen free Copper
Compatible only for **Starlink Model GEN 3**

Item No.	Length	VAT EX	VAT INC	SRP
IAJHL	10M	696	780	1169
IAJHN	15M	948	1062	1589
IAJHQ	20M	1234	1382	2059
IAJHT	30M	1836	2056	3059
IAJHV	40M	2373	2658	3959
IAJHX	50M	4028	4511	6709

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor

global galaxy DISTRIBUTION, INC.

VENTION®

Price list of AUGUST 2026 (Prices are subject to change without prior notice)

HDMI Cable











HDMI 2.0 4K

Interface: HDMI Male
Electroplating process: Gold-Plated
Jacket: PVC
Shell: PVC
Transmission direction: HDMI to HDMI
Resolution: 4K@60Hz (0.75~3 m)/4K@30Hz (5~15 m)

Item No.	Length	VAT EX	VAT INC	SRP
ALIBF	1M	68	76	109
ALIBG	1.5M	83	93	129
ALIBH	2M	87	97	139
ALIBI	3M	121	136	199
ALIBJ	5M	163	183	269
ALIBL	10M	386	432	639
ALIBN	15M	609	682	1009







HDMI 2.0 4K

Interface: HDMI Male
Electroplating process: Gold-Plated
Jacket: PVC
Shell: PVC
Transmission direction: HDMI to HDMI
Resolution: 4K@60Hz (0.75~3 m)/4K@30Hz (5~15 m)/1080p@60Hz (20 m)

Item No.	Length	VAT EX	VAT INC	SRP
AACBF	1M	68	76	109
AACBG	1.5M	81	91	139
AACBH	2M	87	97	149
AACBI	3M	123	138	209
AACBJ	5M	169	189	279
AACBL	10M	392	439	649
AACBN	15M	628	703	1049
AACBQ	20M	1175	1316	1959





HDMI 2.0 4K

Interface: **HDMI Male PURE COPPER**
Electroplating process: Gold-Plated
Jacket: PVC
Shell: PVC
OD: 5.0mm
Transmission direction: HDMI to HDMI
Resolution: 4K@60Hz

Item No.	Length	VAT EX	VAT INC	SRP
AAIBD	0.5M	83	93	139
AAIBF	1M	95	106	159
AAIBG	1.5M	111	124	189
AAIBH	2M	119	133	199
AAIBI	3M	149	166	249

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor

global galaxy DISTRIBUTION, INC.





HDMI 2.0 4K

Interface: HDMI Male
Electroplating process: Gold-Plated
Jacket: PVC
Shell: PVC
Transmission direction: HDMI to HDMI
Resolution: 4K@60Hz (0.75~3 m)/4K@30Hz (5 m)

Item No.	Length	VAT EX	VAT INC	SRP
ALJBG	1.5M	124	138	209
ALJBH	2M	159	178	269
ALJBJ	5M	219	245	369





HDMI 2.0 4K

Interface: **HEAVY DUTY HDMI CABLE**
Electroplating process: Gold-Plated
Jacket: PVC + Cotton NYLON braided
Shell: Zinc alloy
Transmission direction: HDMI to HDMI
Resolution: 4K@60Hz (0.75~3 m)/4K@30Hz (5~15 m)

Item No.	Length	VAT EX	VAT INC	SRP
VAA-B05-B300	3M	303	339	505
VAA-B05-B500	5M	382	428	639
VAA-B05-B1000	10M	900	1008	1499
VAA-B05-B1500	15M	1299	1455	2169





HDMI 2.0 4K

Interface: HDMI Male
Electroplating process: Gold-Plated
Jacket: PVC
Shell: PVC
Transmission direction: HDMI to HDMI
Resolution: 4K@60Hz (0.5~3 m)/4K@30Hz (5~8 m)/1080p@60Hz (10 m)

Item No.	Length	VAT EX	VAT INC	SRP
VAA-B02-L100	1M	93	104	149
VAA-B02-L150	1.5M	101	113	169
VAA-B02-L200	2M	114	128	189
VAA-B02-L300	3M	141	158	239
VAA-B02-L500	5M	216	242	359
VAA-B02-L1000	10M	395	442	659





HDMI 2.0 4K

Interface: HDMI Male
Electroplating process: Gold-Plated
Jacket: PVC
Shell: PVC
OD: 6.0mm (0.5~5 m); 7.0mm (8 m); 8.0mm (10 m); 7.0mm (12~30 m); 8.0mm (35~50 m)
OD of ferrite core: 21mm
OD of signal amplifier: 22mm
Transmission direction: HDMI to HDMI
Resolution: 4K@60Hz (0.5~15 m)/4K@30Hz (20~35 m)/1080p@60Hz (40~50 m)

Item No.	Length	VAT EX	VAT INC	SRP
AAMBV	40M	5095	5706	8499

VENTION®

Price list of AUGUST 2026 (Prices are subject to change without prior notice)



Optical Fiber HDMI





Interface: HDMI Male/Micro-HDMI Male/Micro-HDMI Female
Electroplating Process: Gold-Plated
Conductor: Tinned Copper + Optical Fiber
Jacket: **Detachable Optical HDMI Micro to HDMI**
Shell: Zinc Alloy
Transmission Direction: HDMI to HDMI
Resolution: 4K@60Hz

HDMI 2.0
4K

Item No.	Length	VAT EX	VAT INC	SRP
ALPBL	10 M	2865	3209	4779
ALPBN	15 M	3049	3415	5089
ALPBQ	20 M	3265	3657	5449
ALPBT	30 M	4116	4610	6859
ALPBV	40 M	4900	5488	8169





Interface: HDMI Male
Electroplating Process: Gold-Plated
Conductor: Tinned Copper + Optical Fiber
Jacket: PVC
Shell: Zinc Alloy
Transmission Direction: HDMI to HDMI
Resolution: 4K@60Hz

HDMI 2.0
4K

Item No.	Length	VAT EX	VAT INC	SRP
ALSBT	30M	2547	2852	4249
ALSBV	40M	3200	3584	5339
ALSBX	50M	3956	4431	6599
ALSBAE	60M	4623	5177	7709
ALSBAF	80M	5770	6462	9619
ALSBAD	100M	6554	7340	10,919





Interface: HDMI Male
Electroplating process: Gold-Plated
Conductor: Tinned copper + Optical fiber
Jacket: PVC
Shell: Zinc alloy
Transmission direction: HDMI to HDMI
Resolution: 4K@60Hz

HDMI 2.0
4K

Item No.	Length	VAT EX	VAT INC	SRP
ALABV	40M	3441	3854	5729
ALABAF	80M	6026	6749	10,039

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor

global galaxy DISTRIBUTION, INC.

VENTION®

Price list of AUGUST 2026 (Prices are subject to change without prior notice)



Optical Fiber HDMI



0-5m



10-40m



50-100m



Interface: HDMI Male
Electroplating Process: Gold-Plated
Conductor: **Tinned Copper + Optical Fiber**
Jacket: PVC
Shell: Zinc Alloy
Transmission Direction: HDMI to HDMI
Resolution: **8K@60Hz (Backward Compatibility)**

HDMI 2.1 8K

Item No.	Length	VAT EX	VAT INC	SRP
ALBBN	15M	2720	3046	4539
ALBBT	30M	3695	4138	6159
ALBBV	40M	4204	4708	7009
ALBBX	50M	4730	5298	7889
ALBBAE	60M	5237	5865	8729
ALBBAF	80M	6270	7022	10,459
ALBBAD	100M	7269	8141	12,119





Interface: HDMI Male
Electroplating Process: Gold-Plated
Jacket: PVC + Cotton Braided
Shell: Aluminum Alloy
Transmission Direction: HDMI to HDMI
Resolution: **8K@60Hz (Backward Compatibility)**

HDMI 2.1 8K

Item No.	Length	VAT EX	VAT INC	SRP
ALGLF	1M	279	312	469
ALGLG	1.5M	316	354	529
ALGLH	2M	360	403	599
ALGLI	3M	423	474	709
ALGLJ	5M	697	781	1159





Interface: HDMI Male
Electroplating Process: Gold-Plated
Jacket: PVC
Shell: PVC
Transmission Direction: HDMI to HDMI
Resolution: **8K@60Hz (Backward Compatibility)**

HDMI 2.1 8K

Item No.	Length	VAT EX	VAT INC	SRP
AANBF	1M	134	150	229
AANBG	1.5M	158	177	269
AANBH	2M	179	200	299
AANBI	3M	256	287	429
AANBJ	5M	501	561	839
AANBL	10M	809	906	1349

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor

global galaxy DISTRIBUTION, INC.

VENTION®

Price list of AUGUST 2026 (Prices are subject to change without prior notice)



HDMI CABLE CONVERTER





HDMI 2.0 4K

Interface: HDMI Male/HDMI Female
Electroplating process: Gold-Plated
Jacket: PVC
Shell: PVC
Transmission direction: HDMI to HDMI
Resolution: 4K@60Hz

Item No.	Length	VAT EX	VAT INC	SRP
AHCBD	0.5M	82	92	139
AHCBF	1M	89	100	149
AHCBG	1.5M	97	109	169
AHCBH	2M	114	129	189
AHCBI	3M	144	161	239
AHCBJ	5M	207	231	349





HDMI 2.0 4K

Interface: **Micro D HDMI Male/HDMI Male**
Electroplating process: Gold-Plated
Jacket: PVC
Shell: PVC / PURE COPPER
Transmission direction: HDMI to HDMI
Resolution: 4K@60Hz

Item No.	Length	VAT EX	VAT INC	SRP
AGIBF	1M	137	153	229
AGIBG	1.5M	147	165	249
AGIBH	2M	169	189	289
AGIBI	3M	209	234	349

HDMI 2.0 4K

Interface: **Mini C HDMI Male/HDMI Male**
Electroplating process: Gold-Plated
Jacket: PVC
Shell: PVC / PURE COPPER
Transmission direction: HDMI to HDMI
Resolution: 4K@60Hz

Item No.	Length	VAT EX	VAT INC	SRP
AGHBF	1M	126	141	219
AGHBG	1.5M	144	161	239
AGHBH	2M	169	189	279
AGHBI	3M	201	225	339





HDMI 2.0 4K

Interface: HDMI Male/DisplayPort Male/USB Male
Electroplating process: Gold-Plated
Jacket: PVC
Material: ABS
Transmission direction: **HDMI to DisplayPort**
Resolution: 4K@60Hz

Item No.	Length	VAT EX	VAT INC	SRP
ABJBG	1.5M	1052	1178	1749
ABJBH	2M	1069	1197	1789

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor

global galaxy DISTRIBUTION, INC.

VENTION®

Price list of AUGUST 2026 (Prices are subject to change without prior notice)



USB-C CABLE CONVERTER





HDMI 2.0 4K

Interface:USB-C Male/HDMI MALE
Electroplating Process: Gold-Plated
Jacket: PVC + Cotton Braided
Shell: Aluminum Alloy
Transmission Direction: **USB-C to HDMI**
Resolution: 4K@60Hz
HDCP: Supported

Item No.	Length	VAT EX	VAT INC	SRP
CRHHAC	1.8M	556	622	929
CRHHF	1M	530	594	879





HDMI 2.0 4K

Interface: HDMI Male/USB-C Male
Electroplating Process: Gold-Plated
Jacket: PVC
Shell: ABS
Transmission Direction: **USB-C to HDMI**
Resolution: 4K@60Hz
HDCP: Supported

Item No.	Length	VAT EX	VAT INC	SRP
CRIBF	1M	312	349	519
CRIBG	1.5M	357	399	599
CRIBH	2M	404	452	679





HDMI 2.1 8K

Interface:USB-C Male/HDMI MALE
Electroplating process: Gold-Plated
Jacket: PVC + Cotton braided
Shell: Aluminum alloy
Transmission direction: **USB-C to HDMI**
Resolution: 8K@60Hz
HDCP: Supported

Item No.	Length	VAT EX	VAT INC	SRP
CRCBAC	1.8M	1042	1167	1739





USB-C TO DP 2.1 8K

Interface: USB-C Male/DisplayPort Male
Electroplating Process: Gold-Plated
Jacket: PVC
Shell: ABS
Transmission Direction: **USB-C to DisplayPort**
Resolution: **8K@60Hz (Backward Compatibility)**

Item No.	Length	VAT EX	VAT INC	SRP
CGYBF	1M	357	400	599
CGYBG	1.5M	399	447	669
CGYBH	2M	418	468	699

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor

global galaxy DISTRIBUTION, INC.

VENTION®

Price list of AUGUST 2026 (Prices are subject to change without prior notice)

VGA CABLE




Interface: VGA Male
Electroplating Process: Nickel-Plated
Jacket: PVC
Shell: PVC - PURE COPPER
Transmission Direction: VGA to VGA
Resolution: 1080p@60Hz

Item No.	Length(m)	VAT EX	VAT INC	SRP
A15BG	1.5M	147	165	249
A15BH	2M	174	195	289
A15BI	3M	190	213	319
A15BJ	5M	263	295	439




Interface: VGA Male
Electroplating process: Gold-Plated
Jacket: PVC
Shell: PVC – PURE COPPER
Transmission direction: VGA to VGA
Resolution: 1080p@60Hz

Item No.	Length(m)	VAT EX	VAT INC	SRP
DAEBL	10M	516	578	859

50% OFF




Interface: DVI-D (24 + 1) Male
Electroplating process: Gold-Plated
Jacket: PVC
Shell: PVC
Transmission direction: **DVI-D (24 + 1) to DVI-D (24 + 1)**
Resolution: 2K@60Hz (1~3 m)/1080p@60Hz (5~30 m)

Item No.	Length(m)	VAT EX	VAT INC	SRP
EAABG	1.5M	230	258	389
EAABI	3M	323	362	539
EAABJ	5M	434	486	729

50% OFF




Interface: DVI-I (24 + 5) Male/VGA Male
Electroplating process: Gold-Plated
Jacket: PVC
Shell: PVC
Transmission direction: **DVI-I (24 + 5) to VGA**
Resolution: 1080p@60Hz

Item No.	Length(m)	VAT EX	VAT INC	SRP
EACBG	1.5M	186	208	299
EACBI	3M	232	260	379




Interface: HDMI Male/VGA Male/USB Male/3.5mm Male
Electroplating process: Gold-Plated
Jacket: PVC
Shell: PVC
Transmission direction: **HDMI to VGA**
Resolution: 1080p@60Hz

Item No.	Length(m)	VAT EX	VAT INC	SRP
ABIBG	1.5M	510	571	849
ABIBI	3M	530	594	889

HDMI 2.0 4K




Interface: HDMI Male/DVI-D (24 + 1) Male
Electroplating process: Gold-Plated
Jacket: PVC
Shell: PVC - PURE COPPER
Transmission direction: Bi-directional
Resolution: 4K@60Hz (DVI to HDMI within 3 m); 1080p@**60Hz (HDMI to DVI)**

Item No.	Length(m)	VAT EX	VAT INC	SRP
ABFBD	0.5M	132	148	229
ABFBF	1M	148	166	249
ABFBG	1.5M	160	179	269
ABFBH	2M	180	202	299
ABFBI	3M	216	242	369
ABFBJ	5M	340	381	569

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor

global galaxy DISTRIBUTION, INC.

DP Cable





Interface: DisplayPort Male
Electroplating Process: Gold-Plated
Jacket: PVC + Cotton Braided
Shell: Aluminum Alloy
Transmission Direction: DisplayPort to DisplayPort
Resolution: 16K@60Hz/8K@240Hz
Backward Compatibility

DP 2.1 16K

Item No.	Length	VAT EX	VAT INC	SRP
HGBHF	1	309	346	519
HGBHG	1.5	362	405	609
HGBHH	2	413	463	689
HGBHI	3	588	659	989
HGBHJ	5	841	942	1409



Interface: DisplayPort Male
Electroplating Process: Gold-Plated
Jacket: PVC + Cotton braided
Shell: Zinc alloy
Transmission Direction: DisplayPort to DisplayPort
Resolution: 10K@30Hz/8K@60Hz/4K@144Hz

DP 2.1 10K

Item No.	Length	VAT EX	VAT INC	SRP
HGABG	1.5M	459	514	769
HGABF	1M	500	560	839
HGABH	2M	524	587	879
HGABJ	5M	867	971	1439



Interface: DisplayPort Male
Electroplating Process: Gold-Plated
Jacket: PVC + Nylon Braided
Shell: Zinc Alloy
Transmission Direction: DisplayPort to DisplayPort
Resolution: 8K@60Hz (Backward Compatibility)

DP 2.0 8K

Item No.	Length	VAT EX	VAT INC	SRP
HCABG	1.5M	479	537	799
HCABI	3M	581	651	969



Interface: DisplayPort Male
Electroplating Process: Gold-Plated
Jacket: PVC + Cotton Braided
Shell: Aluminum Alloy
Transmission Direction: DisplayPort to DisplayPort
Resolution: 8K@60Hz (Backward Compatibility)

DP 2.0 8K

Item No.	Length	VAT EX	VAT INC	SRP
HCELG	1.5M	347	389	579
HCELH	2M	374	419	629
HCELJ	5M	604	677	1009

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor
global galaxy DISTRIBUTION, INC.

VENTION®

Price list of AUGUST 2026 (Prices are subject to change without prior notice)



DISPLAYPORT CABLE




Interface: DisplayPort Male
Electroplating Process: Gold-Plated
Jacket: PVC + Cotton Braided
Shell: ABS
Transmission Direction: Bi-directional
Resolution: 8K@60Hz (Backward Compatibility)

DP 2.0 8K

Item No.	Length	VAT EX	VAT INC	SRP
HCCBG	1.5M	206	231	349
HCCBF	1M	242	271	409
HCCBH	2M	264	296	449
HCCBI	3M	313	351	519
HCCBJ	5M	484	542	799
HCCBL	10M	2106	2359	3499




Interface: DisplayPort Male/Mini DisplayPort Male
Electroplating Process: Gold-Plated
Jacket: PVC + Cotton Braided
Shell: Aluminum Alloy
Transmission Direction: Bi-directional
Resolution: 8K@60Hz (Backward Compatibility)

DP 2.0 8K

Item No.	Length	VAT EX	VAT INC	SRP
HCFLG	1.5M	328	367	549
HCFLH	2M	352	394	589




Interface: Mini DisplayPort Male
Electroplating Process: Gold-Plated
Jacket: PVC + Cotton Braided
Shell: Aluminum Alloy
Transmission Direction: Bi-directional
Resolution: 8K@60Hz (Backward Compatibility)

DP 2.0 8K

Item No.	Length	VAT EX	VAT INC	SRP
HCGLG	1.5M	328	367	549
HCGLH	2M	352	394	589



Interface: DisplayPort Male
Electroplating process: Gold-Plated
Jacket: PVC
Shell: PVC
Transmission direction: DisplayPort to DisplayPort
Resolution: 4K@60Hz

Item No.	Length	VAT EX	VAT INC	SRP
HAKBF	1M	161	180	269
HAKBG	1.5M	177	198	299
HAKBH	2M	193	216	319
HAKBI	3M	226	253	379
HAKBJ	5M	292	327	489
HAKBL	10M	674	755	1109




Interface: DisplayPort Male/HDMI Male
Electroplating Process: Gold-Plated
Shell: Zinc Alloy
Transmission Direction: DisplayPort to HDMI
Resolution: 8K@60Hz (Backward Compatibility)

DP 2.0 8K

Item No.	Length	VAT EX	VAT INC	SRP
HFPBAC	1.8M	1215	1361	2029

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor

global galaxy DISTRIBUTION, INC.

VENTION®

Price list of AUGUST 2026 (Prices are subject to change without prior notice)






Interface: DisplayPort Male/HDMI Male
Electroplating process: Gold-Plated
Jacket: PVC
Shell: PVC
Transmission direction: **DisplayPort to HDMI**
Resolution: 4K@30Hz

DP 1.2 4K

Item No.	Length	VAT EX	VAT INC	SRP
HFOBF	1M	341	382	569
HFOBAC	1.8M	377	422	629
HFOBI	3M	432	484	719
HFOBJ	5M	527	590	879




Interface: Mini DisplayPort Male/HDMI Male
Electroplating process: Gold-Plated
Jacket: PVC
Shell: ABS/PVC
Transmission direction: Mini DisplayPort to HDMI
Resolution: 4K@30Hz

DP 1.2 4K

Item No.	Length	VAT EX	VAT INC	SRP
HAHBH	2M	389	436	649
HAHBI	3M	420	470	699




Interface: DisplayPort Male/DVI-D (24 + 1) Male
Electroplating process: Gold-Plated
Jacket: PVC
Shell: ABS/PVC
Transmission direction: DisplayPort to DVI-D (24 + 1)
Resolution: 1080p@60Hz

DP 1.2 4K

Item No.	Length	VAT EX	VAT INC	SRP
HAFBF	1M	276	309	469
HAFBG	1.5M	284	318	479
HAFBH	2M	344	385	579




Interface: DisplayPort Male/VGA Male
Electroplating process: Gold-Plated
Jacket: PVC
Shell: ABS/PVC
Transmission direction: DisplayPort to VGA
Resolution: 1080p@60Hz

Item No.	Length	VAT EX	VAT INC	SRP
HBLBG	1.5M	361	404	599

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor

global galaxy DISTRIBUTION, INC.

VENTION®

Price list of AUGIST 2026 (Prices are subject to change without prior notice)

HDMI Adapter







AIRB0

Interface: HDMI Female
Electroplating process: Gold-Plated
Shell: PVC
Transmission direction: Bi-directional
Resolution: 4K@60Hz

4K

VAT EX	VAT INC	SRP
48	54	89





AIOB0

Interface: HDMI Male/HDMI Female
Electroplating process: Gold-Plated
Shell: PVC
Transmission direction: Bi-directional
Resolution: 4K@60Hz

4K

VAT EX	VAT INC	SRP
48	54	89





AGFB0

Interface: HDMI Female/Mini HDMI Male/Micro HDMI Male
Electroplating process: Gold-Plated
Shell: PVC
Transmission direction: Bi-directional
Resolution: 1080p@60Hz

VAT EX	VAT INC	SRP
66	74	119





AISB0

Interface: Mini HDMI Male/HDMI Female
Electroplating process: Gold-Plated
Shell: PVC
Transmission direction: Bi-directional
Resolution: 4K@60Hz

4K

VAT EX	VAT INC	SRP
41	46	69





TCAH0

Interface: USB-C Male/HDMI Female
Electroplating process: Gold-Plated
Shell: Aluminum alloy
Transmission direction: USB-C to HDMI
Resolution: 4K@60Hz

VAT EX	VAT INC	SRP
375	420	629

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor

global galaxy DISTRIBUTION, INC.

DisplayPort Converter





Length	VAT EX	VAT INC	SRP
0.15M	124	139	209

HBOB0

Color: Black
Connector Type:HDMI A Female/DP Male
Interface Techniques: Gold-plated
Transmission Direction: **DP Male to HDMI A Female**
Resolution: 1080P@60Hz
Casing: PVC
Size: 40.2mm*23.9mm*11.5mm





Length	VAT EX	VAT INC	SRP
0.15M	184	206	309

HBPB0

Color: Black
Connector Type:HDMI A Female/DP Male
Interface Techniques: Gold-plated
Transmission Direction: **DP Male to HDMI A Female**
Resolution: 4K@30Hz
Casing: PVC
Size: 40.2mm*23.9mm*11.5mm





Length	VAT EX	VAT INC	SRP
0.15M	306	343	519

HBFBB

Color: Black
Connector Type: DP Male/VGA Female
Interface Techniques: Gold-plated
Transmission Direction: DP Male to VGA Female
Resolution: 1080P@60Hz
Conductor: Tinned Copper
Size: 45mm*40mm*15.5mm





Length	VAT EX	VAT INC	SRP
0.15M	364	408	609

HBCBB

Color: Black
Connector Type: Mini DP Male/HDMI A Female
Interface Techniques: Gold-plated
Transmission Direction: Mini DP Male to HDMI A Female
Resolution: 4K@30Hz
Conductor: Tinned Copper
Size: 45mm*40mm*15.5mm





Length	VAT EX	VAT INC	SRP
0.15M	581	651	969

HBZBB

Color: Black
Connector Type: DP Male/HDMI Female
Interface Techniques: Gold-plated
Transmission Direction: DP Male to HDMI Female
Resolution: 4K@60Hz
Conductor: Tinned Copper
Cable OD: 5.0mm





Length	VAT EX	VAT INC	SRP
0.15M	961	1076	1599

HFNBC

Electroplating process: Gold-Plated
Transmission direction: DP to HDMI
Resolution: **8K@60Hz/4K@120Hz**
HDCP version: HDCP 2.3
Jacket: TPE + Cotton braided
Shell: Zinc alloy
OD: 5.0mm

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor
global galaxy DISTRIBUTION, INC.

HDMI Converter




Length	VAT EX	VAT INC	SRP
0.15M	234	262	399

ACRBB-SCB

Interface: HDMI Male/VGA Female/Micro-B Female/3.5mm Female
Electroplating process: Gold-Plated
Shell: ABS
Transmission direction: HDMI to VGA
Resolution: 1080p@60Hz
Power supply: 5V⎓1A




Length	VAT EX	VAT INC	SRP
0.15M	320	358	539

ACNBB

Interface: VGA Male/HDMI Female/Micro-B Female/3.5mm Female
Electroplating process: Nickel-Plated
Shell: ABS
Transmission direction: VGA to HDMI
Resolution: 1080p@60Hz
Power supply: 5V⎓1A




Length	VAT EX	VAT INC	SRP
0.15M	728	815	1109

TDIHB

Interface: USB-C Male/HDMI Female/VGA Female
Electroplating process: Nickel-Plated
Shell: Aluminum alloy
Transmission direction: USB-C to HDMI/VGA
Resolution: 4K@30Hz (HDMI)/1080p@60Hz (VGA)/1080p@60Hz (Simultaneous output)




Length	VAT EX	VAT INC	SRP
0.15M	488	547	819

TDEHB

Interface: USB-C Male/HDMI Female
Electroplating process: Nickel-Plated
Shell: Aluminum alloy
Transmission direction: USB-C to HDMI
Resolution: 4K@30Hz




Length	VAT EX	VAT INC	SRP
0.15M	319	357	539

TDCBB

Interface: USB-C Male/HDMI Female
Electroplating process: Gold-Plated
Shell: ABS
Transmission direction: USB-C to HDMI
Resolution: 4K@30Hz




Length	VAT EX	VAT INC	SRP
0.15M	968	1084	1609

ACZHB

Interface: USB-C Male/HDMI*2 Female
Electroplating Process: Nickel-Plated
Shell: Aluminum Alloy + ABS
Transmission Direction: USB-C to HDMI
Windows/macOS (SST/MST): 4K@30Hz (HDMI)/1080P@60Hz (HDMI); 4K@30Hz/1080P@60Hz (HDMI + HDMI)

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor
global galaxy DISTRIBUTION, INC.

VENTION®

Price list of AUGUST 2026 (Prices are subject to change without prior notice)



Wireless HDMI





VAT EX	VAT INC	SRP
3406	3815	5679

ADCL0

Interface: USB-C/HDMI
Electroplating Process: Gold-Plated
Material: ABS
Resolution: 1080P@60Hz
Power Supply: 5V⎓2A
Wireless Frequency: 5GHz
Effective Range **50 m (Max)**





VAT EX	VAT INC	SRP
2273	2545	3699

ADCB0-TX

IInterface: USB-C/HDMI
Electroplating Process: Gold-Plated
Material: ABS
Resolution: 1080P@60Hz
Power Supply: 5V⎓2A
Wireless Frequency: 5GHz
Effective Range **50 m (Max)**
Used with Vention RX





VAT EX	VAT INC	SRP
2454	2748	4099

ADKB0

Interface: HDMI/USB-C
Electroplating Process: Nickel-Plated
Shell: ABS
Resolution: 1080P@60Hz
Power Supply: 5V⎓2A
Wireless Frequency: 5GHz
Effective Range: **50 m (Max)**

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor

global galaxy DISTRIBUTION, INC.

VENTION®

Price list of AUGUST 2026 (Prices are subject to change without prior notice)







VAT EX	VAT INC	SRP
3550	3976	5979

ADPH0-1

Interface: USB-C/HDMI
Electroplating Process: Nickel-Plated
Material: ABS
Resolution: 1080P@60Hz
Power Supply: 5V⎓2A
Wireless Frequency: **2.4GHz + 5GHz**
Effective Range: **200M** Max (1TX-1RX); 120M Max (1TX-2RX); 80M Max (1TX-3RX); 80M Max (1TX-4RX)





VAT EX	VAT INC	SRP
2069	2317	2999

ADPH0-RX

Interface: USB-C/HDMI
Electroplating Process: Nickel-Plated
Material: ABS
Resolution: 1080P@60Hz
Power Supply: 5V⎓2A
Wireless Frequency: **2.4GHz + 5GHz**
Effective Range: **200M Max** 1TX-1RX); 120M Max (1TX-2RX); 80M Max (1TX-3RX); 80M Max (1TX-4RX)





VAT EX	VAT INC	SRP
4560	5107	6999

ADOBB

Transmitter Interface: USB-C Male/PD Female
Receiver Interface: HDMI Female/USB-C Female
Electroplating Process: Nickel-Plated
Material: ABS
Resolution: 4K@30Hz
Transmitter Power Supply: 60W PD
Receiver Power Supply: 5V⎓2A
Wireless Frequency: 5GHz
Effective Range: **50 m (Max)**

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor

global galaxy DISTRIBUTION, INC.

VENTION®

Price list of AUGIST 2026 (Prices are subject to change without prior notice)

HDMI Switcher







VAT EX	VAT INC	SRP
308	345	499

AKOB0 - 2 IN 1

Interface: HDMI Female
Electroplating process: Nickel-Plated
Shell: ABS
Transmission direction: Bi-directional
Resolution: 4K@60Hz





VAT EX	VAT INC	SRP
528	591	889

AKPB0 - 2 IN 1

Interface: HDMI Female
Electroplating Process: Gold-Plated
Shell: Aluminum Alloy
Transmission Direction: Bi-directional
Resolution: **8K@60Hz** (Backward Compatibility)





VAT EX	VAT INC	SRP
694	777	1159

AFFH0 - 3 IN 1

Interface: HDMI Female/DC power supply port
Electroplating process: Gold-Plated
Shell: Aluminum alloy + ABS
Transmission direction: HDMI to HDMI
Resolution: **4K@30Hz**
Power supply: 5V⎓1A

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor

global galaxy DISTRIBUTION, INC.

VENTION®

Price list AUGUST 2026 (Prices are subject to change without prior notice)

1x4 HDMI Splitter

4K ULTRA HD | 3D | Universal Compatibility

Interface	HDMI Female/DC Power Supply Port
Electroplating Process	Gold-Plated
Shell	Aluminum Alloy + ABS
Transmission Direction	HDMI to HDMI
Resolution	4K@30Hz
Power Supply	5V⎓1A





VAT EX	VAT INC	SRP
897	1004	1499

A12B0-US

Interface: HDMI Female/DC Power Supply Port
Electroplating Process: Gold-Plated
Shell: Aluminum Alloy + ABS
Transmission Direction: HDMI to HDMI
Resolution: **4K@30Hz**
Power Supply: 5V⎓1A





VAT EX	VAT INC	SRP
1763	1975	2939

AKQB0

Interface: HDMI Female/DC power supply port
Electroplating process: Nickel-Plated
Shell: Aluminum alloy
Transmission direction: HDMI to HDMI
Resolution: **4K@30Hz**
Power supply: 5V⎓1A





VAT EX	VAT INC	SRP
749	839	1249

ACDG0 - HDMI SWITHCER 5 IN 1

Interface: HDMI Female/DC power supply port
Electroplating process: Gold-Plated
Shell: Aluminum alloy + ABS
Transmission direction: HDMI to HDMI
Resolution: **4K@30Hz**
Power supply: 5V⎓1A

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor

global galaxy DISTRIBUTION, INC.







VAT EX	VAT INC	SRP
422	473	709

KQIH0

Material: PC + ABS
Style: **Red Light**
Compatible Interface: USB-A/USB-C
Wireless Control Distance: 50 m
Maximum Laser Distance: 200 m
Power Supply: AAA Battery





VAT EX	VAT INC	SRP
913	1022	1529

KQJH0

Material: PC + ABS
Style: **Green Light**
Compatible Interface: USB-A/USB-C
Charging Port: USB-C
Voltage & Current: 3.7V/25mA
Battery: 3.7V/200mhA
Charging Current: 500mA/5V

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor
global galaxy DISTRIBUTION, INC.

Patch Cable







Cat.6 1000Mbps

Interface: RJ45 8P8C
Wire gauge: 26AWG
Jacket: PVC
OD: 5.5mm
Bandwidth: 250MHz
Transmission rate: 1000Mbps

Item No.	Length(m)	VAT EX	VAT INC	SRP
IBEBF	1M	37	41	69
IBEBG	1.5M	42	47	79
IBEBH	2M	46	52	89
IBEBI	3M	59	66	99
IBEBJ	5M	81	91	139
IBEBL	10M	128	143	219
IBEBN	15M	189	212	319
IBEBO	20M	308	345	519
IBEBT	30M	441	494	739

Cat.5e 1000Mbps

50% OFF





Interface: RJ45 8P8C
Wire gauge: 26AWG
Jacket: PVC
OD: 5.5mm
Bandwidth: 100MHz
Transmission rate: 1000Mbps

Item No.	Length(m)	VAT EX	VAT INC	SRP
VAP-A10-S075	0.75M	32	34	50
VAP-A10-S100	1M	34	36	60
VAP-A10-S150	1.5M	41	44	70
VAP-A10-S200	2M	47	50	78
VAP-A10-S300	3M	54	58	88
VAP-A10-S500	5M	66	75	105
VAP-A10-S1000	10M	115	131	185
VAP-A10-S1500	15M	159	181	255
VAP-A10-S2000	20M	242	275	385

Cat.5e





VAT EX	VAT INC	SRP
242	271	409

IDBR0-100

Shell: PC
Wire gauge: 23~26AWG
Operating temperature: -10℃ ~ +60℃
Insertions and removals lifespan: ≥ 1000 times
Wire pass diameter: 1.02mm
Electroplating process: Gold-Plated

Cat.6





VAT EX	VAT INC	SRP
286	320	479

IDDR0-100

Shell: PC
Wire gauge: 23~26AWG
Operating temperature: -10℃ ~ +60℃
Insertions and removals lifespan: ≥ 1000 times
Wire pass diameter: 1.1mm
Electroplating process: Gold-Plated

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor
global galaxy DISTRIBUTION, INC.



Cat.8 40Gbps

0.5-15m 20m





Interface: RJ45 8P8C
Electroplating process: Gold-Plated
Conductor: Oxygen-free copper
Shielding: Aluminum foil + Metal braid
Wire gauge: 28AWG (0.5 m-15 m); 26AWG (20 m)
Jacket: PVC
OD: 6.3mm
Bandwidth: 2000MHz
Transmission rate: 40Gbps

Item No.	Length(m)	VAT EX	VAT INC	SRP
IKABD	0.5M	79	89	130
IKABF	1M	95	106	150
IKABG	1.5M	109	122	175
IKABH	2M	121	136	195
IKABI	3M	153	171	245
IKABJ	5M	209	234	335
IKABL	10M	353	395	565
IKABN	15M	488	547	780
IKABQ	20M	878	983	1405

Cat.8 40Gbps





Interface: RJ45 8P8C
Electroplating process: Nickel-Plated
Conductor: Oxygen-free copper
Shielding: Aluminum foil + Metal braid
Wire gauge: 26AWG
Jacket: PVC + Cotton braided
OD: 7.0mm
Bandwidth: 2000MHz
Transmission rate: 40Gbps

Item No.	Length(m)	VAT EX	VAT INC	SRP
IKJBF	1M	225	252	379
IKJBG	1.5M	264	296	439
IKJBH	2M	273	306	459
IKJBJ	5M	425	476	709
IKJBL	10M	685	767	1139





VAT EX	VAT INC	SRP
298	334	499

100Mbps





VAT EX	VAT INC	SRP
192	215	329

KEDB0

Material: High carbon steel
Blade: SK5 steel
Maximum diameter for connectors: 1.02mm
Stripping diameter: 5.89-6.15mm
Compatible modular plug: 8P/6P/4P

IPTB0

Interface: RJ45
Electroplating process: Gold-Plated
Shell: PVC
Material: Nickel-Plated copper
Compatible wiring standards: T568B
Operating temperature: -20 ℃ ~ +60 ℃

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor
global galaxy DISTRIBUTION, INC.

Docking Station




VAT EX	VAT INC	SRP
1440	1613	2399

9 in 1 Aluminum alloy + ABS

TGVHB

USB C*1: 100W PD
HDMI*1: **4K@60Hz**
USB 3.2 Gen 1 Type-C: 5Gbps
USB3.0*1: 5Gbps
USB2.0*1: 480Mbps
RJ45*1: 1000Mbps
SD/TF 2-LUN: 5Gbps
3.5mm TRRS: OMTP & CTIA




VAT EX	VAT INC	SRP
1336	1496	2229

8 in 1 Aluminum alloy + ABS

TGUHB

USB C*1: 100W PD
HDMI*1: **4K@60Hz**
USB 3.2 Gen 1 Type-C: 5Gbps
USB3.0*1: 5Gbps
USB2.0*1: 480Mbps
RJ45*1: 1000Mbps
SD/TF 2-LUN: 5Gbps




VAT EX	VAT INC	SRP
869	973	1449

6 in 1 Aluminum alloy + ABS

TGNHB

USB C*1: 100W PD
HDMI*1: **4K@60Hz**
USB 3.2 Gen 1 Type-C: 5Gbps
USB3.0*2: 5Gbps
RJ45*1: 1000Mbps
SD/TF 2-LUN: 5Gbps




VAT EX	VAT INC	SRP
643	720	1069

5 in 1 Aluminum alloy + ABS

TGMHB

USB C*1: 100W PD
HDMI*1: **4K@60Hz**
USB 3.2 Gen 1 Type-C: 5Gbps
USB3.0*3: 5Gbps
SD/TF 2-LUN: 5Gbps




VAT EX	VAT INC	SRP
606	679	1009

5 in 1 Aluminum alloy + ABS

TGGHB

USB C*1: 100W PD
HDMI*1: **4K@60Hz**
USB3.0 *3: 5Gbps





VAT EX	VAT INC	SRP
5446	6099	9079

15 in 1
Aluminum alloy + ABS

TPUH0

USB C*1: 100W PD
HDMI*2:
macOS (SST): **4K@60Hz**/Windows (SST/MST): **4K@60Hz**
DP:
macOS (SST): **4K@60Hz**/Windows (SST/MST): **4K@60Hz**
USB 3.2 Gen 2 Type-C: **10Gbps**
USB 3.2 Gen 1 Type-C: 5Gbps
USB2.0*1: 480Mbps
RJ45*1: 1000Mbps
SD/TF 2-LUN: 5Gbps





VAT EX	VAT INC	SRP
3056	3423	5089

10 in 1
Aluminum alloy + ABS

TQWHB

USB C*1: 100W PD
HDMI*2:
macOS (SST): **4K@60Hz**/Windows (SST/MST): **4K@60Hz**
macOS (SST): **4K@60Hz**/Windows (SST/MST): **4K@60Hz**
USB3.0*2: 5Gbps
USB2.0*1: 480Mbps
RJ45*1: 1000Mbps
SD/TF 2-LUN: 5Gbps





VAT EX	VAT INC	SRP
2000	2240	3999

12 in 1
Aluminum alloy + ABS

TPJH0-TY

Color: Gray Connector
Type:USB C/HDMI/VGA/USB 3.1 Gen 2/USB 3.1 Gen 2-C/USB 3.0x2/RJ45/SD/TF/TRRS 3.5mm/PD/DC 3.5mm
Interface Techniques:Nickel plated Resolution:**4K@30Hz**





VAT EX	VAT INC	SRP
833	933	1389

7 in 1
Aluminum alloy + ABS

TOJHB

USB C*1: 100W PD
HDMI: 4K@30Hz
USB3.0*3: 5Gbps
SD/TF 2-LUN: 5Gbps





VAT EX	VAT INC	SRP
946	1059	1579

4 in 1
Aluminum alloy + ABS

TQAHB

USB C*1: 100W PD
HDMI: 4K@60Hz
VGA: 1080p@60Hz
USB3.0: 5Gbps

Hub




5 in 1

TGFSB

USB C*1: 100W PD
USB3.0*3: 5Gbps
RJ45*1: 1000Mbps

Aluminum alloy + ABS

VAT EX	VAT INC	SRP
533	597	889




5 in 1

TGZHB

USB C*1: 100W PD
USB3.0*4: 5Gbps

Aluminum alloy + ABS

VAT EX	VAT INC	SRP
384	431	639




5 in 1

CKOHB

USB C*1: 100W PD
USB3.0*1: 5Gbps
USB2.0*3: 480Mbps

Aluminum alloy + ABS

VAT EX	VAT INC	SRP
203	227	339




5 in 1

TGPBB

Micro B*1: 5V⎓2A
USB3.0*3: 5Gbps
RJ45*1: 1000Mbps

ABS

VAT EX	VAT INC	SRP
826	925	1379




5 in 1

CHJBB

USB C*1: 5V⎓2A
USB3.2*4: 10Gbps

ABS

VAT EX	VAT INC	SRP
513	575	859




4 in 1

CHBBB

USB C*1: 5V⎓2A
USB3.0*4: 5Gbps

ABS

VAT EX	VAT INC	SRP
422	473	709




4 in 1

USB C*1: 5V⎓2A
USB3.0*4: 5Gbps

ABS

Item No.	Length(m)	VAT EX	VAT INC	SRP
VAS-J43-B015	0.15M	161	180	269
VAS-J43-B050	0.5M	189	212	319
VAS-J43-B100	1M	201	225	339

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor
global galaxy DISTRIBUTION, INC.

VENTION

Price list of AUGIST 2026 (Prices are subject to change without prior notice)

Wi-Fi Adapter







VAT EX	VAT INC	SRP
489	548	819

KDWB0 **2.4GHz /5GHz**

Interface: USB-A 2.0
Material: **ABS**
Wireless Standard: IEEE 802.11b/g/n/a/ax
Encryption and Security Protocols: OFDMA/OFDM/CCK/16-QAM/64-QAM/1024-QAM
Wireless Frequency: 2.4GHz/5GHz
Connection Speeds: **2.4GHz (286Mbps)/5GHz (600Mbps)**
Compatible System: Windows7/10/11
Antenna Gain: 5dBi





VAT EX	VAT INC	SRP
433	485	719
406	454	679

KDUB0 ALL IN 1 / KDTB0 **5GHz**







Interface: USB 2.0 Type-A
Material: **ABS**
Bluetooth version: Bluetooth 5.0
Wireless standard: IEEE 802.11a/b/g/n/ac
Encryption and security protocols: WPE, WPA/WPA2, WPA-PSK/WPA2-PSK, MU-MIMO
Wireless frequency: 2.4GHz/5GHz
Connection speeds: **2.4GHz (200Mbps)/5GHz (433Mbps)**
Compatible system: Windows XP/7/8/8.1/10/11 (Wi-Fi); Windows 7/8/8.1/10/11 (Bluetooth)
Antenna gain: 6dBi





VAT EX	VAT INC	SRP
194	217	329

NAFB0

Bluetooth version: **Bluetooth 5.1**
Bluetooth profile: A2DP/HSP/AVRCP/HID/PAN/GAVDP/DID/IOPT
Effective range: Within 20 m
Frequency band: 2400MHz-2483.5MHz
Interface: USB
Material: **ABS**
Compatible system: Windows 8/8.1/10/11 (plug & play), Windows 7/XP (driver needed)





VAT EX	VAT INC	SRP
310	347	519

NAHB0

Bluetooth version: **Bluetooth 5.3**
Compatible Bluetooth profile: A2DP/AVRCP/HFP
Effective range: Within 20 m
Bluetooth frequency band: 2400MHz-2483.5MHz
Interface: USB
Material: **ABS**
Compatible system: Windows 8.1/10/11





VAT EX	VAT INC	SRP
433	485	719

CDSW0 / CDSB0

Bluetooth version: **Bluetooth 5.0 (BR/EDR)**
Interface: USB
Electroplating process: Gold-Plated
Material: **ABS**
Compatible system: Windows 7/8/8.1/10/11

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor

global galaxy DISTRIBUTION, INC.

Studio-Quality Sound.

ENC & AI triple-layer noise cancellation
for immersive CD-quality sound.







VAT EX	VAT INC	SRP
1400	1569	2329

NCBB0

Frequency Response: 2.4GHz
Material: PC + ABS
Sampling Rate: 32KHz
Transmission Distance: **50M** (Barrier-Free Environment)
Frequency Range: 20Hz-20KHZ
Battery Capacity (Mic): 400mAh/1.48Wh
Rated Input (Mic): 5V⎓220mA
Interface (Mic): USB-C
Working Time: 26H (Pcs)
Accessory: Drawstring Bag





VAT EX	VAT INC	SRP
886	992	1479

NCCB0

Material: Aluminum Alloy + ABS
Dimensions: 106 * 106 * 236.8mm
Sampling Frequency: 48KHz
Signal-to-Noise Ratio: ≥72 dB
Frequency Range: 20Hz-20KHz
Connector Type: USB-C
Headphone Connector Type: 3.5mm LINE-OUT





VAT EX	VAT INC	SRP
1531	1714	2179

NCDB0

Frequency Response: 2.4GHz
Material: PC + ABS
Sampling Rate: 48KHz/24bit
Transmission Distance: **200M** (Barrier-Free Environment)
Frequency Range: 20Hz-20KHZ
Battery Capacity (Mic): 120mAh/0.444Wh
Rated Input (Mic): 5V⎓100mA
Battery Capacity (Charging Case): 750mAh/2.775Wh
Rated Input (Charging Case): 5V⎓700mA

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor
global galaxy DISTRIBUTION, INC.

VENTION®

Price list of AUGIST 2026 (Prices are subject to change without prior notice)

SATA & SSD ENCLOSURE







KPAB0

Interface: Micro USB 3.0 Type B
Electroplating process: Nickel-Plated
Material: ABS
Data transfer rates: **5Gbps**
Interface: **SATA 3.0**
Compatible size: 2.5" HDD/SSD

5Gbps

VAT EX	VAT INC	SRP
429	481	719





KPGH0

Interface: USB-C
Electroplating process: Nickel-Plated
Shell: Aluminum alloy
Data transfer rates: **10Gbps**
Compatible hard drives: **M.2 NVMe (M Key)**
Compatible M.2 module size: 2230/2242/2260/2280

10Gbps

VAT EX	VAT INC	SRP
1097	1229	1819





KPKH0

Interface: USB-C
Electroplating process: Nickel-Plated
Shell: Aluminum alloy
Data transfer rates: **10Gbps**
Compatible hard drives: **M.2 NVMe (M Key)**
Compatible M.2 module size: 2230/2242/2260/2280

10Gbps

VAT EX	VAT INC	SRP
755	846	1249





KPLH0

Interface: USB-C
Electroplating Process: Nickel-Plated
Shell: Aluminum Alloy
Data Transfer Rates: **6Gbps/10Gbps**
Compatibility: **M.2 NVMe & SATA (M Key/B+M Key)**
Compatible M.2 Module Size: 2230/2242/2260/2280

6/10Gbps

VAT EX	VAT INC	SRP
1199	1343	1999

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor

global galaxy DISTRIBUTION, INC.

USB Cable




480Mbps

Interface: USB/RS-232 (DB-9)
Electroplating process: Gold-Plated
Conductor: Bare copper
Jacket: PVC
USB-A TO SERIAL CABLE
Data transfer rates: 480Mbps

Item No.	Length(m)	VAT EX	VAT INC	SRP
VAS-C02-B100	1M	327	366	549
VAS-C02-B150	1.5M	335	375	559
VAS-C02-B200	2M	364	408	609
VAS-C02-B300	5M	399	447	669




480Mbps

USB version: USB 2.0
Interface: USB Male/USB Type-B Male
Electroplating process: Nickel-Plated
Conductor: Tinned copper
Jacket: PVC
PRINTER CABLE 2.0
Data transfer rates: 480Mbps

Item No.	Length(m)	VAT EX	VAT INC	SRP
VAS-A16-B100	1M	58	65	99
VAS-A16-B150	1.5M	66	74	109
VAS-A16-B200	2M	76	85	129
VAS-A16-B300	3M	98	110	169
VAS-A16-B500	5M	138	155	229
VAS-A16-B1000	10M	248	278	419




5Gbps

USB version: USB 3.0
Interface: USB Male/USB Female
Electroplating process: Nickel-Plated
Conductor: Bare copper
Jacket: PVC
USB-A EXTENSION
Data transfer rates: 5Gbps

Item No.	Length(m)	VAT EX	VAT INC	SRP
VAS-A45-B100	1M	99	111	160
VAS-A45-B150	1.5M	112	125	180
VAS-A45-B200	2M	122	137	195
VAS-A45-B300	3M	164	184	260




480Mbps

USB version: USB 2.0
Interface: USB Male/USB Female
Electroplating process: Nickel-Plated
Conductor: Bare copper
Jacket: PVC
USB-A EXTENSION
Data transfer rates: 480Mbps

Item No.	Length(m)	VAT EX	VAT INC	SRP
VAS-A44-B150	1.5M	55	62	95
VAS-A44-B100	1M	64	72	105
VAS-A44-B200	2M	72	81	120
VAS-A44-B300	3M	89	100	145
VAS-A44-B500	5M	121	136	200




5Gbps

USB version: USB 3.0
Interface: USB Male/USB Female
Electroplating process: Nickel-Plated
Conductor: Tinned copper
Jacket: PVC + Cotton braided
USB-A EXTENSION
Data transfer rates: 5Gbps

Item No.	Length(m)	VAT EX	VAT INC	SRP
CBLHF	1M	142	159	239
CBLHH	2M	183	205	309
CBLHI	3M	229	256	389

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor
global galaxy DISTRIBUTION, INC.

Card Reader



VAT EX	VAT INC	SRP
144	161	239

CLEB0

Interface: USB
Compatible device: SD/TF
Electroplating process: Nickel-Plated
Shell: ABS + PC
Card slot type: SD/TF 1-LUN (Read/Write only one card at a time)
Card slot speed: USB 2.0

50% OFF



VAT EX	VAT INC	SRP
232	260	387

CLGB0

Interface: USB
Compatible device: SD/TF
Electroplating process: Nickel-Plated
Shell: ABS + PC
Card slot type: SD/TF 2-LUN (Read/Write two cards simultaneously)
Card slot speed: USB 3.0

50% OFF



VAT EX	VAT INC	SRP
274	307	399

CLIH0

Interface: USB
Compatible device: SD/TF
Electroplating process: Nickel-Plated
Shell: **Aluminum alloy**
Card slot type: SD/TF 2-LUN (Read/Write two cards simultaneously)
Card slot speed: USB 3.0

50% OFF



VAT EX	VAT INC	SRP
304	340	509

CLKB0

Interface: USB-C/USB
Compatible device: SD/TF
Electroplating process: Nickel-Plated
Shell: ABS + PC
Card slot type: SD/TF 2-LUN (Read/Write two cards simultaneously)
Card slot speed: USB 3.0

50% OFF



VAT EX	VAT INC	SRP
155	173	259

CLMH0

Interface: USB-C
Card slot type: MicroSD
Electroplating process: Nickel-Plated
Shell: **Zinc alloy**
Card slot type: TF 1-LUN
Card slot speed: USB 2.0

50% OFF

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor
global galaxy DISTRIBUTION, INC.

AUDIO ACCESORIES



VAT EX	VAT INC	SRP
179	200	299

CDYB0

Interface: USB Male/3.5mm Female (Microphone)/3.5mm Female (Audio)
Jacket: PVC
Material: ABS
Sample rate: 44.1/48KHz@16bit
Audio: 2.1 channel



VAT EX	VAT INC	SRP
383	429	615

CDRBB

Interface: USB Male/3.5mm TRS Female (Audio)/3.5mm Female (Microphone)/3.5mm Female (Audio + Microphone)
Jacket: PVC
Material: ABS
Sample rate: 44.1/48KHz@16bit
Audio: 2.1 channel
Compatible audio standard: OMTP&CTIA



VAT EX	VAT INC	SRP
181	203	309

CVIHC

Interface: USB-A Male/3.5mm Female (Audio)/3.5mm Female (Microphone)
Jacket: TPE + Cotton Braided
Shell: **Aluminum Alloy**
Sampling Rate: 48KHz@16bit




VAT EX	VAT INC	SRP
118	132	199

BDGBG

Interface: Micro USB Male/3.5mm TRRS Male
Electroplating process: Nickel-Plated
Conductor: Enameled copper
Jacket: TPE + Cotton braided
Shell: **Aluminum alloy**

50% OFF



VAT EX	VAT INC	SRP
198	222	339

BGMHA

Interface: USB-C Male/3.5mm Female
Electroplating process: Nickel-Plated
Conductor: Enameled copper
Jacket: TPE + Cotton braided
Shell: **Aluminum alloy**
Chip: DAC

50% OFF

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor
global galaxy DISTRIBUTION, INC.

AUDIO ACCESORIES



Interface: 3.5mm TRS Male
Electroplating process: Gold-Plated
Conductor: Enameled copper
Jacket: TPE + Cotton braided
Shell: Aluminum alloy

Item No.	Length(m)	VAT EX	VAT INC	SRP
BAWLH	2M	105	118	165
BAWLJ	5M	146	164	230



Interface: Optical (S/PDIF) Male
Conductor: PMMA
Jacket: PVC
Shell: PVC
Audio: 5.1 channel

Item No.	Length(m)	VAT EX	VAT INC	SRP
BAEBF	1M	63	71	105
BAEBG	1.5M	78	87	125
BAEBH	2M	87	97	145
BAEBI	3M	99	111	160
BAEBJ	5M	142	159	230



Interface: 3.5mm TRS Male
Electroplating process: Gold-Plated
Conductor: 4N silver-plated oxygen-free copper
Shielding: Aluminum foil + Tinned copper braid
Jacket: TPE + Cotton braided
Shell: Copper + Zinc alloy

Item No.	Length(m)	VAT EX	VAT INC	SRP
BAYGD	0.5M	353	395	565
BAYGF	1M	370	414	599
BAYGG	1.5M	387	433	625
BAYGI	3M	464	520	749
BAYGJ	5M	523	604	859
BAYGK	8M	666	746	1075
BAYGL	10M	777	870	1265



Interface: RCA Male
Electroplating process: Gold-Plated
Conductor: 4N silver-plated oxygen-free copper
Shielding: Aluminum foil + Tinned copper braid
Jacket: TPE + Cotton braided
Shell: Copper + Zinc alloy

Item No.	Length(m)	VAT EX	VAT INC	SRP
BCUGF	1M	1044	1169	1649
BCUGG	1.5M	1086	1216	1715
BCUGH	2M	1130	1266	1779
BCUGI	3M	1196	1340	1889
BCUGJ	5M	1319	1477	2089
BCUGL	10M	1617	1811	2559

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor
global galaxy DISTRIBUTION, INC.

AUDIO ACCESORIES

50% OFF



Interface: Optical (S/PDIF) Male
Electroplating process: Gold-Plated
Conductor: PMMA
Jacket: PVC + Cotton braided
Shell: Copper + Zinc alloy

Item No.	Length(m)	VAT EX	VAT INC	SRP
BKBGG	1.5M	471	528	745
BKBGI	3M	524	587	835
BKBGJ	5M	587	657	915
BKBGL	10M	800	896	1265

50% OFF



Interface: 3.5mm TRS Male/RCA Male
Electroplating process: Gold-Plated
Conductor: 4N silver-plated oxygen-free copper
Shielding: Aluminum foil + Tinned copper braid
Jacket: TPE + Cotton braided
Shell: Copper + Zinc alloy

Item No.	Length(m)	VAT EX	VAT INC	SRP
BCSGF	1M	680	762	1079
BCSGG	1.5M	698	782	1099
BCSGH	2M	729	816	1149
BCSGI	3M	778	871	1229

50% OFF



Interface: RCA Male
Electroplating process: Gold-Plated
Conductor: 4N silver-plated oxygen-free copper
Shielding: Aluminum foil + Tinned copper braid
Jacket: TPE + Cotton braided
Shell: Copper + Zinc alloy

Item No.	Length(m)	VAT EX	VAT INC	SRP
BCTGF	1M	379	425	599
BCTGG	1.5M	397	445	625
BCTGH	2M	421	472	665
BCTGI	3M	471	528	749
BCTGL	10M	791	886	1249

50% OFF



Interface: Banana Plug
Electroplating process: Gold-Plated
Conductor: 4N silver-plated oxygen-free copper
Shielding: Graphene
Jacket: TPE + Cotton braided
Shell: Copper + Resin

Item No.	Length(m)	VAT EX	VAT INC	SRP
BLBLG	2M	2121	2376	3039

50% OFF



Interface: Banana Plug/Spade Plug
Electroplating process: Gold-Plated
Conductor: 4N silver-plated oxygen-free copper
Shielding: Graphene
Jacket: TPE + Cotton braided
Shell: Copper + Resin

Item No.	Length(m)	VAT EX	VAT INC	SRP
BLCLG	2M	2121	2376	3039
BLCLI	3M	2669	2989	3819

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor
global galaxy DISTRIBUTION, INC.

50% OFF



RCA to HDMI Converter

AEFB0

Interface: HDMI Female/RCA Female/Mini-B Female
Electroplating Process: Gold-Plated
Shell: Metal
Transmission Direction: RCA to HDMI
Input: NTSC/PAL
Output: HDMI 1080P/720P
Resolution: 720P/1080P
Power Supply: 5V⎓1A

VAT EX	VAT INC	SRP
542	607	869

50% OFF



HDMI to RCA Converter

AEEB0

Interface: HDMI Female/RCA Female/Mini-B Female
Electroplating Process: Gold-Plated
Shell: Metal
Transmission Direction: HDMI to RCA
Resolution (HDMI): 480P/576P/720P/1080I/1080P@60Hz
Resolution (RCA): 480I (NTSC)/576I (PAL)
Power Supply: 5V⎓1A

VAT EX	VAT INC	SRP
574	643	925



HDMI 150M EXTENDER

AKBHO

Interface: HDMI Female/RJ45 Female/IR Female/USB Type-B Female/USB Female/DC power supply port
Electroplating process: Nickel-Plated
Shell: Aluminum alloy
Resolution: 1080p@60Hz
Power supply: 5V⎓1A

VAT EX	VAT INC	SRP
3576	4005	5959



Cable tie

ZJBB0-20

Material: Nylon
Closure type: Hook & Loop

VAT EX	VAT INC	SRP
53	59	99

Ethernet Adapter




CEGBB

Interface: USB/RJ45
Electroplating process: Gold-Plated
Shell: ABS
Transmission rate: 10/100Mbps

100Mbps

VAT EX	VAT INC	SRP
316	354	529




CEZHB

Interface: USB-A/RJ45
Electroplating Process: Nickel-Plated
Shell: Aluminum Alloy + ABS
Transmission Rate: 10/100/1000Mbps

1000Mbps

VAT EX	VAT INC	SRP
486	544	809


LAPTOP Stand




KDMI0

Holder type: Laptop stand
Material: Aluminum alloy
Compatible laptop size: 17”
Weight capacity: 15kg

VAT EX	VAT INC	SRP
434	436	729




KDNW0

Holder type: Laptop stand
Material: ABS
Compatible laptop size: 17”
Weight capacity: 5kg

VAT EX	VAT INC	SRP
213	239	359

Bag Pack



KRKB0

Exterior material: 100% polyester fiber
Interior lining: 100% polyester fiber
Laptop compartment: Up to 15.6”
Features: USB & Lock equipped
Dimensions: 45cm x 30cm x 15cm
Bag volume: 20 L

VAT EX	VAT INC	SRP
922	1032	1539



KRMB0

Exterior material: 100% polyester fiber
Interior lining: 100% polyester fiber
Laptop compartment: Up to 15.6”
Dimensions: 45cm x 30cm x 15cm
Bag volume: 20 L

VAT EX	VAT INC	SRP
629	704	1039

VENTION®

Price list of AUGUST 2026 (Prices are subject to change without prior notice)



NEW MODEL





MINI POWERBANK

FKOH0

Material: PC + ABS
Interface: USB-A/USB-C
Battery Capacity: **10000mAh** (3.7V/37Wh)
Input (USB-C): 5V⎓2.8A; 9V⎓2A; 12V⎓1.5A (18W Max)
Output (USB-C): 5V⎓3A; 9V⎓2.22A; 12V⎓1.67A; 10V⎓2.25A (22.5W Max

VAT EX	VAT INC	SRP
619	694	889





MINI POWERBANK

FKPH0

Material: PC + ABS
Interface: USB-A/USB-C
Battery Capacity: **10000mAh**
Output **(Apple Watch Charging)**: 0.5W-3W
Total Output: 5V⎓3A (15W Max) Output (USB-C): 5V⎓3A; 9V⎓2.22A; 12V⎓1.67A; 10V⎓2.25A (22.5W Max)

VAT EX	VAT INC	SRP
739	827	1029

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor

global galaxy DISTRIBUTION, INC.

VENTION®

Price list of AUGUST 2026 (Prices are subject to change without prior notice)





NEW MODEL



VAT EX	VAT INC	SRP
291	325	419



5A 240W

FLAT MAGNETIC USB-C CABLE

TSBBF TSBIF TSBOF

Interface: USB-C
Electroplating Process: Nickel-Plated
Jacket: Magnetic Material + Braided
Shell: TPE + Aluminium Alloy
Cable Dimensions: 3.0 * 6.8mm
Data Transfer Rates: 480Mbps
Rated Current: 5A Max
Rated Power: 240W Max

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor

global galaxy DISTRIBUTION, INC.

VENTION®

Price list of AUGUST 2026 (Prices are subject to change without prior notice)

WIRELESS EARBUDS

Model: NBVB0 BLACK

Freedom. Sound. Comfort.



- Bluetooth 5.3 — Stable Connection
- Powerful Bass — Crystal Clear Sound
- HD Call — Noise Reduction
- Long Battery Life — Up to 20 Hours

SPECIAL PRICE!

199 VAT EX.

COMPACT DESIGN PERFECT FIT | TOUCH CONTROL EASY TO USE | WIDE COMPATIBILITY iOS, ANDROID & MORE

SPECIAL OFFER ONLY UNTIL SUPPLY LAST!





VAT EX	VAT INC	SRP
333	373	469







VAT EX	VAT INC	SRP
169	189	239







VAT EX	VAT INC	SRP
201	225	289

Bluetooth 5.4

NBVW0 ○

Material: ABS
Earbuds' Battery Capacity: 30mAh/0.111Wh
Earbuds' Input Power: 5V⎓30mA
Charging Case's Battery Capacity: 300mAh/1.11Wh
Charging Case's Input Power: 5V⎓250mA
Charging Case's Interface: USB-C

3.5mm

GBAWAV ○ GBABAV ●

Material: ABS + TPE
Form Factor: In Ear
Connector Type: 3.5 mm Jack
Rated Power: 3mW
Impedance: 32Ω
Driver Unit Diameter: 12mm
Frequency Range: 20Hz-20KHz
Compatibility: Phones/Tablets/MP3/MP4

Type-C

GBBWAV ○ GBBBAV ●

Material: ABS + TPE
Form Factor: In Ear
Connector Type: USB-C
Rated Power: 3mW
Impedance: 32Ω
Driver Unit Diameter: 12mm
Frequency Range: 20Hz-20KHz
Compatibility: Phones/Tablets

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor

global galaxy DISTRIBUTION, INC.

VENTION®

Price list of AUGUST 2026 (Prices are subject to change without prior notice)

Ultra-Light Foldable Design | 13,000 RPM Brushless Motor | 100-Level Stepless Control





Neck-Worn

PBGP0

PBGS0

PBGG0

Speed: **13000 RPM**
Battery Life: **2.5-8H**
Interface: USB-C
Shell: ABS + PC
Battery Capacity: 3000mAh
Rated Power: 11.1Wh
Rated Input: 5V⎓1.8A

VAT EX	VAT INC	SRP
679	760	979

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor

global galaxy DISTRIBUTION, INC.

VENTION®

Price list of AUGUST 2026 (Prices are subject to change without prior notice)





VAT EX	VAT INC	SRP
469	525	669

Neck-Worn

PBHB0

PBHW0

Speed: **6000 RPM**
Battery Life: **2.5-8H**
Interface: USB-C
Shell: ABS + PC
Battery Capacity: 3600mAh
Rated Power: 13.32Wh
Rated Input: 5V⎓1.5A

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor

global galaxy DISTRIBUTION, INC.

VENTION®

Price list of AUGUST 2026 (Prices are subject to change without prior notice)

High-Speed Fan





VAT EX	VAT INC	SRP
629	704	899

Classic

PBAB0 ● PBAV0 ○

Speed: **13000 RPM**
Battery Life: **2.5-8H**
Battery Capacity: 3000mAh
Interface: USB-C
Shell: ABS + PC
Rated Power: 11.1Wh
Rated Input: 5V⎓1000mA



VAT EX	VAT INC	SRP
919	1029	1299

Cooling

PBCV0 ● PBDW0 ○

Speed: **13000 RPM**
Battery Life: **2.5-8H**
Battery Capacity: 3000mAh
Interface: USB-C
Shell: ABS + PC
Rated Power: 11.1Wh
Rated Input: 5V⎓2000mA



VAT EX	VAT INC	SRP
525	588	749

Mini

PBEP0 (PINK) PBEV0 (PURPLE)

PBEG0 (GREEN) PBES0 (BLUE)

Speed: **17000 RPM**
Battery Life: **2.5-8H**
Battery Capacity: 3000mAh
Interface: USB-C
Shell: ABS + PC
Rated Power: 11.1Wh
Rated Input: 5V⎓1200mA

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor

global galaxy DISTRIBUTION, INC.

VENTION®

Price list of AUGUST 2026 (Prices are subject to change without prior notice)





10000mAh

XGYP0-39-TY XGYL0-39-TY
XGYW0-39-TY XGYB0-39-TY XGYO0-39-TY

Interface: USB-A/USB-C
Material: PC + ABS
Rated Capacity: 5300mAh
Battery Capacity: 10000mAh (3.7V/37Wh)
Input (USB-C): 5V⎓3A; 9V⎓2A; 12V⎓1.5A
Output (USB-A): 5V⎓3A; 9V⎓2A; 12V⎓1.5A; 10V⎓2.25A
Output (USB-C): 5V⎓3A; 9V⎓2.22A; 12V⎓1.67A
Total Output: 5V⎓3A

VAT EX	VAT INC	SRP
459	514	659



20000mAh

XGYP0-40-TY XGYL0-40-TY
XGYW0-40-TY XGYB0-40-TY XGYO0-40-TY

Interface: USB-A/USB-C
Material: PC + ABS
Rated Capacity: 10600mAh
Battery Capacity: 20000mAh (3.7V/74Wh)
Input (USB-C): 5V⎓3A; 9V⎓2A; 12V⎓1.5A
Output (USB-A): 5V⎓3A; 9V⎓2A; 12V⎓1.5A; 10V⎓2.25A
Output (USB-C): 5V⎓3A; 9V⎓2.22A; 12V⎓1.67A
Total Output: 5V⎓3A

VAT EX	VAT INC	SRP
659	738	949

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor

global galaxy DISTRIBUTION, INC.

VENTION®

Price list of 30 AUGUST 2026 (Prices are subject to change without prior notice)

WPC-Official Qi2.2 Certification.

Performance, safety, and compatibility meet the latest international standards.











VAT EX	VAT INC	SRP
SOON		

10000mAh
Qi2.2

FKUH0

Material: Aluminum Alloy + PC + ABS
Interface: USB-C
Battery Capacity: 5000mAh (7.74V/38.7Wh) (5000*2)
Input (USB-C): 5V⎓3A; 9V⎓3A; 12V⎓2.5A; 15V⎓2A; 20V⎓1.5A (30W Max)
Output (USB-C): 5V⎓3A; 9V⎓3A; 12V⎓3A; 15V⎓3A; 20V⎓2.25A (45W Max)
PPS: 5.0~21.0V 2.15A (45W Max)
Output (Wireless Charging): 25W/15W/10W/7.5W/5W
Total Output: 5V⎓3A (15W Max)

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor

global galaxy DISTRIBUTION, INC.

Power bank





VAT EX	VAT INC	SRP
531	595	749

FKAP0-C-TY FKAL0-C-TY
FKAN0-C-TY FKAB0-C-TY

10000mAh

Material: PC + ABS
Interface: USB-A/USB-C
Battery Capacity: 10000mAh (3.85V/38.5Wh)
Input (USB-C1): 5V⎓2.6A; 9V⎓2A; 12V⎓1.5A (18W Max)
Input (USB-C2): 5V⎓2A; 9V⎓2A; 12V⎓1.5A (18W Max)
Output (USB-C1): 5V⎓3A; 9V⎓2.22A; 12V⎓1.67A (20W Max)
Output (USB-A): 5V⎓3A; 9V⎓2A; 12V⎓1.5A; 10V⎓2.25A (22.5W Max)
Total Output: 15W Max



VAT EX	VAT INC	SRP
740	829	999

FKBP0-C-TY FKBL0-C-TY
FKBN0-C-TY FKBB0-C-TY

20000mAh

Material: PC + ABS
Interface: USB-A/USB-C
Battery Capacity: 20000mAh (3.85V/77Wh)
Input (USB-C1): 5V⎓2.6A; 9V⎓2A; 12V⎓1.5A (18W Max)
Input (USB-C2): 5V⎓2A; 9V⎓2A; 12V⎓1.5A (18W Max)
Output (USB-C1): 5V⎓3A; 9V⎓2.22A; 12V⎓1.67A (20W Max)
Output (USB-A): 5V⎓3A; 9V⎓2A; 12V⎓1.5A; 10V⎓2.25A (22.5W Max)
Total Output: 15W Max



VAT EX	VAT INC	SRP
60	67	85

FKBP0-BP FKBL0-BP
FKBN0-BP FKBB0-BP



Material: PC + ABS
Interface: USB-A/USB-C
Battery Capacity: 20000mAh (3.85V/77Wh)
Input (USB-C1): 5V⎓2.6A; 9V⎓2A; 12V⎓1.5A (18W Max)
Input (USB-C2): 5V⎓2A; 9V⎓2A; 12V⎓1.5A (18W Max)
Output (USB-C1): 5V⎓3A; 9V⎓2.22A; 12V⎓1.67A (20W Max)
Output (USB-A): 5V⎓3A; 9V⎓2A; 12V⎓1.5A; 10V⎓2.25A (22.5W Max)
Total Output: 15W Max

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor
global galaxy DISTRIBUTION, INC.

VENTION

Price list of AUGUST 2026 (Prices are subject to change without prior notice)



FHQP0 FFHQL0
FHQW0 FFHQB0

4800mAh Pocket-Size

Interface: USB-C/Lightning
Material: PC + ABS
Battery capacity: 4800mAh (3.7V/17.76Wh)
Input (USB-C): 5V⎓3A; 9V⎓2A
Output (USB-C): 5V⎓3A; 9V⎓2.22A; 12V⎓1.67A
Output (Built-in USB-C cable): 5V⎓3A; 9V⎓2A; 10V⎓2.25A; 12V⎓1.5A
Output (Built-in lightning cable): 5V⎓2.4A
Total output: 5V⎓3A

VAT EX	VAT INC	SRP
493	552	705



KW15B0-TY

10000mAh

Interface: USB-A/USB-C/Micro-USB/Lightning
Shell: PC + ABS
Rated Capacity: 5300mAh
Battery Capacity: 10000mAh (3.7V/37Wh)
Input (USB-C): 5V⎓3A; 9V⎓2A
Input (Micro-USB): 5V⎓2A; 9V⎓2A
Output (USB-C): 5V⎓3A; 9V⎓2.22A; 12V⎓1.67A
Output (USB-A1): 5V⎓3A; 9V⎓2A; 10V⎓2.25A; 12V⎓1.5A
Output (USB-A2): 5V⎓2A
Output (Built-in USB-C Cable): 5V⎓3A; 9V⎓2A; 10V⎓2.25A; 12V⎓1.5A
Output (Built-in Lightning Cable): 5V⎓2.4A
Total Output: 5V⎓3A

VAT EX	VAT INC	SRP
529	592	759



KW16B0-TY

20000mAh

Interface: USB-A/USB-C/Micro-USB/Lightning
Shell: PC + ABS
Rated Capacity: 10600mAh
Battery Capacity: 20000mAh (3.7V74Wh)
Input (USB-C): 5V⎓3A; 9V⎓2A
Input (Micro-USB): 5V⎓2A; 9V⎓2A
Output (USB-C): 5V⎓3A; 9V⎓2.22A; 12V⎓1.67A
Output (USB-A1): 5V⎓3A; 9V⎓2A; 10V⎓2.25A; 12V⎓1.5A
Output (USB-A2): 5V⎓2A
Output (Built-in USB-C Cable): 5V⎓3A; 9V⎓2A; 10V⎓2.25A; 12V⎓1.5A
Output (Built-in Lightning Cable): 5V⎓2.4A
Total Output: 5V⎓3A

VAT EX	VAT INC	SRP
739	827	1,059



FKQH0-TY FKQN0-TY FKQO0-TY

Magnetic 10000mAh

Material: PC + ABS
Interface: USB-A/USB-C
Rated Capacity:5300mAh
Battery Capacity: 10000mAh (3.85V/38.5Wh)
Input (USB-C): 5V⎓3A; 9V⎓2A; 12V⎓1.5A (18W Max)
Input (Built-in USB-C Cable): 5V⎓3A; 9V⎓2A; 12V⎓1.5A (18W Max)
Output (USB-C): 5V⎓3A; 9V⎓2.22A; 12V⎓1.67A (20W Max)
Output (Built-in USB-C Cable): 5V⎓3A; 9V⎓2.22A; 12V⎓1.67A; 10V⎓2.25A (22.5W Max)
Output (USB-A): 5V⎓3A; 9V⎓2A; 12V⎓1.5A; 10V⎓2.25A (22.5W Max)
Output (Wireless Charging): 5W/7.5W/10W/15W
Total Output: 5V⎓3A (15W Max)

VAT EX	VAT INC	SRP
915	1025	1249

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor
global galaxy DISTRIBUTION, INC.

VENTION®

Price list of AUGUST 2026 (Prices are subject to change without prior notice)





VAT EX	VAT INC	SRP
881	986	1,249

FHEH0-TY

10000mAh

Material: PC + ABS
Interface: USB-C
Rated Capacity: 5800mAh (5V⎓3A)
Battery Capacity: 5000mAh (7.7V/38.5Wh) (5000*2)
Input (USB-C): 5V⎓3A; 9V⎓2.22A; 12V⎓1.67A (20W Max)
Input (Built-in USB-C Cable): 5V⎓3A; 9V⎓2.22A; 12V⎓1.67A (20W Max)
Output (USB-C): 5V⎓3A; 9V⎓3A; 12V⎓2.5A; 15V⎓2.33A
PPS: 3.3~11V, 3.18A (35W Max)
Output (Built-in USB-C Cable): 5V⎓3A; 9V⎓3A; 12V⎓2.5A; 15V⎓2.33A
PPS: 3.3~11V, 3.18A (**35W** Max)



VAT EX	VAT INC	SRP
1,154	1,292	1,639

FHGH0-TY

20000mAh

Material: PC + ABS
Interface: USB-A/USB-C
Rated Capacity: 12000mAh (5V⎓2A)
Battery Capacity: 10000mAh (7.7V /77Wh) (10000*2)
Input (USB-C): 5V⎓3A; 9V⎓3A; 12V⎓2.5A; 15V⎓2A; 20V⎓1.5A (30W Max)
Input (Built-in USB-C Cable): 5V⎓3A; 9V⎓3A; 12V⎓2.5A; 15V⎓2A; 20V⎓1.5A (30W Max)
Output (USB-A): 5V⎓3A; 9V⎓2A; 10V⎓2.25A; 12V⎓1.5A (22.5W Max)
Output (USB-C): 5V⎓3A; 10V⎓2.25A; 9V⎓3A; 12V⎓3A; 15V⎓3A; 20V⎓2.25A (45W Max)
Output (Built-in USB-C Cable): 5V⎓3A; 10V⎓2.25A; 9V⎓3A; 12V⎓3A; 15V⎓3A; 20V⎓2.25A (**45W** Max)



VAT EX	VAT INC	SRP
1,339	1,499	1,949

FKDM0

20000mAh


Material: PC + ABS
Interface: USB-A/USB-C
Battery Capacity: 20000mAh (3.85V/77Wh)
Input (USB-C): 5V⎓3A; 9V⎓3A; 12V⎓3A; 15V⎓3A; 20V⎓2.25A (45W Max)
Input (Built-in USB-C Cable): 5V⎓3A; 9V⎓3A; 12V⎓3A; 15V⎓3A; 20V⎓2.25A (45W Max)
Output (USB-A): 5V⎓3A; 9V⎓2A; 10V⎓2.25A; 12V⎓1.5A (22.5W Max)
Output (USB-C): 5V⎓3A; 9V⎓3A; 12V⎓3A; 15V⎓3A; 20V⎓3.25A (65W Max)
Output (Built-in USB-C Cable): 5V⎓3A; 9V⎓3A; 12V⎓3A; 15V⎓3A; 20V⎓3.25A (**65W** Max)

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor

global galaxy DISTRIBUTION, INC.









VAT EX	VAT INC	SRP
1,699	1,903	2,429

FKWH0

50,000mAh
22.5W

Interface: USB-A/Micro-B/USB-C/Lightning
Shell: PC + ABS
Battery Capacity: 50,000mAh (18.5V/185Wh) (10000*5)
Input (USB-C): 5V⎓3A; 9V⎓2A; 12V⎓1.5A (18W Max)
Input (Micro-B): 5V⎓2A; 9V⎓2A; 12V⎓1.5A (18W Max)
Input (Built-in USB-A Cable): 5V⎓2A (10W Max)
Output (USB-C): 5V⎓3A; 9V⎓2.22A; 12V⎓1.67A (20W Max)
Output (USB-A1/USB-A2): 5V⎓3A; 9V⎓2A; 12V⎓1.5A; 10V⎓2.25A (22.5W Max)
Output (USB-A3/USB-A4): 5V⎓3A (15W Max)
Output (Built-in USB-C/Micro-B Cable):5V⎓2A (10W Max)
Output (Built-in Lightning Cable): 5V⎓2.1A
Total Output: 22.5W Max

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor
global galaxy DISTRIBUTION, INC.

VENTION®


Price list of AUGUST 2026 (Prices are subject to change without prior notice)


POWERHIVE Series

27000mAh Power Bank with Built-in USB-C Cable

200W | Business Travel Companion











VAT EX	VAT INC	SRP
3,386	3,792	4,829

FKGH0

27000mAh 200W

Material: PC + ABS
Interface: USB-A/USB-C
Battery Capacity: 4500mAh (22.2V/99.9Wh) (4500*6)
Input (USB-C1): 5V⎓3A; 9V⎓3A; 12V⎓3A; 15V⎓3A; 20V⎓5A (100W Max)
Input (USB-C2): 5V⎓3A; 9V⎓3A; 12V⎓3A; 15V⎓3A; 20V⎓5A (100W Max)
Output (USB-C1): 5V⎓3A; 9V⎓3A; 12V⎓3A; 15V⎓3A; 20V⎓5A; 28V⎓5A (140W Max)
Output (USB-C2): 5V⎓3A; 9V⎓3A; 12V⎓3A; 15V⎓3A; 20V⎓5A (100W Max)
Output (USB-A): 5V⎓3A; 9V⎓2A; 10V⎓2.25A; 12V⎓1.5A; 15V⎓3A; 20V⎓3A (60W Max)
Output (USB-C1 + USB-C2): 100W + 100W
Output (USB-C1 + USB-A): 100W + 60W
Output (USB-C1 + USB-C2 + USB-A): 100W + 24W
Total Output: 200W Max



VAT EX	VAT INC	SRP
2,349	2,631	3,349

FKFH0

20000mAh 165W

Material: PC + ABS
Interface: USB-A/USB-C
Rated Capacity: 12000mAh (5V⎓3A)
Battery Capacity: 5000mAh (14.8V/74Wh) (5000*4)
Input (Built-in USB-C1 Cable): 5V⎓3A; 9V⎓3A; 12V⎓3A; 15V⎓3A; 20V⎓3.25A (65W Max)
Input (USB-C2): 5V⎓3A; 9V⎓3A; 12V⎓3A; 15V⎓3A; 20V⎓3.25A (65W Max)
Output (Built-in USB-C1 Cable): 5V⎓3A; 9V⎓3A; 12V⎓3A; 15V⎓3A; 20V⎓5A (100W Max)
Output (USB-C2): 5V⎓3A; 9V⎓3A; 12V⎓3A; 15V⎓3A; 20V⎓5A (100W Max)
Output (USB-A): 5V⎓3A; 9V⎓2A; 10V⎓2.25A; 12V⎓1.5A; 15V⎓3A; 20V⎓3A (60W Max)
Output (Built-in USB-C1 Cable + USB-C2): 100W + 65W
Output (Built-in USB-C1 Cable + USB-A): 100W + 60W
Output (Built-in USB-C1 Cable + USB-C2 + USB-A): 100W + 24W
Total Output: 165W Max

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor

global galaxy DISTRIBUTION, INC.

VENTION®

Price list of AUGUST 2026 (Prices are subject to change without prior notice)







VAT EX	VAT INC	SRP
730	818	1,039

Bluetooth 6.0

NBBB0

Material: ABS
Headphones' Battery Capacity: 400mAh/1.48Wh
Headphones' Input Power: 5V⎓300mA
Headphones' Charging Port: USB-C





VAT EX	VAT INC	SRP
2,249	2,519	3,199

Bluetooth 6.0

NBYB0

Bluetooth Version: Bluetooth 6.0
Material: ABS
Headphone's Battery Capacity: 800mAh/2.96Wh
Headphone's Input Power: 5V⎓800mA
Headphone's Charging Port: USB-C







VAT EX	VAT INC	SRP
639	716	919

Bluetooth 6.0

NDBB0 **NDBI0**

Bluetooth Version: Bluetooth 6.0
Material: ABS + Fabric
Transmission Distance: ≤10m (TWS >5m)
Driver Unit: φ40mm
Frequency Range: 100Hz - 20KHz
Battery Capacity: 750mAh/2.775Wh
Rated Output: 3W
Rated Input: 5V⎓1A
Charging Port: USB-C





VAT EX	VAT INC	SRP
1,531	1,714	2,179

Bluetooth 6.0

NCDB0

Frequency Response: 2.4GHz
Material: PC + ABS
Sampling Rate: 48KHz/24bit
Transmission Distance: 200M (Barrier-Free Environment)
Frequency Range: 20Hz-20KHZ
Battery Capacity (Mic): 120mAh/0.444Wh
Rated Input (Mic): 5V⎓100mA
Battery Capacity (Charging Case): 750mAh/2.775Wh
Rated Input (Charging Case): 5V⎓700mA

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor


global galaxy DISTRIBUTION, INC.

VENTION®

Price list of AUGUST 2026 (Prices are subject to change without prior notice)

Charger






VAT EX	VAT INC	SRP
399	467	569

TZ-FCEP0-US ○ TZ-FCEW0-US ○ TZ-FCEH0-US ○ **30W**

Cable
Interface: USB-C
Electroplating Process: Nickel-Plated
Jacket: TPE
Shell: TPE
OD: 3.5mm
Data Transfer Rates: 480Mbps
Rated Current: 5A Max
Rated Power: 100W Max

Charger
Interface: USB-A/USB-C
Material: PC
Input: 100-240V~50Hz/60Hz, 1.0A Max
Output (USB-A): 5V⎓3A; 9V⎓3A; 12V⎓2.5A; 20V⎓1.5A (30W Max)
Output (USB-C): 5V⎓3A; 9V⎓3A; 12V⎓2.5A; 15V⎓2A; 20V⎓1.5A (30W Max)
Output (USB-A + USB-C): 5V⎓3A (15W Max)
Total Output: **30W Max**




VAT EX	VAT INC	SRP
561	628	799

TZ-FCFP0-US ○ TZ-FCFW0-US ○ TZ-FCFH0-US ○ **45W**

Cable
Interface: USB-C
Electroplating Process: Nickel-Plated
Jacket: TPE
Shell: TPE
OD: 3.5mm
Data Transfer Rates: 480Mbps
Rated Current: 5A Max
Rated Power: 100W Max

Charger
Interface: USB-C
Material: PC
Input: 110-240V~50Hz/60Hz, 1.2A Max
Output (USB-C1/C2): 5V⎓3A; 9V⎓3A; 12V⎓3A; 15V⎓3A; 20V⎓2.25A (45W Max)
Output (USB-C1 + USB-C2): 30W + 15W
Total Output: **45W Max**



VAT EX	VAT INC	SRP
733	821	1,039

TZ-FCGP0-US ○ TZ-FCGW0-US ○ TZ-FCGH0-US ○ **70W**

Cable
Interface: USB-C
Electroplating Process: Nickel-Plated
Jacket: TPE
Shell: TPE
OD: 3.5mm
Data Transfer Rates: 480Mbps
Rated Current: 5A Max
Rated Power: 100W Max

Charger
Interface: USB-A/USB-C
Material: PC
Input: 110-240V~50Hz/60Hz, 1.8A Max
Output (USB-A): 5V⎓3A; 9V⎓2A; 10V⎓2.25A; 12V⎓1.5A (22.5W Max)
Output (USB-C): 5V⎓3A; 9V⎓3A; 12V⎓3A; 15V⎓3A; 20V⎓3.5A (70W Max)
PPS: 3.3~11V⎓5A (55W Max)
PPS2: 3.3~21V⎓3A (63W Max)
Output (USB-A + USB-C): 15W + 45W
Total Output: **70W Max**

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor

global galaxy DISTRIBUTION, INC.





VAT EX	VAT INC	SRP
188	210	269

G13W0-US

30W

Interface: USB-C
Shell: PC
Input: 100-240V~50/60Hz, 0.85A Max
Output: 5.0V⎓3.0A; 9.0V⎓3.0A; 12.0V⎓2.5A; 15.0V⎓2.0A; 20.0V⎓1.5A (30W Max)
Protocols: PD3.0/QC3.0/BC1.2/FCP/AFC/Apple2.4A





VAT EX	VAT INC	SRP
310	347	449

FEQW0-US

30W

Interface: USB-A/USB-C
Material: PC
Input: 100-240V~50/60Hz, 0.8A
Output (USB-C): 5.0V⎓3.0A (15.0W); 9.0V⎓3.0A (27.0W); 12.0V⎓2.5A (30.0W); 15.0V⎓2.0A (30.0W); 20.0V⎓1.5A (30.0W)
Output (PPS): 5.0V-11.0V⎓3.0A (30.0W Max)
Output (USB-A): 5.0V⎓3.0A (15.0W); 9.0V⎓3.0A (27.0W); 12.0V⎓2.5A (30.0W); 20.0V⎓1.5A (30.0W Max)
Total Output: 5.0V⎓3.0A (15.0W)
Protocols (USB-C): PPS/PD 3.0/QC 3.0/FCP/AFC/Apple 2.4A
Protocols (USB-A): QC 4.0/QC 3.0/FCP/SCP/AFC/Apple 2.4A







VAT EX	VAT INC	SRP
654	733	939

FERW0-US FERB0-US

65W

Interface: USB/USB-C
Material: PC
Input: AC 100-240V~50/60Hz, 1.5A Max
Single-Port :
Output (USB-C 1/2): 5.0V⎓3.0A (15.0W); 9.0V⎓3.0A (27.0W); 12.0V⎓3.0A (36.0W);15.0V⎓3.0A (45.0W); 20.0V⎓3.25A (65.0W Max)
Output (USB): 4.5V⎓5.0A (22.5W); 5.0V⎓4.5A (22.5W); 5.0V⎓3.0A (15.0W); 9.0V⎓3.0A (27.0W); 12.0V⎓3.0A (36.0W); 20.0V⎓3.0A (60.0W Max)
Two-Port:
Output (USB-C 1 + USB-C 2): 45.0W + 20.0W
Output (USB-C 1 + USB): 45.0W + 18.0W
Output (USB-C 2 + USB): 5.0V⎓3.0A (15W)
Three-Port:
Output (USB-C 1 + USB-C 2 + USB): 45.0W (USB-C 1) + 15.0W (USB-C 2 + USB)
Total output: 65.0W Max
Protocols (USB-C 1/2): PPS/PD 3.0/QC 3.0/FCP/AFC/Apple 2.4A
Protocols (USB): QC 4.0/QC 3.0/FCP/SCP/AFC/Apple 2.4A





FEGW0-US

100W

Interface: USB/USB-C
Shell: PC
Input: 100-240V~50/60Hz, 2A
Single-Port :
Output (USB-C 1/2): 5V⎓3A; 9V⎓3A; 12V⎓3A; 15V⎓3A; 20V⎓5A
Output (USB): 4.5V⎓5A; 5V⎓4.5A; 9V⎓3A; 12V⎓2.5A; 20V⎓1.5A
Two-Port:
Output (USB-C 1 + USB-C 2): 65W + 30W
Output (USB-C 1 + USB): 65W + 30W
Output (USB-C 2 + USB): 25W (5V/5A)
Three-Port:
Output (USB-C 1 + USB-C 2 + USB): 65W (USB-C 1) + 25W (USB-C 2 + USB)
Protocols (USB-C 1/2): PPS/PD 3.0/QC 4+/SCP/FCP/AFC/MTK PE/BC 1.2/Apple 2.4A
Protocols (USB): QC 3.0/SCP/FCP/AFC/BC 1.2/Apple 2.4A

VAT EX	VAT INC	SRP
1,544	1,730	2,069

FEIW0-US FEIB0-US

240W










Cable
Interface: USB-C
Electroplating process: Nickel-Plated
Shell: Aluminum alloy
OD: 4.0mm
Data transfer rates: 480Mbps
Rated current: 5A
Rated power: 240W
Charger
Interface: USB/USB-C
Shell: PC
Input: 110-240V~50/60Hz, 3.2A
Single-Port :
Output (USB): 5V⎓3A; 9V⎓3A; 12V⎓2.5A (30W Max)
Output (USB-C 1/2): 5V⎓3A; 9V⎓3A; 12V⎓3A; 15V⎓3A; 20V⎓5A; 28V⎓5A (140W Max)
Output (USB-C 3): 5V⎓3A; 9V⎓3A; 12V⎓2.5A (30W Max)
Two-Port:
Output (USB-C 1 + USB-C 2): 70W + 70W
Output (USB-C 1/2 + USB-C 3): 100W + 30W
Output (USB-C 1 + USB): 100W + 30W
Three-Port:
Output (USB-C 1 + USB-C 2 + USB-C 3): 65W + 45W + 30W
Output (USB-C 2 + USB-C 3 + USB): 100W + 5V⎓3.6A
Four-Port: Output (USB-C 1 + USB-C 2 + USB-C 3 + USB): 65W + 45W + 5V⎓3.6A
Protocols (USB-C 1/2): PPS/PD 3.1/QC 4.0+/FCP/AFC/BC 1.2/Apple 2.4A
Protocols (USB-C 3): PPS/PD 3.0/QC 4.0+/FCP/AFC/BC 1.2/Apple 2.4A
Protocols (USB): QC 3.0/SCP/FCP/AFC/BC 1.2/Apple 2.4A

VAT EX	VAT INC	SRP
2,300	2,576	3,279

VENTION®

Price list of AUGUST 2026 (Prices are subject to change without prior notice)









VAT EX	VAT INC	SRP
1,925	2,156	2,759

TZ-FCOH0-US

140W

Interface: USB-A/USB-C
Shell: PC
Input: 100-240V~50/60Hz, 2.5A Max
Output (USB-A): 5V⎓3A; 9V⎓2A; 12V⎓1.5A; 10V⎓2.25A (22.5W Max)
Output (USB-C1): 5V⎓3A; 9V⎓3A; 12V⎓3A; 15V⎓3A; 20V⎓5A; 28V⎓5A (140W Max)
Output (USB-C2): 5V⎓3A; 9V⎓3A; 12V⎓3A; 15V⎓3A; 20V⎓5A; 28V⎓5A (140W Max)
Output (USB-C3): 5V⎓3A; 9V⎓3A; 12V⎓2.5A (30W Max)
Output (USB-C1 + USB-C2): 70W + 70W
Output (USB-C1/USB-C2 + USB-C3): 100W + 30W
Output (USB-C1/USB-C2 + USB-A): 100W + 22.5W
Output (USB-C1 + USB-C2 + USB-C3): 65W + 35W + 20W
Output (USB-C1 + USB-C2 + USB-A): 65W + 35W + 22.5W
Output (USB-C1/USB-C2 + USB-C3 + USB-A): 100W + 15W
Output (USB-C1 + USB-C2 + USB-C3 + USB-A): 65W + 35W + 15W
Total Output: **140W Max**





VAT EX	VAT INC	SRP
1,553	1,739	2,199

TZ-FETH0-US

100W

Interface: USB-A/USB-C
Material: PC
Input: 110-240V~50Hz/60Hz, 3.0A Max
Output (USB-C1/C2): 5V⎓3A; 9V⎓3A; 12V⎓3A; 15V⎓3A; 20V⎓5A (100.0W Max)
Output (USB-C3): 5V⎓3A; 9V⎓3A; 12V⎓2.5A (30.0W Max)
Output (USB-A): 5V⎓3A; 9V⎓3A; 12V⎓2.5A (30.0W Max)
Output (USB-C1 + C2): 65.0W + 30.0W
Output (USB-C1/C2 + USB-C3): 65.0W + 30.0W
Output (USB-C1/C2 + USB-A): 65.0W + 30.0W
Output (USB-C1 + USB-C2 + USB-C3): 40.0W + 18.0W + 30.0W
Output (USB-C1 + USB-C2 + USB-A): 40.0W + 18.0W + 18.0W
Output (USB-C1 + USB-C2 + USB-C3 + USB-A): 40.0W + 18.0W + 9.0W + 9.0W
Total Output: 100.0W Max

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor

global galaxy DISTRIBUTION, INC.

VENTION®

Price list of AUGUST 2026 (Prices are subject to change without prior notice)

Cable







Cotton braided

Interface: **USB-A/USB-C**
Electroplating process: Nickel-plated
Jacket: PVC + Cotton braided
Shell: Aluminum alloy
OD: 3.8mm
Data transfer rates: 480Mbps
Rated current: 3A Max
Rated power: 15W Max

Item No.	Color	Length	VAT EX	VAT INC	SRP
H13BF	●	1M	90	100	128
CTQWF	WHITE	1M	65	71	91





Aluminum Alloy

Interface: **USB-A/USB-C**
Electroplating Process: Nickel-Plated
Jacket: PVC + Cotton Braided
Shell: PVC + Aluminum Alloy
OD: 3.8mm
Data Transfer Rates: 480Mbps
Rated Current: 3A
Rated Power: 60W

Item No.	Color	Length	VAT EX	VAT INC	SRP
CTNBF	●	1M	109	122	155





3A 15W

Interface: **USB-A/USB-C**
Electroplating process:Nickel-Plated
Jacket: PVC
Shell: PVC
OD: 3.8mm
Data transfer rates: 480Mbps
Rated Current: 3A
Rated Power: 15W

Item No.	Color	Length	VAT EX	VAT INC	SRP
CTQBF	●	1M	63	71	91





3A 60W

Interface: **USB-A/USB-C**
Electroplating process: Nickel-Plated
Jacket: PVC
Shell: PVC
OD: 5.4mm
Data transfer rates: 5Gbps
Output current: 3A Max
Rated power: 60W Max

Item No.	Color	Length	VAT EX	VAT INC	SRP
COZBC	●	0.25M	95	107	139
COZBD	●	0.5M	104	117	149
COZBF	●	1M	117	131	169

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor

global galaxy DISTRIBUTION, INC.

VENTION®

Price list of AUGUST 2026 (Prices are subject to change without prior notice)




Item No.	Color	Length	VAT EX	VAT INC	SRP
TRCBF	●	1M	63	71	95

3A 60W

Interface: **USB-C**
Electroplating process: Nickel-Plated
Jacket: PVC
Shell: PVC
OD: 3.8mm
Data transfer rates: 480Mbps
Rated current: 3A Max
Rated power: 60W Max




Item No.	Color	Length	VAT EX	VAT INC	SRP
TAXWD	○	0.5M	75	84	109
TAXWG	○	1M	85	95	129
TAXWF	○	1.5M	92	103	139

3A 60W

Interface: **USB-C**
Electroplating process: Nickel-Plated
Jacket: PVC
Shell: PVC
OD: 3.6mm
Data transfer rates: 480Mbps
Output current: 3A Max
Rated power: 60W Max




Item No.	Color	Length	VAT EX	VAT INC	SRP
H27WF	○	1M	86	96	129

3A 60W

Interface: **USB-C**
Electroplating process: Nickel-plated
Jacket: TPE
Shell: TPE
OD: 3.8mm
Data transfer rates: 480Mbps
Rated current: 3A Max
Rated power: 60W Max




Item No.	Color	Length	VAT EX	VAT INC	SRP
TAAHD	●	0.5M	270	302	385
TAAHF	●	1M	272	305	389
TAAHG	●	1.5M	278	311	399

3A 60W

Interface: **USB-C**
Electroplating process: Nickel-Plated
Jacket: PVC + Cotton braided
Shell: Aluminum alloy
OD: 4.2mm
USB : 3.1
RESOLUTION: 4K@60Hz
Data transfer rates: 5Gbps
Output current: 3A Max
Rated power: 60W Max




Item No.	Color	Length	VAT EX	VAT INC	SRP
TAWPG	●	1.5M	247	277	359
TAWSH	●	2M	281	315	401
TAWGH	●	2M	281	315	401
TAWPH	●	2M	281	315	401

5A 100W

Interface: **USB-C**
Electroplating process: Nickel-Plated
Jacket: Silicone
Shell: TPE
OD: 4.3mm
Data transfer rates: 480Mbps
Output current: 5A Max
Rated power: 100W Max

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor

global galaxy DISTRIBUTION, INC.

VENTION®

Price list of AUGUST 2026 (Prices are subject to change without prior notice)





Item No.	Color	Length	VAT EX	VAT INC	SRP
TRGBF	●	1M	234	262	339
TRGWF	○	1M	234	262	339

5A 100W

Interface: **USB-C**
Electroplating Process: Nickel-Plated
Jacket: TPE + Nylon Braided
Shell: Aluminum Alloy
OD: 4.5mm
Resolution: 4K@60Hz
Data Transfer Rates: 10Gbps
Rated Current: 5A Max
Rated Power: 100W Max




Item No.	Color	Length	VAT EX	VAT INC	SRP
TAYBAV	●	1.2M	328	367	469

5A 100W

Interface: **USB-C**
Electroplating process: Nickel-Plated
Jacket: PVC + Cotton braided
Shell: Zinc alloy
OD: 4.2mm
Data transfer rates: 480Mbps
Output current: 5A Max
Rated power: 100W Max




Item No.	Color	Length	VAT EX	VAT INC	SRP
CTKBH	●	2M	295	330	429

5A 100W

Interface: **USB-C**
Electroplating process: Nickel-Plated
Jacket: PVC + Cotton braided
Shell: Zinc alloy
OD: 4.2mm
Data transfer rates: 480Mbps
Output current: 5A Max
Rated power: 100W Max




Item No.	Color	Length	VAT EX	VAT INC	SRP
CTXBAV	●	1.2M	175	196	249

5A 100W

Interface: **USB-C**
Electroplating Process: Nickel-Plated
Jacket: PVC + Nylon Braided
Shell: Zinc Alloy
OD: 4.0mm
Data Transfer Rates: 480Mbps
Rated Current: 5A Max
Rated Power: 100W Max




Item No.	Color	Length	VAT EX	VAT INC	SRP
TAVHF	●	1M	377	422	539

5A 240W

Interface: **USB-C**
Electroplating process: Nickel-Plated
Jacket: TPE + Cotton braided
Shell: Aluminum alloy
OD: 4.8mm
Resolution: 8K@60Hz
Data transfer rates: 40Gbps
Rated current: 5A
Power supply: 240W

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor

global galaxy DISTRIBUTION, INC.

VENTION®

Price list AUGUST 2026 (Prices are subject to change without prior notice)







Item No.	Color	Length	VAT EX	VAT INC	SRP
TASWF	○	1M	327	366	469
TASWH	○	2M	372	416	539

3A 27W

Interface: **USB-C/Lightning**
Electroplating process: Nickel-Plated
Jacket: TPE
Shell: ABS
OD: 3.0mm
Data transfer rates: 480Mbps
Output current: 3A Max
Rated power: 27W Max





Item No.	Color	Length	VAT EX	VAT INC	SRP
LAJWF	○	1M	107	120	159

3A 27W

Interface: **USB-C/Lightning**
Electroplating process: Nickel-Plated
Jacket: TPE
Shell: ABS
OD: 3.0mm
Data transfer rates: 480Mbps
Output current: 3A Max
Rated power: 27W Max





Item No.	Color	Length	VAT EX	VAT INC	SRP
LAKBF	●	1M	113	127	169

3A 27W

Interface: **USB-C/Lightning**
Electroplating process: Nickel-Plated
Jacket: PVC
Shell: PVC
OD: 3.8mm
Data transfer rates: 480Mbps
Rated current: 3A Max
Rated power: 27W Max





Item No.	Color	Length	VAT EX	VAT INC	SRP
H28BF	●	1M	113	127	169

3A 27W

Interface: **USB-C/Lightning**
Electroplating process: Nickel-Plated
Jacket: TPE
Shell: ABS
OD: 3.0mm
Data transfer rates: 480Mbps
Output current: 3A Max
Rated power: 27W Max

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor

global galaxy DISTRIBUTION, INC.





Item No.	Color	Length	VAT EX	VAT INC	SRP
LAIWF		1M	85	95	129

2.4A 12W

Interface: **USB/Lightning**
Electroplating process: Nickel-Plated
Jacket: TPE
Shell: ABS
OD: 3.0mm
Data transfer rates: 480Mbps
Rated current: 2.4A Max
Rated power: 12W Max



Item No.	Color	Length	VAT EX	VAT INC	SRP
LAMSF		1M	78	87	119
LAMPF		1M	78	87	119
LAMWF		1M	78	87	119
LAMSH		2M	94	105	134
LAMPH		2M	94	105	134
LAMWH		2M	94	105	134
LAMBH		2M	94	105	134

2.4A 12W


Interface: **USB/Lightning**
Electroplating process: Nickel-Plated
Jacket: PVC
Shell: PVC
OD: 3.5mm
Data transfer rates: 480Mbps
Rated current: 2.4A Max
Rated power: 12W Max



Item No.	Color	Length	VAT EX	VAT INC	SRP
H26BF		1M	82	88	110
H26WF		1M	82	88	110

3A 27W

Interface: **USB-C/Lightning**
Electroplating process: Nickel-Plated
Jacket: TPE
Shell: ABS
OD: 3.0mm
Data transfer rates: 480Mbps
Output current: 3A Max
Rated power: 27W Max



Item No.	Color	Length	VAT EX	VAT INC	SRP
H14BF		1M	102	114	149

3A 27W

Interface: **USB-C/Lightning**
Electroplating process: Nickel-Plated
Jacket: TPE
Shell: ABS
OD: 3.0mm
Data transfer rates: 480Mbps
Output current: 3A Max
Rated power: 27W Max

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor
global galaxy DISTRIBUTION, INC.

VENTION®

Price list of AUGUST 2026 (Prices are subject to change without prior notice)

Snap, Charge, Go.

240W USB-C Magnetic Braided Cable







Item No.	Color	Length	VAT EX	VAT INC	SRP
TSABG		1.5M	403	451	579
TSAJG		1.5M	403	451	579
TSA0G		1.5M	403	451	579

5A 240W

Interface: **USB-C**
Electroplating Process: Nickel-Plated
Jacket: 48-Strand Braided
Shell: TPE + Aluminium Alloy
Cable Dimensions: 4.0 * 4.5mm
Data Transfer Rates: 480Mbps
Rated Current: 5A Max
Rated Power: **240W Max**





Item No.	Color	Length	VAT EX	VAT INC	SRP
TSBBF		1M	**SOON !!!**		
TSBIF		1M	**SOON !!!**		
TSBOF		1M	**SOON !!!**		

5A 240W

Interface: **USB-C**
Electroplating Process: Nickel-Plated
Jacket: Magnetic Material + Braided
Shell: TPE + Aluminium Alloy
Cable Dimensions: 3.0 * 6.8mm
Data Transfer Rates: 480Mbps
Rated Current: 5A Max
Rated Power: **240W Max**

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor

global galaxy DISTRIBUTION, INC.





3A 27W

Interface: **USB-C/Lightning**
Electroplating process: Nickel-Plated
Jacket: TPE
Shell: ABS
OD: 3.0mm
Data transfer rates: 480Mbps
Output current: 3A Max
Rated power: 27W Max

Item No.	Color	Length	VAT EX	VAT INC	SRP
H17BAV	●	1.2M	216	242	309






5A 100W

Interface: **USB/USB-C/Mirco-B**
Electroplating process: Nickel-Plated
Jacket: TPE + Cotton braided
Shell: Aluminum alloy
OD: 4.7mm
Data transfer rates: 480Mbps
Output current: 5A Max
Rated power: 100W Max

Item No.	Color	Length	VAT EX	VAT INC	SRP
CTLLH	●	2M	298	333	409
CTLLG	●	1.5M	273	305	379
CTLLF	●	1M	247	277	345





5A 100W

Interface: **USB-C**
Electroplating process: Nickel-Plated
Jacket: Silicone
Shell: TPE
OD: 4.3mm
Data transfer rates: 480Mbps
Output current: 5A Max
Rated power: 100W Max

Item No.	Color	Length	VAT EX	VAT INC	SRP
CTMWG	○	1.5M	516	578	739
CTMBG	●	1.5M	516	578	739
CTMPG	○	1.5M	516	578	739



5A 100W

Interface: **USB-C/USB-A /Lightning/Micro**
Electroplating Process: Nickel-Plated
Jacket: PVC + Cotton Braided
Shell: PVC + Aluminum Alloy
OD: 3.8mm
Data Transfer Rates: 480Mbps
Rated Current: 3A (USB-C); 2.4A (Lightning); 2A (Micro)
Rated Power: 60W (USB-C); 12W (Lightning); 10W (Micro)

Item No.	Color	Length	VAT EX	VAT INC	SRP
CTPBG	●	1.5M	198	222	289
CTPLG	○	1.5M	198	222	289
CTPWG	○	1.5M	198	222	289

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor
global galaxy DISTRIBUTION, INC.





VAT EX	VAT INC	SRP
1,385	1,551	1.979

65W

FJDB0I

nterface: **USB/USB-C**
Shell: PC
Single-Port :
Output (USB-C 1/2): 3.3V~11V⎓3A; 5V⎓3A; 9V⎓3A; 12V⎓3A; 15V⎓3A; 20V⎓3.25A (65W Max)
Output (USB): 4.5V⎓5A; 5V⎓4.5A; 9V⎓3A; 12V⎓2.5A; 20V⎓1.5A (30W Max)
Two-Port:
Output (USB-C 1 + USB-C 2): 45W + 18W (63W Max)
Output (USB-C 2 + USB): 5V⎓3A (15W Max)
Three-Port:
Output (USB-C 1 + USB-C 2 + USB): 45W + 5V⎓3A (60W Max)
Output power: **65W Max**
Max power: 880W at 110Vac/1840W at 230Vac
Protocols (USB-C): PPS/PD 3.0/QC 3.0/FCP/AFC/Apple 2.4A
Protocols (USB): QC 3.0/FCP/AFC/Apple 2.4A
Rated current: 8A Max
LED: White





VAT EX	VAT INC	SRP
684	766	979

20W

FJEB0

Interface: **USB/USB-C**
Material: PC
Rated output: 100-250V~10A Max, 2500W Max
Input: 100-250V~50-60Hz, 0.5A
Output (USB-C): 5.0V⎓3.0A (15.0W); 9.0V⎓2.22A (20.0W); 12.0V⎓1.67A (20.0W)
Output (USB-A 1/2): 5.0V⎓3.0A (15.0W); 9.0V⎓2.0A (18.0W); 12.0V⎓1.5A (18.0W)
Output (USB-C + USB-A 1/2): 5.0V⎓3.0A (15.0W Max)
Total output: **20.0W**
Protocols (USB-C): PD 3.0/QC 3.0/FCP/AFC/Apple 2.4A
Protocols (USB): QC 3.0/FCP/AFC/Apple 2.4A





VAT EX	VAT INC	SRP
830	930	1,189

60W

FFOB0

Interface: **USB-C/Lightning**
Shell: Aluminum Alloy/PC + ABS
Input: 12V-24V
Output (USB-C): 5V⎓3A; 9V⎓3A; 12V⎓2.5A; 15V⎓2A; 20V⎓1.5A (30W Max)
Output (Built-In USB-C Cable): 5V⎓3A; 9V⎓3A; 12V⎓2.5A (30W Max)
Output (Built-In Lightning Cable): 5V⎓3A; 9V⎓3A (27W Max)
Output (USB-C + Lightning): 5V⎓3A (Max)
Total Output: **60W (Max)**





VAT EX	VAT INC	SRP
249	279	459

48W

FFRB0

Interface: **USB-A/USB-C**
Material: PC + **ABS**
Input: DC 12-24V
Output (USB-C): 5V⎓3A; 9V⎓3A; 12V⎓2.5A; 15V⎓2A; 20V⎓1.5A (30W Max)
Output (USB-A): 5V⎓3A; 9V⎓2A; 12V⎓1.5A (18W Max)
Output (USB-C + UAB-A): 30W + 18W
Total Output: **48W Max**

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor
global galaxy DISTRIBUTION, INC.

VENTION®

Price list AUGUST 2026 (Prices are subject to change without prior notice)




Bluetooth 5.4

VAT EX	VAT INC	SRP
407	456	579

NAIHG

Bluetooth version: Bluetooth 5.4
Compatible Bluetooth profile: A2DP/AVDTP/AVRCP/RFCOMM/HFP/HSP/SPP/HID
Supported codec: SBC/AAC
Interface: USB Male/3.5mm TRS Male
Conductor: Enameled copper
Jacket: PU
Shell: Zinc alloy + Copper
OD: 2.0mm




Bluetooth 5.0

VAT EX	VAT INC	SRP
447	500	739

NAGHG

Bluetooth version: Bluetooth 5.0
Compatible Bluetooth profile: A2DP/HFP
Supported codec: SBC/AAC
Interface: USB Male/3.5mm TRS Male
Conductor: Enameled copper
Jacket: PU
Shell: Zinc alloy + Copper

50% OFF




Bluetooth 5.1

VAT EX	VAT INC	SRP
194	217	322

NAFBO

Bluetooth version: Bluetooth 5.1
Bluetooth profile: A2DP/HSP/AVRCP/HID/PAN/GAVDP/DI D/IOPT
Effective range: Within 20 m
Frequency band: 2400MHz-2483.5MHz
Interface: USB
Material: ABS
Compatible system: Windows 8/8.1/10/11 (plug & play), Windows 7/XP (driver needed)

50% OFF




Bluetooth 5.3

VAT EX	VAT INC	SRP
194	217	322

NAHBO

Bluetooth version: Bluetooth 5.3
Compatible Bluetooth profile: A2DP/AVRCP/HFP
Effective range: Within 20 m
Bluetooth frequency band: 2400MHz-2483.5MHz
Interface: USB
Material: ABS
Compatible system: Windows 8.1/10/11




USB 3.0

VAT EX	VAT INC	SRP
79	90	135

CDUBO

USB version: USB 3.0
Interface: USB-C Male/USB Female
Electroplating process: Nickel-Plated
Shell: PVC
Data transfer rates: **5Gbps**




USB 2.0

VAT EX	VAT INC	SRP
72	81	129

CDTBO

USB version: USB 2.0
Interface: USB-C Male/USB Female
Electroplating process: Nickel-Plated
Shell: PVC
Data transfer rates: 480Mbps

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor

global galaxy DISTRIBUTION, INC.





USB 3.1 Gen1

VAT EX	VAT INC	SRP
108	121	189

CCVBB

USB version: USB 3.1 Gen 1
Interface: USB-C Male/USB Female
Electroplating process: Nickel-Plated
Conductor: Tinned copper
Jacket: PVC
Shell: PVC
Data transfer rates: 5Gbps





USB 3.1

VAT EX	VAT INC	SRP
195	218	329

CUAH0

USB version: USB 3.1
Interface: USB-C Female/USB Male
Electroplating process: Nickel-Plated
Shell: Aluminum alloy
Data transfer rates: 10Gbps





USB 3.1

VAT EX	VAT INC	SRP
109	122	189

CUBH0

USB version: USB 3.1
Interface: USB-C Male/USB Female
Electroplating process: Nickel-Plated
Shell: Aluminum alloy
Data transfer rates: 10Gbps





USB 3.0

VAT EX	VAT INC	SRP
83	93	139

CDQBO

USB version: USB 3.0
Interface: USB-C Male/USB Female
Electroplating process: Nickel-Plated
Shell: Aluminum alloy
Data transfer rates: **5Gbps**





USB 2.0

VAT EX	VAT INC	SRP
65	73	109

CDWB0

USB version: USB 2.0
Interface: USB Male/USB-C Female
Electroplating process: Nickel-Plated
Shell: PVC
Data transfer rates: 480Mbps

VENTION®

Price list of AUGUST 2026 (Prices are subject to change without prior notice)




VAT EX	VAT INC	SRP
258	289	439

KCOB0

Holder type: Car phone mount
Material: ABS
Compatible device size: 4.7-7.2”
Mounting type: Dashboard/Air vent
Accessory: Suction cup
Weight capacity: 5kg
Dimensions: 117.6mm x 73mm x 84.3mm




VAT EX	VAT INC	SRP
130	146	189

KCTB0

50% OFF

Holder type: Car phone mount
Material: ABS
Compatible device size: 4.7-7.2”
Mounting type: Air vent
Accessory: Y-shaped clip
Weight capacity: 5kg
Dimensions: 117.6mm x 73mm x 84.3mm




VAT EX	VAT INC	SRP
129	145	189

KCSB0

50% OFF

Holder type: Car phone mount
Material: ABS
Compatible device size: 4.7-7.2”
Mounting type: Air vent
Accessory: Y-shaped clip
Weight capacity: 5kg
Dimensions: 112.1mm x 73mm x 83.5mm




VAT EX	VAT INC	SRP
319	357	459

KSFB0

50% OFF

Mounting type: Handlebar
Material: ABS + Silicone
Compatible device size: 4.7-6.9”
Weight capacity: 300g
Dimensions: 140mm x 95mm x 28mm

3 IN 1 WIRELESS CHARGER




VAT EX	VAT INC	SRP
1728	1935	2469

FGEI0

Material: Zinc alloy + ABS
Dimensions: 88mm x 80mm x 25mm
Wireless output:
Phone: 15W/10W/7.5W/5W
Watch: 2.5W
Earbuds: 3W
Effective range: ≤8mm




VAT EX	VAT INC	SRP
1669	1869	2389

FGFB0

Material: Aluminum alloy + ABS
Dimensions: 93mm x 60mm x 21.9mm
Wireless output:
Phone: 15W/10W/7.5W/5W
Watch: 3W
Earbuds: 5W
Effective range: ≤8mm




VAT EX	VAT INC	SRP
1253	1403	1789

FGGB0

Material: ABS + Silicone
Dimensions: 247mm x 74.5mm x 16mm
Wireless output:
Phone: 15W/10W/7.5W/5W
Watch: 2.5W
Earbuds: 3W
Effective range: ≤8mm

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor

global galaxy DISTRIBUTION, INC.

VENTION®

Price list of AUGUST 2026 (Prices are subject to change without prior notice)




ITEM NO.	Compatible Phones	VAT EX	VAT INC	SRP
KVBT0-10	IPHONE 17	273	305	390
KVBT0-20	IPHONE 17 Plus	273	305	390
KVBT0-30	IPHONE 17 Pro	273	305	390
KVBT0-40	IPHONE 17 Pro Max	273	305	390

Material: PC + TPU
Magnets: N52 * 38
Compatible Phones: iPhone 17/ iPhone 17 Plus/ iPhone 17 Pro/ iPhone 17 Pro Max





ITEM NO.	Compatible Phones	VAT EX	VAT INC	SRP
KUGT0-10	IPHONE 16	252	269	360
KUGT0-20	IPHONE 16 Plus	252	269	360
KUGT0-30	IPHONE 16 Pro	252	269	360
KUGT0-40	IPHONE 16 Pro Max	252	269	360

Material: PC + TPU
Magnets: N52 * 38
Compatible Phones: iPhone 16/ iPhone 16 Plus/ iPhone 16 Pro/ iPhone 16 Pro Max





ITEM NO.	Compatible Phones	VAT EX	VAT INC	SRP
KUcT0-20	IPHONE 15 Plus	216	269	360
KUcT0-30	IPHONE 15 Pro	216	269	360
KUBT0-40	IPHONE 15 Pro Max	216	269	360

Material: PC + TPU
Magnets: N52 * 38
Compatible Phones: iPhone 15 Plus/ iPhone 15 Pro/ iPhone 15 Pro Max





ITEM NO.	Compatible Phones	VAT EX	VAT INC	SRP
KUBT0-10	IPHONE 14	216	269	360
KUBT0-20	IPHONE 14 Plus	216	269	360
KUBT0-30	IPHONE 14 Pro	216	269	360
KUBT0-40	IPHONE 14 Pro Max	216	269	360

Material: PC + TPU
Magnets: N52 * 38
Compatible Phones: iPhone 14/ iPhone 14 Plus/ iPhone 14 Pro/ iPhone 14 Pro Max





Item No.	Compatible Phones	VAT EX	VAT INC	SRP
KUAT0-30	IPHONE 13 Pro	216	230	309
KUAT0-40	IPHONE 13 Pro Max	216	230	309

Material: PC + TPU
Magnets: N52 * 38
Compatible Phones: iPhone 13 Pro/ iPhone 13 Pro Max

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor
global galaxy DISTRIBUTION, INC.





Compatible Phones	VAT EX	VAT INC	SRP
IPHONE 17	365	409	520
IPHONE 17 Plus	365	409	520
IPHONE 17 Pro	365	409	520
IPHONE 17 Pro Max	365	409	520

●	KVCBCB-10	KVCBCG-20	KVCBCB-30	KVCBCD-40
●	KVCGCB-10	KVCGCG-20	KVCGCB-30	KVCGCD-40
●	KVCLCB-10	KVCLCG-20	KVCLCB-30	KVCLCD-40
●	KVCNCB-10	KVCNCG-20	KVCNCB-30	KVCNCD-40
●	KVCPCB-10	KVCPCG-20	KVCPCB-30	KVCPCD-40
●	KVCVCB-10	KVCVCG-20	KVCVCB-30	KVCVCD-40

Material: PC + TPU
Magnets: N52 * 38
Compatible Phones: iPhone 17/ iPhone 17 Plus/ iPhone 17 Pro/ iPhone 17 Pro Max

Compatible Phones	VAT EX	VAT INC	SRP
IPHONE 16	301	321	429
IPHONE 16 Plus	301	321	429
IPHONE 16 Pro	301	321	429
IPHONE 16 Pro Max	301	321	429





50% OFF



●	KUGB0-10	KUGB0-20	KUGB0-30	KUGB0-40
●	KUGM0-10	KUGM0-20	KUGM0-30	KUGM0-40
●	KUGL0-10	KUGL0-20	KUGL0-30	KUGL0-40
●	KUGP0-10	KUGP0-20	KUGP0-30	KUGP0-40
●	KUGV0-10	KUGV0-20	KUGV0-30	KUGV0-40
●	KUGG0-10	KUGG0-20	KUDG0-30	KUGG0-40

Material: PC + TPU
Magnets: N52 * 38
Compatible Phones: iPhone 16/ iPhone 16 Plus/ iPhone 16 Pro/ iPhone 16 Pro Max

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor
global galaxy DISTRIBUTION, INC.

VENTION®

Price list of AUGUST 2026 (Prices are subject to change without prior notice)





Compatible Phones	VAT EX	VAT INC	SRP
IPHONE 14	301	321	429
IPHONE 14 Plus	301	321	429
IPHONE 14 Pro	301	321	429
IPHONE 14 Pro Max	301	321	429

●	KUEB0-10	KUEB0-20	KUEB0-30	KUEB0-40
●	KUEM0-10	KUEM0-20	KUEM0-30	KUEM0-40
●	KUEL0-10	KUEL0-20	KUEL0-30	KUEL0-40
●	KUEP0-10	KUEP0-20	KUEP0-30	KUEP0-40
●	KUEV0-10	KUEV0-20	KUEV0-30	KUEV0-40
●	KUEG0-10	KUEG0-20	KUEG0-30	KUEG0-40

Material: PC + TPU
Magnets: N52 * 38
Compatible Phones: iPhone 14/ iPhone 14 Plus/ iPhone 14 Pro/ iPhone 14 Pro Max



Compatible Phones	VAT EX	VAT INC	SRP
IPHONE 15	301	321	429
IPHONE 15 Plus	301	321	429
IPHONE 15 Pro	301	321	429
IPHONE 15 Pro Max	301	321	429

●	KUFB0-10	KUFB0-20	KUFB0-30	KUFB0-40
●	KUFM0-10	KUFM0-20	KUFM0-30	KUFM0-40
●	KUFL0-10	KUFL0-20	KUFL0-30	KUFL0-40
●	KUFP0-10	KUFP0-20	KUFP0-30	KUFP0-40
●	KUFV0-10	KUFV0-20	KUFV0-30	KUFV0-40
●	KUFG0-10	KUFG0-20	KUFG0-30	KUFG0-40

Material: PC + TPU
Magnets: N52 * 38
Compatible Phones: iPhone 15/ iPhone 15 Plus/ iPhone 15 Pro/ iPhone 15 Pro Max



Compatible Phones	VAT EX	VAT INC	SRP
IPHONE 13	301	321	429
IPHONE 13 Plus	301	321	429
IPHONE 13 Pro	301	321	429
IPHONE 13 Pro Max	301	321	429

●	KUDB0-10	KUDB0-20	KUDB0-30	KUDB0-40
●	KUDM0-10	KUDM0-20	KUDM0-30	KUDM0-40
●	KUDL0-10	KUDL0-20	KUDL0-30	KUDL0-40
●	KUDP0-10	KUDP0-20	KUDP0-30	KUDP0-40
●	KUDV0-10	KUDV0-20	KUDV0-30	KUDV0-40
●	KUDG0-10	KUDG0-20	KUDG0-30	KUDG0-40

Material: PC + TPU
Magnets: N52 * 38
Compatible Phones: iPhone 13/ iPhone 13 Plus/ iPhone 13 Pro/ iPhone 13 Pro Max

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor

global galaxy DISTRIBUTION, INC.

VENTION®

Price list of AUGUST 2026 (Prices are subject to change without prior notice)




Material: Tempered Glass
With DUST FREE INSTALLATION KIT/ TOOL
Technology: CNC
Screen Size: 6.1"
Compatible Phones: iPhone 13

50% OFF

ITEM NO.	Compatible Phones	VAT EX	VAT INC	SRP
KUITCA-10	IPHONE 13	169	180	241
KUITCA-30	IPHONE 13 Pro	169	180	241
KUITCC-40	IPHONE 17 Pro Max	169	180	241




Material: Tempered Glass
With DUST FREE INSTALLATION KIT/ TOOL
Technology: CNC
Screen Size: 6.1"
Compatible Phones: iPhone 14

50% OFF

ITEM NO.	Compatible Phones	VAT EX	VAT INC	SRP
KUJTCA-10	IPHONE 14	169	180	241
KUJTCC-20	IPHONE 14 Plus	169	180	241
KUJTCA-30	IPHONE 14 Pro	169	180	241
KUJTCC-40	IPHONE 14 Pro Max	169	180	241




Material: Tempered Glass
With DUST FREE INSTALLATION KIT/ TOOL
Technology: CNC
Screen Size: 6.1"
Compatible Phones: iPhone 15

50% OFF

ITEM NO.	Compatible Phones	VAT EX	VAT INC	SRP
KUKTCA-10	IPHONE 15	169	180	241
KUKTCC-20	IPHONE 15 Plus	169	180	241
KUKTCA-30	IPHONE 15 Pro	169	180	241
KUKTCC-40	IPHONE 15 Pro Max	169	180	241




Material: Tempered Glass
With DUST FREE INSTALLATION KIT/ TOOL
Technology: CNC
Screen Size: 6.1"
Compatible Phones: iPhone 16

50% OFF

ITEM NO.	Compatible Phones	VAT EX	VAT INC	SRP
KULTCA-10	IPHONE 16	169	180	241
KULTCC-20	IPHONE 16 Plus	169	180	241
KULTCA-30	IPHONE 16 Pro	169	180	241
KULTCC-40	IPHONE 16 Pro Max	169	180	241




Material: Tempered Glass
With DUST FREE INSTALLATION KIT/ TOOL
Technology: CNC
Screen Size: 6.3"
Compatible Phones: iPhone 17

50% OFF

ITEM NO.	Compatible Phones	VAT EX	VAT INC	SRP
KWFTCB-10	IPHONE 17	189	212	259
KWFTCB-30	IPHONE 17 PRO	189	212	259
KWFTCD-40	IPHONE 17 PRO MAX	189	212	259
KWFTCG-20	IPHONE 17 AIR	189	212	259




Material: Tempered Glass
Technology: CNC
Screen Size: 6.1"
Compatible Phones: iPhone 16

50% OFF

ITEM NO.	Compatible Phones	VAT EX	VAT INC	SRP
KUNTCA-10	IPHONE 16	132	141	189
KUNTCC-20	IPHONE 16 Plus	132	141	189
KUNTCA-30	IPHONE 16 Pro	132	141	189
KUNTCC-40	IPHONE 16 Pro Max	132	141	189

20th/Fl GlobalBusiness Tower #144 Mayor Ignacio Santos Diaz St., Cubao, Quezon City
For inquiries please call (+632) 8288 9029 / (+632) 8285 5380 / (+632) 3411 4977
Email: marketing.ggdi@gmail.com fb page: GGDI

Official Philippine Distributor

global galaxy DISTRIBUTION, INC.