Tenda

IIDC

INVISION IT DISTRIBUTION CORP.

Home Router

Product Image	Model | Description	SRP	BP	Dealer Price	Vizmin Price
 Package : 40pcs per box	**N301** **300Mbps wireless router 2x5dBi** 2 x 5dBi Antenna 1*10/100Mbps WAN port 3*10/100Mbps LAN ports	695	620	515	515
 Package : 20pcs per box	**F3** **300Mbps wireless router 3x5dBi** 3 x 5dBi Antenna 1*10/100Mbps WAN port 3*10/100Mbps LAN ports	759	679	560	560
 Package : 10pcs per box	**AC6** **1200Mbps smart dual band wireless router** Data Rate, 5Ghz: 867Mbps 2.4Ghz: 300Mbps 1*10/100Mbps WAN port 3*10/100Mbps LAN ports	1,250	1,090	905	905
 Package : pcs per box	**AX12 PRO** **AX3000 Dual-Band Gigabit Wi-Fi 6 Wireless Router** Data Rate, 5 GHz: 2402 Mbps 2.4 GHz: 574 Mbps 1* Gigabit WAN Port 3* Gigabit LAN Ports	2,275	2,135	1,750	1,750
 Package : 20pcs per box	**TE6L Pro** **BE5100 Dual-Band Wi-Fi 7 Router(2.5GE)** Interface : 1*10/100/1000/2500Mbps WAN/LAN port 3*10/100/1000Mbps WAN/LAN ports Ram : 512MB / Flash : 16MB Frequency : 2.4GHz : 688 Mbps /5GHz : 4323 Mbps	4,530	4,265	3,355	3,355
 Package :pcs per box	**BE12 Pro** **BE7200 Dual-Band Wi-Fi 7 Router with 2.5G Ports** BE7200 Dual-Band Wi-Fi 7 Router with 2.5G Ports Interface 2*10/100/1000/2500Mbps WAN/LAN ports 3*10/100/1000Mbps WAN/LAN ports Frequency : 2.4GHz : 1376 Mbps /5GHz : 5765 Mbps	6,500	6,200	5,000	5,000
 Package : 5pcs per box	**W18E AC1200** **Dual Band Gigabit Enterprise Wireless Router** Interface : 4*GE(1~3 WAN/ 1~3 LAN) Ram : 128MB / Flash : 16MB Frequency : 2.4GHz/5GHz Wireless Speed : 300+867Mbps	2,620	2,465	1,940	1,940

 Package : 6pcs per box	**MW3 3-Pack** **AC1200 Whole Home Mesh WiFi System [PLDT HOME]** 3-in-One Pack Mesh Wifi Interface : 2 x 10/100Mbps RJ45 ports per node 2 x Internal antenna Frequency : 2.4GHz/5GHz Wireless Speed : 300+867Mbps	5,900	5,555	4,375	4,375
Core Router, Ceiling AP					
 Package : pcs per box	**G0-5G-PoE** **5 Port Gigabit Ethernet PoE Router** Network Interface : 5*GE (Max. 4 WAN, Max. 4 LAN) PoE Interface : Port: 1-4 Memory information : 128MB Max. power consumption : 5W (Excluding PoE output) Max. PoE wattage per port by PSE : 30W Processor : Dual Core, 1.0GHz, MIPS	4,190	3,945	3,105	3,105
 Package : pcs per box	**G0-8G-PoE** **9 Port Gigabit Ethernet PoE Route** Network Interface : 9*GE (Max. 4 WAN, Max. 8 LAN) PoE Interface : Port: 1-8 Memory information : 128MB Max. power consumption : 7W (Excluding PoE output) Max. PoE wattage per port by PSE : 30W Processor : Dual Core, 1.0GHz, MIPS	5,390	5,075	3,995	3,995
 Package : pcs per box	**I24** **AC1200 Dual Band Gigabit Ceiling AP** Interface : One 10/100/1000 Mbps Ethernet Port (PoE) Antenna : 2.4GHz: 2 x 4dBi, 5GHz: 2 x 4dBi Frequency Range : 2.4GHz&5GHz Maximum wireless speed : 2.4GHz: 300Mbps, 5GHz: 867Mbps Bandwidth : 20MHz/40MHz/80MHz	3,620	3,410	2,685	2,685
 Package : pcs per box	**I27** **AX3000 Wi-Fi 6 Gigabit Ceiling AP** Interface : One 10/100/1000 Mbps Ethernet Port (PoE) Antenna : 2.4GHz: 2 x 4dBi, 5GHz: 2 x 4dBi Frequency Range : 2.4GHz&5GHz Maximum wireless speed : 2.4GHz: 574Mbps, 5GHz: 2402Mbps Bandwidth : 20MHz/40MHz/80MHz/160MHz	5,460	5,135	4,045	4,045

Outdoor AP, CPE

 Package : 20pcs per box	**OAP1200** **AC1200 Gigabit Outdoor AP** Interface : One 10/100/1000 Mbps Ethernet Port (PoE) Antenna : 2.4GHz: 2 x 4dBi, 5GHz: 2 x 4dBi Frequency Range : 2.4GHz&5GHz Maximum wireless speed : 2.4GHz: 300Mbps, 5GHz: 867Mbps Bandwidth : 20MHz/40MHz/80MHz	2,650	2,495	1,965	1,965
 Package : 20pcs per box	**O3** **150Mbps Outdoor CPE, 2.4GHz 12dBi 11n** Frequency Range : 2.4GHz Compliant Standards : IEEE 802.11b/g/n Maximum Wireless Rate : 150Mbps Interfaces : 2*10/100Mbps Ethernet Port Antennas Gain : 12dbi	2,060	1,945	1,530	1,530
 Package : pcs per box	**O9** **5GHz 11ac 23dBi Gigabit Outdoor CPE** Frequency Range : 5GHz Compliant Standards : IEEE 802.11a/n/ac Maximum Wireless Rate : 867Mbps Interfaces : 1*10/100/1000Mbps Ethernet Port Antennas Gain : 23dBi	3,920	3,680	2,900	2,900

Unmanaged Switch

Product Image	Model | Description	SRP	BP	Dealer Price	Vizmin Price
Package : 100pcs per box	**S105** **5port Ethernet Switch 10/100Mbps** 4*10/100 Base-TX Ethernet ports (Auto MDI/MDIX)	380	355	280	280
 Package : pcs per box	**S108** **8port Ethernet Switch 10/100Mbps** 8*10/100 Base-TX Ethernet ports (Auto MDI/MDIX)	480	450	355	355
 Package : 120pcs per box	**SG105** **5port gigabit desktop soho switch** 5*10/100/1000 Base-T Ethernet ports (Auto MDI/MDIX)	520	490	385	385

	**SG108** **8port gigabit desktop soho switch**	**950**	**895**	**705**	**705**
Package : 100pcs per box	8*10/100/1000 Base-T Ethernet ports (Auto MDI/MDIX)				
	**TEG1008M** **8port gigabit ethernet switch**	**1,570**	**1,475**	**1,160**	**1,160**
Package : pcs per box	8*10/100/1000 Base-T Ethernet ports (Auto MDI/MDIX)				
	**TEG1016M** **16port gigabit ethernet switch**	**2,620**	**2,465**	**1,940**	**1,940**
Package : pcs per box	16*10/100/1000Base-T Ethernet ports				
	**TEG1024D** **24port gigabit ethernet switch**	**4,200**	**3,950**	**3,115**	**3,115**
Package : pcs per box	24*10/100/1000 Base-T Ethernet ports (Auto MDI/MDIX)				

PoE Switch

	**TEF1106P-4-63W** **6-Port 10/100M Desktop Switch with 4-Port PoE**	**1,080**	**1,015**	**800**	**800**
Package : pcs per box	4*10/100 Base-TX Ethernet ports (Data/Power) 2*10/100 Base-TX Ethernet ports (Data) Switch Capacity: 1.2 Gbps Packet Forwarding Rate: 0.89Mpps POE Budget: Single port: AF: 15.4W, AT: 30W Whole device: 63W			HOT ITEM	
	**TEF1110P-8-63W** **10-Port 10/100M Desktop Switch with 8-Port PoE**	**1,590**	**1,499**	**1,180**	**1,180**
Package : pcs per box	8 * 10/100 Base-TX Ethernet ports (Data/Power) 2 * 10/100 Base-TX Ethernet ports (Data) Switch Capacity: 1.6 Gbps Packet Forwarding Rate: 1.48Mpps POE Budget: Single port: AF: 15.4W, AT: 30W Whole device: 58W			HOT ITEM	
	**TEG1110PF-8-120W** **9GE+1SFP Ethernet Switch With 8-Port PoE**	**3,340**	**3,140**	**2,475**	**2,475**
Package : pcs per box	(9) 1GE RJ45 ports (1) 1GE SFP ports Switch Capacity: 20Gbps Packet Forwarding Rate: 14.9Mpps POE Budget: Single port: AF: 15.4W, AT: 30W Whole device: 92W				
	**TEF-1118P-16-150W** **16FE+2GE/1SFP desktop switch with 16port POE**	**6,480**	**6,090**	**4,800**	**4,800**
Package : pcs per box	16 * 10/100 Base-TX Ethernet ports (Data/Power) 2 * 10/100/1000 Base-T Ethernet ports (Data) 1 * 1000 Base-X SFP port (Combo) Switch Capacit: 7.2 Gbps Packet Forwarding Rate: 5.36Mbps POE Budget: Single port: AF: 15.4W, AT: 30W. Whole device: 130W				

  Package : pcs per box	**TEG1118P-16-250W** **16GE+2SFP Ethernet Switch With 16-Port PoE** 16 * 100/1000 Mbps Base-T RJ45 ports (Data/Power) 2* 1000 Mbps Base-X SFP port Switch Capacity: 36 Gbps Packet Forwarding Rate: 26.8 Mpps POE Budget: Single port: AF: 15.4W, AT: 30W Whole device: 230W	**9,760**	**9,180**	**7,230**	**7,230**

L2/L3 Managed Switch

 Package : pcs per box	**TEG3328F** **L2 Managed Switch** Interfaces : 24*10/100/1000 Base-T Ethernet ports, 4*1000 Base-X SFP ports, 1*Console port Switch capacity : 56Gbps Packet forwarding rate : 41.70Mpps MAC Address Table : 16K Port surge : 6kV Layer type : Layer 2	**8,330**	**7,800**	**6,170**	**6,170**
 Package : pcs per box	**TEG5328F** **L3 Managed Switch** Interfaces : 24*10/100/1000 Base-T Ethernet ports, 4*1000 Base-X SFP ports, 1*Console port Switch capacity : 56Gbps Packet forwarding rate : 41.70Mpps MAC Address Table : 16K Port surge : 6kV Layer type : Layer 3	**10,500**	**9,800**	**7,790**	**7,790**
 Package : pcs per box	**TEG5328P-24-410W** **L3 Managed PoE Switch** Interfaces : 24*10/100/1000 Base-T Ethernet ports 4*1000 Base-X SFP ports, 1*Console port Switch capacity : 56Gbps Packet forwarding rate : 41.70Mpps PoE budget : Single port: AF: 15.4W, AT: 30W Whole device: 370W Layer type : Layer 3	**12,500**	**11,700**	**9,290**	**9,290**

OLT, ONU

 Package :5pcs per box	**TES7001** **Single port GPON OLT** With C++ 7dBm PON Module*1 Standards : ITU G.984.x, ITU G.988 Uplink : 1 *10G SFP/SFP+ Port, 4 *1000Mbps RJ45 Ports, 1 *Console port GPON Port : 1 *GPON port Transmission Distance : 20km Max Bandwidth : Upstream 1.244Gbps , Downstream 2.488Gbps	**11,750**	**10,450**	**8,705**	**8,705**
 Package :5pcs per box	**TES7002** **2-Port GPON OLT** With C++ 7dBm PON Module*2 Standards : ITU G.984.x, ITU G.988 Uplink : 1 *10G SFP/SFP+ Port, 4 *1000Mbps RJ45 Ports, 1 *Console port GPON Port : 2 *GPON Ports Transmission Distance : 20km Max Bandwidth : Upstream 1.244Gbps , Downstream 2.488Gbps	**18,500**	**16,480**	**13,730**	**13,730**

 Package : pcs per box	**TES7008** **8-Port GPON OLT** With C++ 7dBm PON Module*8 Standards : ITU G.984.x, ITU G.988 Uplink : 2*10G SFP/SFP+ Port, 2*1000Mbps RJ45 Ports, 1*1000Mbps RJ45 NMS Port, 1*Console port (RS-232), 1*Console port (Typec) GPON Port : 8 *GPON Ports Transmission Distance : 20km Max Bandwidth : Upstream 1.244Gbps , Downstream 2.488Gbps	**84,480**	**75,000**	**62,580**	**62,580**
 Package : pcs per box	**HG3 N300** **Wi-Fi xPON ONT** IEEE Standards : IEEE 802, 802.1Q, 802.10, IEEE 802.11, 802.3U, 802.3Z PON Standards : GPON: ITU G.984.1, ITU G.984.2, ITU G.984.3, ITU G.984.4, EPON: IEEE802.3ah Interfaces : 1*SC/APC (or UPC) Port, 1*1000Mbps RJ45 LAN Port, 1*100Mbps RJ45 LAN Port, 1*DC Port Transmission Distance : 20km Max Bandwidth : Upstream 1.25Gbps Max, Downstream 2.5Gbps Max	**1,040**	**925**	**770**	**770**
 Package : 18pcs per box	**HG10C AC1200** **Dualband Wi-Fi xPON ONT** IEEE Standards : IEEE 802, 802.1Q, 802.10, IEEE 802.11, 802.3U, 802.3Z PON Standards : GPON ： ITU G.984.1, ITU G984.2, ITU G984.3, ITU G984.4, EPON ： IEEE 802.3 ah Interfaces : 1 *SC/APC or SC/UPC （optional） Port 4 *1000Mbps RJ45 LAN Ports, 1 *DC Power Transmission Distance : 20km Max Bandwidth : GPON: Upstream 1.244Gbps Max, Downstream 2.488Gbps Max, EPON: Upstream 1.244Gbps Max, Downstream 1.244Gbps Max	**1,715**	**1,525**	**1,270**	**1,270**
 Package : pcs per box	**HG15C AX1500** **Wi-Fi6 xPON ONT** IEEE Standards : IEEE 802, 802.1Q, 802.10, IEEE 802.11, 802.3U, 802.3Z PON Standards : GPON: ITU G.984.1, ITU G.984.2, ITU G.984.3, ITU G.984.4, EPON: IEEE 802.3 ah Interfaces : 1*SC/APC or SC/UPC （optional） Port 4*1000Mbps RJ45 LAN Ports, 1*DC Power Transmission Distance : 20km Max Bandwidth : GPON: Upstream 1.244Gbps Max, Downstream 2.488Gbps Max, EPON: Upstream 1.244Gbps Max, Downstream 1.244Gbps Max	**1,960**	**1,740**	**1,450**	**1,450**
 Package : pcs per box	**SG04E** **4GE PoE xPON ONU** Standards : ITU G.984.1, ITU G.984.2, ITU G.984.3, ITU G.984.4 IEEE802.3ah， IEEE 802.3at,IEEE 802.3af Interface : 1*SC/APC or SC/UPC （optional） Port, 4*1000Mbps RJ45 LAN Ports, 1*DC Power Optical Wavelength : Transmit at 1310nm, Receive at 1490nm Transmission Distance : 20km Max Bandwidth : EPON ： Upstream 1.244Gbps Max, Downstream 1.244Gbps Max, GPON ： Upstream 1.244Gbps Max, Downstream 2.488Gbps Max	**3,100**	**2,760**	**2,300**	**2,300**

Media Conventer

	**TFC300A** **1000Mbps Single-mode Media Conventer**	**675**	**600**	**500**	**500**
	TFC300B **1000Mbps Single-mode Media Conventer**	**675**	**600**	**500**	**500**
Package : pcs per box	Sheet Material : Steel Shell Fixed Interface : 1*1GE RJ45 port, 1*1GE SC fiber port Fiber Type : Single mode single fiber Transmission Distance : 3KM Working Wavelength A : Send: 1550nm, Receive: 1310nm B : Send: 1310nm, Receive: 1550nm				

4G, 5G LTE Router

	**4G05** **N300 Wi-Fi 4G LTE Router**	**2,430**	**2,160**	**1,800**	**1,800**
Package : 40pcs per box	Wi-Fi Standards: 802.11b/g/n Wi-Fi Speed: 2.4GHz, 300Mbps Interface: 1 × 10/100 Mbps LAN/WAN Port, 1 × 10/100 Mbps LAN Port, 1 × Nano SIM Card Slot Antennas : 2 External 4G/3G Antennas				
	**4G08** **AC1200 Dual-Band Wi-Fi 4G+ LTE Router**	**4,150**	**3,685**	**3,070**	**3,070**
Package : 20pcs per box	Wi-Fi Standards: 802.11b/g/n/ac Wi-Fi Speed: 2.4GHz:300Mbps, 5GHz:867Mbps Interface: 1 × 10/100/1000 Mbps LAN/WAN Port, 1 × 10/100/1000 Mbps LAN Port, 1 × Nano SIM Card Slot Antennas : 2 External 4G/3G Antennas, 2 External Wi-Fi Antennas				
	**4G185** **4G LTE-Advanced Pocket Mobile Wi-Fi 6Router**	**2,590**	**2,220**	**1,850**	**1,850**
Package: pcs per box	LCD Display: 1.44 inches colorful screen Compatibility: Compatible with 4000+ carriers' SIM cards USB Port: USB-C, SIM Slot: Nano（4FF) Battery Capacity: 2100 mAh Wi-Fi Speed: 300M Wi-Fi Standard: Wi-Fi 6 Speed: 150M				
	**5G01 AX1500** **Wi-Fi 6 5G NR Router**	**9,940**	**8,850**	**7,360**	**7,360**
Package : 10pcs per box	Wireless Connectivity : Wi-Fi 6 (802.11ax) with 2x2 MIMO Wi-Fi speed : 300Mbps on 2.4 GHz, 1201Mbps on 5 GHz Wi-Fi standards : 802.11b/g/n, 802.11ac, 802.11A Wi-Fi frequency : 2.4GHz, 5GHz Ethernet Ports : 1 × 10/100/1000 Mbps LAN/WAN Port , 1 × 10/100/1000 Mbps LAN Port				

USB Adapter, Range Extender

Product Image	Model | Description	SRP	BP	Dealer Price	Vizmin Price
 Package : 60pcs per box	**A9** **300Mbps Wireless Range Extender**	825	735	610	610
 Package : pcs per box	**T10** **N300 Wi-Fi Range Extender**	880	780	650	650
 Package : pcs per box	**A18 Pro** **AC1200 Dual-Band Wi-Fi Range Extender (Gigabit Ethernet Port)**	1,640	1,450	1,210	1,210
Package : pcs per box	**A33** **AX3000 Wi-Fi 6 Range Extender**	3,250	3,050	2,500	2,500
 Package : 120pcs per box	**W311MI** **Mini USB AX300 Wi-Fi 6 Wireless Nano Usb Adapter**	433	385	320	320
 Package : pcs per box	**U9** **AC650 auto-install wireless dual band USB adapter**	665	589	490	490
 Package : 90pcs per box	**U11 Pro** **AX900 Wi-Fi 6 Wireless USB Adapter**	730	649	540	540
 Package : pcs per box	**U12** **AC1300 wireless dual band USB adapter**	1,135	1,000	840	840

Home Wi-Fi Camera

Product Image	Model | Description	SRP	BP	Dealer Price	Vizmin Price
	**CP3 V3.0** **Wifi Pan/Tilt camera 3MP**	940	835	695	695
Package : 40pcs per box	Lens: 4mm@F2.0, 2304*1296 Coding Standard: H.265 Wireless Rate: 287Mbps Alarm: Motion detection,Human detection Audio: Full-duplex two-way audio				
	**CP3 Pro** **Wifi Pan/Tilt camera 3MP**	1,150	1,020	850	850
Package : 36pcs per box	Lens: 4mm@F2.0, 2304*1296 Coding Standard: Smart H.264, H.265 Wireless Rate: 287Mbps Alarm: Motion detection,Human/Pet Detection,Cry Detection Audio: Full-duplex two-way audio,One-touch Call				
	**CP7** **Wifi Pan/Tilt camera 5MP, AI + Ultra Clear**	1,750	1,555	1,295	1,295
Package : 36pcs per box	Lens: 4mm@F2.0, 2560 x 1440 Coding Standard: Smart H.265 Wireless Rate: 150 Mbps Alarm: Motion Detection, Tampering Detection, Human Detection, Cry Detection Audio: Two-way Audio, One-touch Call				
	**CT3** **0utdoor Wifi Camera 1080P**	1,750	1,555	1,295	1,295
Package : 24pcs per box	Pan/Tilt : unsupport Wireless Standard : IEEE 802.11b/g/n @2.4GHz Wireless Rate : 300Mbps Noise Reduction : 3D digital noise reduction Day and Night Shift Mode : ICR type Storage : Micro SD card Up to 256G, Class10 and above Power : DC 12V 1A	30% OFF			
	**CH3 V2.0** **Outdoor Wifi Camera 1080P Full Color Pan/Tilt 3MP**	2,150	2,050	1,650	1,650
	Pan/Tilt : Supported Resolution : 1920*1080 Day and Night Shift Mode : ICR type Noise Reduction : 3D digital noise reduction Wireless Standard : IEEE 802.11b/g/n @2.4GHz Wireless Rate : 144 Mbp				

 Package : 18pcs per box	**CH9** **Outdoor Dual-Lens Linkage Wifi Pan/Tilt Camera 6MP** Lens: Fixed Lens: 4mm, PT Lens: 6mm Six High-Power Spotlights and Infrared Lights Night Vision: Smart Mode, Full Color Mode, Black & White Mode Video Encoding Format: H.265, H.264 Audio Communication: Two-way Audio, Voice Input Main Stream Resolution: Fixed Lens: 2304 ×1296, 1920 × 1080, 1280 × 720 PT Lens: 2304 ×1296, 1920 × 1080, 1280 × 720 Smart Detection: Both fixed lens and PT lens are supported motion detection, human detection, vehicle detection, line crossing Detection, intrusion detection	**2,940**	**2,610**	**2,175**	**2,175**

Security Camera

 With Free Bracket Package : 24pcs per box	**IT7-PRS-4** **4MP PoE Bullet Security Camera** Ports: POE Power, RJ45 100M*1 Lens: 4mm@F2.2, 2560*1440 Coding Standard: H.265/H.264 Smart Alarm: S-motion detection&Human Shape detection&Customized area detection Audio: Built-in microphone Night Vision: 50 Meters Water Proof: IP66	**1,575**	**1,575**	**1,300**	**1,300**
 Package : 24pcs per box	**IC7-PRS-4** **4MP PoE Dome Security Camera** Ports: POE Power, RJ45 100M*1 Lens: 4mm@F2.2, 2560*1440 Coding Standard: H.265/H.264 Smart Alarm: S-motion detection&Human Shape detection&Customized area detection Audio: Built-in microphone Night Vision: 30 Meters	**1,990**	**1,990**	**1,645**	**1,645**
	**Camera Bracket**	**60**	**60**	**50**	**50**

50% OFF

NVR

Product Image	Model | Description	SRP	BP	Dealer Price	Vizmin Price
 CLEARANCE PoE	**N6P-4H** **4 Channel PoE HD Network Video Recorder**	2,180	2,180	1,800	1,800
Package : pcs per box	4K UHD, Ultra-long Distance Transmission Ethernet Port: 1 RJ45, 10Mbps/100Mbps POE Port: 4 RJ45, 10/100Mbps	50% OFF			
 CLEARANCE PoE	**N6P-8H** **8 Channel PoE HD Network Video Recorder**	2,920	2,920	2,415	2,415
Package : pcs per box	4K UHD, Ultra-long Distance Transmission Ethernet Port: 1 RJ45, 10Mbps/100Mbps POE Port: 4 RJ45, 10/100Mbps	50% OFF			
 CLEARANCE PoE	**N6P-16H** **16 Channel 8 PoE HD Network Video Recorder**	3,175	3,175	2,625	2,625
Package : pcs per box	4K UHD, Ultra-long Distance Transmission Ethernet Port: 1 RJ45, 10Mbps/100Mbps POE Port: 4 RJ45, 10/100Mbps	50% OFF			
	**N3L-4H** **4 Channel HD Network Video Recorder**	1,265	1,265	1,045	1,045
Package : pcs per box	UHD Recordings and HDD Bad Sector Isolation IP Video Input: 4-ch IP Video Resolution: Up to 8MP Ethernet Port: 1 RJ45, 10Mbps/100Mbps	50% OFF			
	**N3L-8H** **8 Channel HD Network Video Recorder**	1,665	1,665	1,375	1,375
Package : pcs per box	UHD Recordings and HDD Bad Sector Isolation IP Video Input: 8-ch IP Video Resolution: Up to 8MP Ethernet Port: 1 RJ45, 10Mbps/100Mbps	50% OFF			

Tenda : 2 Years Warranty,KOWIN SD CARD : 1 Year Warranty, Bottom Price is the lowest price allowed post online or selling to endusers. We control the online posting price (VAT EX.) shall not lowered than this BP