COMLINK®
SPEED SAFETY 24*7 STABLE


Cat 6 UTP Cable (Indoor)

Product Image	Model & Description	Variation	Meter	GW(Per Roll)	Bottom Price	Luzon Price	Vizmin Dealer
	**C6ID-CCA50-100** Indoor Cat6 UTP Cable CCA-0.50mm	**Blue**	**100M**	9KG 38*38*24cm	**500**	**470**	**480**
	C6ID-CCA50-305 Indoor Cat6 UTP Cable CCA-0.50mm	**Blue**	**305M**	9KG 38*38*24cm	**1,325**	**1,250**	**1,270**
	23AWG 0.50mm Copper Clad Aluminum (CCA)				**MOQ : 20pcs**		

Cat 6 UTP Cable (Outdoor Waterproof)

	**C6OD-CCA53-100** Outdoor Cat6 UTP Cable 100M, CCA 0.53mm	**Jacket: Inner PVC, Outer PE**	**100M**		**575**	**550**	**560**
	C6OD-CCA53-305 Outdoor Cat6 UTP Cable 305M, CCA 0.53mm	**Jacket: Inner PVC, Outer PE**	**305M**		**1,625**	**1,545**	**1,570**
	23AWG 0.53mm Copper Clad Aluminum (CCA)				**MOQ : 20pcs**		
	**C6OD-OFC55-305** Outdoor Cat6 UTP Cable 305M, Oxygen-Free-Copper 0.55mm	**Jacket: Inner PVC, Outer PE**	**305M**		**6,250**	**5,500**	**5,560**
	23AWG 0.55mm Oxygen Free Copper (OFC)				**MOQ : 10pcs**		

Drop Cable 1 Core 1KM


Product Image	Model & Description	Variation	Meter	Package	Bottom Price	Luzon Price	Vizmin Dealer
	**C1.0 Drop Cable 1F(1KM)** 1.0mm, GJYXCH 1Core 3 Steel Galvanized **[Available only in Mindanao]**	**1 Core**	**1KM**	Gw. 22Kg Per Drum(1km)	**2,225**	**2,120**	**2,190**
	C1.0 Drop Cable 2F(1KM) 1.0mm, GJYXCH 2Core 3 Steel Galvanized	**2 Core**	**1KM**	Gw. 22Kg Per Drum(1km)	**2,800**	**2,650**	**2,720**
CAN OEM BRAND	* 1.0mm Steel Galvanized Messenger Wire * 0.45mm x2, Galvanized Support Messenger * YOFC Fiber Core * Blue Core Optical Fiber * LSZH PE Jacket				**20 Reels Less 2%** **100 Reels Less 6%** **OEM MOQ 200KM**		

COMLINK®
SPEED SAFETY 24/7 STABLE


Drop Cable Multi Core

Product Image	Model & Description	Variation	Meter	Package	Bottom Price	Luzon Price	Vizmin Dealer
	**V3 Drop Cable 1F(1KM)** 1.2mm, GJYXCH 1Core 3 Steel Galvanized	1 Core	1KM	Gw. 24Kg Per Drum(1km)	2,550	2,430	2,520
	V3 Drop Cable 1F(2KM) 1.2mm, GJYXCH 1Core 3 Steel Galvanized	1 Core	2KM	Gw. 44Kg Per Drum(2km)	4,975	4,730	4,910
	V3 Drop Cable 2F(1KM) 1.2mm, GJYXCH 2Core 3 Steel Galvanized	2 Core	1KM	Gw. 24Kg Per Drum(1km)	2,925	2,790	2,880
	V3 Drop Cable 2F(2KM) 1.2mm, GJYXCH 2Core 3 Steel Galvanized	2 Core	2KM	Gw. 44Kg Per Drum(2km)	8,100	7,690	7,780
	V3 Drop Cable 4F(2KM) 1.2mm, GJYXCH 4Core 3 Steel Galvanized	4 Core	2KM	Gw. 44Kg Per Drum(2km)	12,050	11,455	11,540
	V3 Drop Cable 6F(2KM) 1.2mm, GJYXCH 6Core 3 Steel Galvanized	6 Core	2KM	Gw. 44Kg Per Drum(2km)	x	x	x
	* 1.2mm Solid Steel Galvanized Messenger Wire * 0.45mm x2, Galvanized Support Messenger * YOFC Fiber Core * Blue Core Optical Fiber * LSZH PE Jacket				20 Reels Less 2% 100 Reels Less 6% OEM MOQ 200KM		

Mini Figure

 CAN OEM BRAND	**V2 Mini Fig8 4F(2KM)** 1.5mm, GYXTC8Y 4Core Fiber Cable	4 Core	2KM	Gw. 70Kg Per Drum(2km)	14,975	14,380	14,520
	V2 Mini Fig8 8F(2KM) 1.5mm, GYXTC8Y 8Core Fiber Cable	8 Core	2KM	Gw. 70Kg Per Drum(2km)	21,725	20,865	21,010
	V2 Mini Fig8 12F(2KM) 1.5mm, GYXTC8Y 12Core Fiber Cable	12 Core	2KM	Gw. 70Kg Per Drum(2km)	26,500	25,430	25,570
	* 1.5mm Stranded Steel Galvanized Messenger Wire * RIP Cord * YOFC Fiber Core * Jelly Compound * Aramid Yarn				10 Reels Less 2% 40 Reels Less 6% OEM MOQ 20KM		

Globe Mini Figure VG1.6

COMLINK®	**Globe Mini Fig8 4F(2KM)** 1.6mm, GYXTBC8Y 4Core Fiber Cable, Dia 3.6*9.2mm	**4 Core**	**2KM**	Gw. 120Kg Per Drum(2km)	**18,800**	**17,865**	**18,100**
	**Globe Mini Fig8 8F(2KM)** 1.6mm, GYXTBC8Y 8Core Fiber Cable, Dia 3.6*9.2mm	**8 Core**	**2KM**	Gw. 120Kg Per Drum(2km)	**24,775**	**23,530**	**23,770**
	Globe Mini Fig8 12F(2KM) 1.6mm, GYXTBC8Y 12Core Fiber Cable, Dia 3.6*9.2mm	**12 Core**	**2KM**	Gw. 120Kg Per Drum(2km)	**30,725**	**29,195**	**29,430**
	* 1.6mm Solid Steel Galvanized Messenger Wire * 0.8mm x2, Galvanized Support Messenger * RIP Cord * YOFC Fiber Core * Jelly Compound * Water Blocking Yarn				**10 Reels Less 2%** **40 Reels Less 6%** **OEM MOQ 20KM**		
CAN OEM BRAND							

Globe Mini Figure

COMLINK®	**V2 Globe Mini Fig8 8F(2KM)** 1.8mm, GYXTBC8Y 8Core Fiber Cable	**8 Core**	**2KM**	Gw. 120Kg Per Drum(2km)	**25,225**	**23,955**	**24,350**
	**V2 Globe Mini Fig8 12F(2KM)** 1.8mm, GYXTBC8Y 12Core Fiber Cable	**12 Core**	**2KM**	Gw. 120Kg Per Drum(2km)	**32,025**	**30,420**	**30,670**
	V2 Globe Mini Fig8 16F(2KM) 1.8mm, GYXTBC8Y 16Core Fiber Cable	**16 Core**	**2KM**	Gw. 120Kg Per Drum(2km)	**36,275**	**34,460**	**34,730**
	V2 Globe Mini Fig8 24F(2KM) 1.8mm, GYXTBC8Y 24Core Fiber Cable	**24 Core**	**2KM**	Gw. 138Kg Per Drum(2km)	**43,475**	**41,305**	**41,590**
	V2 Globe Mini Fig8 48F(2KM) 1.8mm, GYXTBC8Y 48Core Fiber Cable	**48 Core**	**2KM**	Gw. 174Kg Per Drum(2km)	**88,800**	**84,370**	**84,730**
	* 1.8mm Stranded Galvanized Messenger Wire * 0.8mm x2, Galvanized Support Messenger * RIP Cord * YOFC Fiber Core * Jelly Compound * Water Blocking Yarn				**10 Reels Less 2%** **40 Reels Less 6%** **OEM MOQ 20KM**		
CAN OEM BRAND							

Comfast Globe Mini Figure - Clearance

COMFAST

Product Image	Model & Description	Variation	Meter	Package	Bottom Price	Luzon Price	Vizmin Dealer
COMFAST	**V2 Globe Mini Fig8 8F(2KM)** 1.8mm, GYXTBC8Y 8Core Fiber Cable	**8 Core**	**2KM**	Gw. 120Kg Per Drum(2km)	**x**	**x**	**x**
	V2 Globe Mini Fig8 12F(2KM) 1.8mm, GYXTBC8Y 12Core Fiber Cable	**12 Core**	**2KM**	Gw. 120Kg Per Drum(2km)	**x**	**x**	**x**
	**V2 Globe Mini Fig8 16F(2KM)** 1.8mm, GYXTBC8Y 16Core Fiber Cable	**16 Core**	**2KM**	Gw. 130Kg Per Drum(2km)	**30,070**	**26,460**	**26,955**
	V2 Globe Mini Fig8 24F(2KM) 1.8mm, GYXTBC8Y 24Core Fiber Cable	**24 Core**	**2KM**	Gw. 130Kg Per Drum(2km)	**x**	**x**	**x**
	* 1.8mm Stranded Galvanized Messenger Wire * 0.8mm x2, Galvanized Support Messenger * RIP Cord * YOFC Fiber Core * Jelly Compound * Water Blocking Yarn				**10 Reels Less 2%** **40 Reels Less 6%** **OEM MOQ 20KM**		
CAN OEM BRAND							

COMLINK®
SPEED SAFETY STABLE

Armoured Mini Fig (Order Basis Only, MOQ 10KM)

Product Image	Model & Description	Variation	Meter	Package	Bottom Price	Luzon Price	Vizmin Dealer
 CAN OEM BRAND	**Armoured Mini Fig8 8F(2KM)** 1.5mm,GYXTC8S 8Core Fiber Cable	8 Core	2KM	Gw. 140Kg Per Drum(2km)	x	x	x
	Armoured Mini Fig8 12F(2KM) 1.5mm,GYXTC8S 12Core Fiber Cable	12 Core	2KM	Gw. 140Kg Per Drum(2km)	32,375	30,760	31,340
	Armoured Mini Fig8 16F(2KM) 1.5mm,GYXTC8S 16Core Fiber Cable	16 Core	2KM	Gw. 156Kg Per Drum(2km)	x	x	x
	Armoured Mini Fig8 24F(2KM) 1.5mm,GYXTC8S 24Core Fiber Cable	24 Core	2KM	Gw. 156Kg Per Drum(2km)	38,775	36,830	37,470
	* 1.5mm Stranded Steel Galvanized * Messenger Wire * Armoring : Steel tape * Jelly Compound * Water blocking tape				Order Basis Only, MOQ 10KM		

Fig 8 Cable 2.1mm (Order Basis Only, MOQ 4KM)

Product Image	Model & Description	Variation	Meter	Package	Per KM Price	Luzon Price (4KM)	Vizmin Dealer (4KM)
 CAN OEM BRAND	**Fig8 8F [4KM/Reel]** GYTC8Y 8Core Gal 2.1mm	8 Core	4KM	Gw. 600Kg Per Drum(4km)			
	Fig8 12F [4KM/Reel] GYTC8Y 12Core Gal 2.1mm	12 Core	4KM	Gw. 600Kg Per Drum(4km)			
	Fig8 24F [4KM/Reel] GYTC8Y 24Core Gal 2.1mm	24 Core	4KM	Gw. 600Kg Per Drum(4km)			
	Fig8 48F [4KM/Reel] GYTC8Y 48Core Gal 2.1mm	48 Core	4KM	Gw. 690Kg Per Drum(4km)			
	Fig8 72F [4KM/Reel] GYTC8Y 72Core Gal 2.1mm	72 Core	4KM	Gw. 690Kg Per Drum(4km)			
					Order Basis Only, MOQ 4KM		

Armoured Fig 8 Cable 2.7mm (Order Basis Only, MOQ 4KM)

Product Image	Model & Description	Variation	Meter	Package	Per KM Price	Luzon Price (4KM)	Vizmin Dealer (4KM)
 CAN OEM BRAND	**Armoured Fig8 12F [4KM/Reel]** GYTC8S 12Core Gal 2.7mm	12 Core	4KM	Gw. 635Kg Per Drum(4km)			
	Armoured Fig8 24F [4KM/Reel] GYTC8S 24Core Gal 2.7mm	24 Core	4KM	Gw. 635Kg Per Drum(4km)			
	Armoured Fig8 48F [4KM/Reel] GYTC8S 48Core Gal 2.7mm	48 Core	4KM	Gw. 760Kg Per Drum(4km)			
	Armoured Fig8 72F [4KM/Reel] GYTC8S 72Core Gal 2.7mm	72 Core	4KM	Gw. 760Kg Per Drum(4km)			
	Armoured Fig8 96F [4KM/Reel] GYTC8S 96Core Gal 2.7mm	96 Core	4KM	Gw. 890Kg Per Drum(4km)			
	Armoured Fig8 144F [4KM/Reel] GYTC8S 144Core Gal 2.7mm	144 Core	4KM	Gw. 1145Kg Per Drum(4km)			
	* 2.7mm Stranded Steel Galvanized Messenger Wire * Armoring : Steel tape * Jelly Compound * Water blocking tape				Order Basis Only, MOQ 4KM		

COMLINK®
SPEED SAFETY STABLE

UTP Patch Cable

Product Image	Model & Description	Meter	Bottom Price	Luzon Price	Vizmin Dealer
	**C6OD-A010** Cat6 Utp Cable Patch Cord 10M, CCA Outdoor Waterproof	10M	95	75	75
	**C6OD-A020** Cat6 Utp Cable Patch Cord 20M, CCA Outdoor Waterproof	20M	165	130	130
	C6OD-A030 Cat6 Utp Cable Patch Cord 30M, CCA Outdoor Waterproof	30M	220	175	175


RJ45 & Tools

	**UTP CAT6 RJ45 Module 180 Degree**	25	20	20
	Compatibility : Cat 6			
	**RC-T100** Rj45 Connector 100pc	75	65	65
	Plastic Cat5 / Cat6			
	**RC-EZP100** Passthru Ez Rj45 Connector 100pcs	200	135	135
	Plastic Cat5 / Cat6			
	**RC-EZM100** Passthru Ez Rj45 Connector 100pcs	380	280	280
	Metal Shielded Cat 5e / Cat 6			
	**RC-CAP100** RJ45 Rubber Cap 100pcs	70	50	50
	100pcs Per Bag, Mixed 5 Color each color 20pcs			
	**EZ68** EZ Pass Through, Network Crimping Tool	500	355	355
	Multifuction: RJ12, RJ45 Crimping, Wire Stripping			
	**Generic, Modular Network Crimping Tool** Ethernet All-in-one Tool	535	375	375
	All-In-One Cut/Strip/Crimp RJ45 Crimp Nest / RJ11/RJ12 Crimp Nest, Wiring Guides T568A&T568B, Safety Lock, Cable Stripper, Cable Cutter.			
	**Generic, Network Lan Tester**	145	100	100
	RJ45 + RJ11 With Battery			

BNC CABLE

Product Image	Model & Description	Meter	Bottom Price	Luzon Price	Vizmin Dealer
 	**BNC-DC Premade Cable 10M**	10M	110	95	95
	BNC-DC Premade Cable 20M	20M	155	135	135
	BNC-DC Premade Cable 30M	30M	210	185	185
	BNC-DC Premade Cable 40M	40M	265	230	230
	BNC-DC Premade Cable 50M	50M	290	265	265
	Cable Construction: Conductor: Pure Copper with Shield Jacket: 3.8-4.0mm PVC Connectors: Copper Electrical Characteristic: Impedance: 50 or 75 +/-2 Ohm Operating temperature: -20℃ + 75℃				

CCTV Junction Box

	**Comlink CCTV Junction Box, White** 100x100x70mm Waterproof	50	45	45
	Comlink CCTV Junction Box, White 255x200x80mm Waterproof	220	195	195
	100x100x70mm: 7 Gaskets 255x200x80mm: 12 Gaskets			

Analog CCTV Accessories

	**DC Power 1-4 Connector** Rj45 Connector 100pc	35	30	30
	Qty per Box: 1000 Bundle : 50 1*Female to 4*Male			
	**RG6** BNC SPRING TYPE CONNECTOR	9	8	8
	Qty per Box: 2500 Small Box : 100			
	**DC Power Connector Female**	6	5	5
	Qty per Box: 2500 Small Box : 100			
	**DC Power Connector Male**	6	5	5
	Qty per Box: 2500 Small Box : 100			
	**Video Balun Clip Type Connector**	60	50	50
	Whole Box: 400 Small Box : 100			

Data Cabinet

	**CG6045, Data Cabinet 4U** 600*450*300mm (L*D*H), Glass, Wall Mountable	**3,480**	**3,200**	**3,320**
	CG6045, Data Cabinet 6U 600*450*350mm (L*D*H), Glass, Wall Mountable	**3,730**	**3,430**	**3,550**
	**CG6060, Data Cabinet 9U** 600*600*500mm (L*D*H), Glass, Wall Mountable	**4,990**	**4,590**	**4,790**
	**CM6060, Data Cabinet 12U** 600*600*650mm (L*D*H), Mesh, Wall Mountable	**5,490**	**5,050**	**5,270**
	CM6060, Data Cabinet 15U 600*600*800mm (L*D*H), Mesh, Wall Mountable	**6,200**	**5,700**	**5,940**

Clearance Model

	**PF-IDC5-C305** Indoor Cat5E UTP Cable 305M, Oxygen-Free-Copper 0.48mm	**305M**	**3985**	**3585**	**3605**
	* 24AWG 0.48mm Oxygen Free Copper * Fluke Tested (OFC) * 4Pair Purecopper * Variation : Grey * G.W: 9.4KG, 36*36*22cm			**50% OFF**	
	**PF-IDC6-C305** Indoor Cat6 UTP Cable 305M, Oxygen-Free-Copper 0.53mm	**305M**	**5000**	**4500**	**4520**
	* 23AWG 0.53mm Oxygen Free Copper * Fluke Tested (OFC) * 4Pair Purecopper * Variation : Blue * G.W: 12KG, 38*38*24cm			**10% OFF**	
	**G657B3 1B(2KM)** Indoor invisible fiber optic cable	**1CORE, 2KM**	**6290**	**5535**	**6290**
	Comlink Indoor invisible fiber optic cable | G657B3,PVC G657B3, Transparent, PVC, SM SX 0.9 1 Core, 2KM Gw. 24.10Kg			**Mixed Model 10 KM**	

BP is Bottom Price, We control the online posting price (VAT EX.) shall not lowered than this BP.